



Laura M. Fulton
Senior Counsel
8330 Century Park Court, CP32F
San Diego, CA 92123-1548
LFulton@SDGE.com

May 18, 2026

VIA ELECTRONIC FILING

Docket # 2025 NON

Elizabeth McAlpine
Supervisory Environmental Scientist
Environmental Science Division
Office of Energy Infrastructure Safety
715 P Street, 20th Floor
Sacramento, CA 95814

**RE: San Diego Gas & Electric Company's Response to Notice of Non-Performance –
NON_ESD_SDGE_KJO_20260210_1351**

Dear Elizabeth McAlpine:

San Diego Gas & Electric Company (SDG&E) provides this response to the finding identified in the Notice of Non-Performance "NON_ESD_SDGE_KJO_20260210_1351" (Notice of Non-Performance or NON) issued by the Office of Energy Infrastructure Safety (Energy Safety) on May 4, 2026 regarding Energy Safety's inspection of work completed by SDG&E in accordance with its 2025 Wildfire Mitigation Plan (WMP). Specifically, the NON describes that on February 10, 2026, Energy Safety conducted an inspection of SDG&E's WMP initiatives in the vicinity of the city of Ramona, California and found the following deficiency:

Deficiency 1. Energy Safety observed that in implementing 2025 WMP initiative 8.2.3.1 Pole Clearing (WMP.512), which requires compliance with Public Resources Code (PRC) section 4292, SDG&E failed to maintain the required vegetation clearance at pole ID P610587 (Vegetation Management ID 365-XQ244), located near coordinates 33.0409399658502, -116.910492194103. Energy Safety considers this non-performance to be in the Moderate risk category. SDG&E must complete a corrective action for this non-performance by six months from the date of this notice.

SDG&E is not requesting a written hearing for the findings addressed in this response; however, SDG&E reserves the right to raise these points in subsequent procedural stages and/or proceedings as necessary. Further, although Energy Safety has the right to refer certain notices to the California Public Utilities Commission for enforcement action, the findings in this notice do

not merit referral, as there is inadequate support for a finding that SDG&E has failed to substantially comply with its approved WMP.¹

I. SDG&E RESPONSE

A. Deficiency 1 – Pole Clearing, Failure to Maintain the Required Vegetation Clearance at Pole ID P610587

SDG&E is providing two documents as attachments to this response: 1) work order documenting the corrective action pole clearing at Pole ID P610587 completed on 5/8/2026; and 2) before and after photos of Pole P610587. SDG&E is further providing below a snapshot of the pole clearing record for P610587 tracking the chronological work history activity showing this pole has been cleared annually since 2022. SDG&E is unable to apply chemical at this site to suppress vegetation regrowth because of environmental sensitivity.

Field	Value
Pole ID	P610587
Pole Brush ID	XQ244
Last User	JFROSARI
Pole Condition Code	Environmental Season
Add Pole Brush Reason	
Charge Back	Primary Distribution
CustomerBrush	
ESA Indicator	
HFTD Tier	Tier-2
Add Date	7/14/2022 9:40:42 AM

Activity	Date	Condition Code
Mechanical PB	5/8/2026 10:56:58 AM +00:00	Environmental Season
Chemical Assmnt	12/15/2025 12:25:25 PM +00:00	Environmental Season
Mechanical PB	8/7/2025 12:46:26 PM +00:00	Environmental Season
Mechanical PB	8/6/2024 7:08:08 AM +00:00	Environmental Season
PB Pre-Inspection	5/21/2024 10:58:46 AM +00:00	Environmental Season
Admin Update	9/14/2023 7:20:37 AM +00:00	Environmental Season
PB Pre-Inspection	6/7/2023 10:13:41 AM +00:00	Mechanical Brush Required
Mechanical PB	4/17/2023 3:33:14 PM +00:00	Mechanical Brush Completed
Mechanical PB	11/2/2022 12:36:00 PM +00:00	Mechanical Brush Completed

II. CONCLUSION

SDG&E appreciates Energy Safety's continued efforts to identify, communicate, and work together to promote wildfire safety throughout California.

Respectfully submitted,

/s/ Laura M. Fulton
 Attorney for
 San Diego Gas and Electric Company

¹ See Pub. Util. Code §8386.1.

Attachment 1

Work Order Documenting the Corrective Action Pole Clearing at Pole ID P610587 Completed on 5/8/2026



VM 17 - Pole Memo Work Order Details

Work Order # 1225981375

Project:

No Date Range Specified

Initiated By: POWELL, MICHAEL

Contractor: UTILITY TREE SERVICE LLC

Due Date: 06/07/2026

Work Order Type: VM PB ESA MEMO - TE

Issue Date: 05/08/2026

Work Order Status: COMPLETE

Block:	Pole ID:	Address:	ESA:	Pole 1:	Activity By:	Condition Code	VMA:	Number of Units:	Activity Date:	Activity Type:
	ED3411	2926 MONTECITO RD RAMONA 92065	N	P103293	JFROSARI	Environmental Season	365	1	05/08/2026	Mechanical PB
				PB Comments:						

Work Restriction Notes: 1- From 2898 Montecito Road mailbox; 2- follow rd w0.1 mi to pole; Fuse - Exempt ; Hot Tap Clamps - Exempt ; Lightning Arrestor - Non-Exempt ; NR (SKR) Monitor Required Raptor breeding season. Avoid work between Dec 1 and July 31 No herbicide use permitted – per eTS 34617.13-dated 9/8/23. MP ; Within a drybed of water body	Property Notes: AKA County of San Diego Ramona Airport.; Call first - locked gate access: Phone Electric gate code is 7500; County Of San Diego 760 788-3366
--	--

ED3412	2926 MONTECITO RD RAMONA 92065	N	P104033	JFROSARI	Environmental Season	365	1	05/08/2026	Mechanical PB
				PB Comments:					

Work Restriction Notes: Hot Tap Clamps - Exempt ; Lightning Arrestor - Non-Exempt ; NR (SKR) Monitor Required; Raptor breeding season. Avoid work between Dec 1 and July 31; No herbicide use permitted – per eTS 34617.13-dated 9/8/23. MP.	Property Notes: AKA County of San Diego Ramona Airport.; Call first - locked gate access: Phone Electric gate code is 7500; County Of San Diego 760 788-3366
---	--

XQ244 2493 MONTECITO RD RAMONA 92065 P610587 JFROSARI Environmental Season 365 1 05/08/2026 Mechanical PB
 PB
 Comments:

<p>Work Restriction Notes: Fuse - Non-Exempt ; Hot Tap Clamps - Exempt ; Lightning Arrestor - Non-Exempt ; NR (SKR) Monitor Required – per eTS 34617.13-dated 9/8/23. MP No herbicide use permitted – per eTS 34617.13-dated 9/8/23. MP ; Switch - Non-Exempt</p>	<p>Property Notes: Call first before brushing Call 24hrs ahead before brushing; R R R INVESTMENTS LLC 619 665-1335</p>
--	---

YY8550 2926 MONTECITO RD RAMONA N 92065 P103485 JFROSARI Environmental Season 365 1 05/08/2026 Mechanical PB
 PB
 Comments:

<p>Work Restriction Notes: Hot Tap Clamps - Exempt ; Lightning Arrestor - Non-Exempt ; NR (SKR) Monitor Required Raptor breeding season. Avoid work between Dec 1 and July 31 No herbicide use permitted – per eTS 34617.13-dated 9/8/23. MP. ; Roadside pole Roadside pole 2 spans W of 2898 Montecito Rd mailbox; Within a drybed of water body</p>	<p>Property Notes: AKA County of San Diego Ramona Airport.; Call first - locked gate access: Phone Electric gate code is 7500; County Of San Diego 760 788-3366</p>
--	--

YY8558 2926 MONTECITO RD RAMONA N 92065 P816529 JFROSARI Environmental Season 365 1 05/08/2026 Mechanical PB
 PB
 Comments:

<p>Work Restriction Notes: Fuse - Exempt ; NR (SKR) Monitor Required Raptor breeding season. Avoid work between Dec 1 and July 31 No herbicide use permitted – per eTS 34617.13-dated 9/8/23. MP</p>	<p>Property Notes: AKA County of San Diego Ramona Airport.; Call first - locked gate access: Phone Electric gate code is 7500; County Of San Diego 760 788-3366</p>
--	--

Sum of Units for Workorder #1225981375: 5

Grand Total All Units: 5

Attachment 2

Before and After Photos of Pole P610587

NON_ESD_SDGE_KJO_20260210_1351. NON Pole P610587 - Before corrective action response.



NON_ESD_SDGE_KJO_20260210_1351. NON Pole P610587 - After corrective action response.

