825 NE Multnomah St
Portland, OR 97232

October 23, 2026

VIA ELECTRONIC FILING

Docket # 2025 NON

Patrick Doherty
Program Manager
Performance Assessment Division
Office of Energy Infrastructure Safety
715 P Street, 15th Floor
Sacramento, CA 95814
Patrick.Doherty@energysafety.ca.gov

RE: PacifiCorp's Response to Notice of Non-Performance – NON_PAD_PC_IAG_20260520_1023

Dear Patrick Doherty:

PacifiCorp provides the following response to the deficiency identified in Notice of Non-Performance NON_PAD_PC_IAG_20260520_1029 (NON), issued by the Office of Energy Infrastructure Safety (Energy Safety) on September 29, 2026. On May 20, 2026, Energy Safety inspected PacifiCorp's 2025 WMP initiatives in the vicinity of Fort Jones, California. Energy Safety identified the following deficiency:


Deficiency 1. Structure ID 06243009.0132501; Grid Hardening ID 7368945; coordinates 41.578971, -122.834518. Energy Safety reported that PacifiCorp did not complete installation of three California Department of Forestry and Fire Protection-approved non-expulsion fuses in the pole's cutouts. Energy Safety observed the three fuses hanging from the pole and categorized the deficiency as Minor.

PacifiCorp Response to Deficiency 1:
On October 9, 2026, PacifiCorp installed the stored fuses in the cutouts in the open position. Figures 1 and 2 show structure 06243009.0132501 with the fuses installed in the open position.

Figure 1: Full view structure 06243009.0132501 with fuses installed in the open position.



Figure 2: Top of structure 06243009.0132501 with fuses installed in the open position.



PacifiCorp appreciates the opportunity to provide this response to Energy Safety's NON_PAD_PC_IAG_20260520_1029.

Please refer any questions to Chelsey Roth, Regulatory Affairs Project Manager at 503-813-6895 or via email at Chelsey.Roth@pacificorp.com and californiadockets@pacificorp.com

Sincerely,

Melissa Swenson
Director, Wildfire Mitigation Program Delivery
cc: sheryl.bilbrey@energysafety.ca.gov
Elizabeth.McAlpine@energysafety.ca.gov
ricardo.garcia@energysafety.ca.gov
Max.Zazzeron@energysafety.ca.gov
environmentalscience@energysafety.ca.gov
assetperformance@energysafety.ca.gov
Shannon.Greene@energysafety.ca.gov
Babak.Kaviani@energysafety.ca.gov
Samuel.Isaiah@energysafety.ca.gov
Ivan.Garcia@energysafety.ca.gov
Patrick.Doherty@energysafety.ca.gov