



CALIFORNIA UNDERGROUND SAFETY BOARD

INVESTIGATION REPORT

Date: October 14, 2025

Case No.: C250850002

Violations:

City of Los Angeles Street Lighting Bureau (Member Code CITYLASTLI)

Government Code § 4216.3(a)(1)(A): Failure to respond to a locate request from a call center in one of three ways before the legal excavation start date and time of April 14, 2025, for ticket A251000813-00A: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

Government Code § 4216.3(a)(1)(A): Failure to respond to a locate request from a call center in one of three ways before the legal excavation start date and time of April 10, 2025, for ticket A250980935-00A: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

Government Code § 4216.3(a)(1)(A): Failure to respond to a locate request from a call center in one of three ways before the legal excavation start date and time of April 14, 2025, for ticket A251000794-00A: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

Government Code § 4216.3(a)(1)(A): Failure to respond to a locate request from a call center in one of three ways before the legal excavation start date and time of April 11, 2025, for ticket A250990617-00A: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

Government Code § 4216.3(a)(1)(A): Failure to respond to a locate request from a call center in one of three ways before the legal excavation start date and time of January 16, 2025, for ticket A250140479-00A: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

Government Code § 4216.3(c)(1)(A): Failure to provide Electronic Positive Response before the legal start date and time of April 14, 2025, for ticket A251000813-00A.

Government Code § 4216.3(c)(1)(A): Failure to provide an Electronic Positive Response before the legal start date and time of April 10, 2025, for ticket A250980935-00A.

Government Code § 4216.3(c)(1)(A): Failure to provide an Electronic Positive Response before the legal start date and time of April 14, 2025, for ticket A251000794-00A.

Government Code § 4216.3(c)(1)(A): Failure to provide an Electronic Positive Response before the legal start date and time of April 11, 2025, for ticket A250990617-00A.

Government Code § 4216.3(c)(1)(A): Failure to provide an Electronic Positive Response before the legal start date and time of January 16, 2025, for ticket A250140479-00A.

City of Los Angeles Department of Transportation (Member Code CITYLADOT)

Government Code § 4216.3(a)(1)(A): Failure to respond to a locate request from the regional notification center in one of three ways before the legal excavation start date and time of April 10, 2025, for ticket A250980935-00A: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

Government Code § 4216.3(c)(1)(A): Failure to provide an Electronic Positive Response before the legal start date and time of April 10, 2025, for ticket A250980935-00A.

Executive Summary:

On March 26, 2025, Petrelli Electric Inc. submitted a complaint to the California Underground Facilities Safe Excavation Board (Board) reporting that the City of Los Angeles Bureau of Street Lighting has not responded to their DigAlert tickets. The Board investigated five DigAlert tickets, provided by Petrelli Electric Inc., that included the City of Los Angeles Bureau of Street Lighting's electronic positive responses. As a result of investigating DigAlert tickets, the City of Los Angeles Bureau of Street Lighting did not respond to the tickets. This investigation report documents DigAlert tickets A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A.

The City of Los Angeles Bureau of Street Lighting did not respond to the five tickets before the legal start date and time.

For ticket A250980935-00A, the City of Los Angeles Department of Transportation (Member Code CITYLADOT) did not respond to the ticket prior to the legal start date and time. The City of Los Angeles Department of Transportation eventually field-marked the work area fourteen days after the legal start date and time for the ticket.

Reporting Party Information:

Petrelli Electric Inc.
11615 Davenport Road
Auga Dulce, California 91390

Date of Violations:

January 16, and April 10, 11, and 14, 2025

Location of the Incident:

Via De La Paz, Pacific Palisades, California 90272
Sunset Boulevard, Pacific Palisades, California 90272
Via De La Paz, Pacific Palisades, California 90272
Swarthmore Avenue, Pacific Palisades, California 90272
Oro Vista Avenue, Sunland, California 91040

Operators:

City of Los Angeles Bureau of Street Lighting (Member Code CITYLASTLI)
1149 South Broadway Suite 200
Los Angeles, California 90015

City of Los Angeles Department of Transportation (Member Code CITYLADOT)
555 Ramirez Street
Los Angeles, California 90012

Excavator:

Petrelli Electric Inc.
11615 Davenport Road
Auga Dulce, California 91390

Facility Types Damaged:

None

Investigation:**Notification of the Incident**

On March 26, 2025, the Underground Safety Board Case Management System received complaint notification number C250850002 from Petrelli Electric Inc (Petrelli Electric). The notification stated:

“PLEASE INFORM (C/OF LA- ST LITE) ABOUT THE EPR SYSTEM REQUIREMENTS. ALL TICKETS AS OF 2025 CONTINUE TO AUTO GENERATE DUE TO LACK OF RESPONSE.” (Exh. 1.)

The case was assigned to Adrian Anaya (Investigator).

Identity of the Excavator

Government Code § 4216(h) defines an excavator to be “any person, firm, contractor or subcontractor, owner, operator, utility, association, corporation, partnership, business trust, public agency, or other entity that, with their own employees or equipment, performs any excavation.”

Petrelli Electric is licensed by the California Contractor’s State License Board, license number 444795 (C10-Electric). (Exh. 2.)

Identity of the Operator

Government Code section 4216(o) defines an operator to be “any person, corporation, partnership, business trust, public agency, or other entity that owns, operates, or maintains a subsurface installation.”

Petrelli Electric provided the Board’s investigator with five DigAlert tickets that indicate the City of Los Angeles Bureau of Street Lighting received late notice electronic positive code 999 from the regional notification center, which were the following: A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A. (Exh. 3.)

The City of Los Angeles Bureau of Street Lighting (Member Code CITYLASTLI) was one of the operators listed as “Members Operator Notified” on the regional notification tickets A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A. (Exh. 4.)

Jim Schwilk, Vice President of DigAlert, stated during a telephone conversation with a Board Investigator that the system-generated 999 code was not a system error. Jim Schwilk explained that the recurring notifications occur because the responsible member—in this instance, the City of Los Angeles—has failed to respond to the ticket within the required timeframe. Jim Schwilk further stated that, “the system is designed to send these notifications every two days, not including the date of notification, as long as the member remains non-compliant.” (Exh. 5.)

For DigAlert ticket A250980935-00A, the City of Los Angeles Department of Transportation (Member Code CITYLADOT) received a late notice electronic positive code 999 from the regional notification center. (Exh. 4.)

The City of Los Angeles Department of Transportation (Member Code CITYLADOT) was one of nine operators listed as “Members Operator Notified” in DigAlert ticket A250980935-00A. (Exh. 4.)

Project Background

On May 2, 2025, Petrelli Electric stated during their interview with the Board investigator that they are working with the City of Los Angeles Department of Water and Power and have sixteen active crews working in the Pacific Palisades. Furthermore, Petrelli Electric stated, “each crew

installs about two poles per day. That's around 30 poles per day company-wide, each needing a USA ticket. We're sitting on 80 open tickets at any given time." (Exh. 3.)

Creation of Tickets A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A.

Government code section 4216.2(b) requires an excavator to notify the regional notification center of planned excavation unless an emergency exists.

On May 2, 2025, a Board investigator requested copies of the tickets with revisions that were provided by Petrelli Electric. That same day, Amber Dahl responded by email with copies of the tickets. (Exh. 4.)

A250140479-00A: On January 14, 2025, Petrelli Electric notified the regional notification center about their intention to excavate, replacing one power pole and one anchor in Sunland, California. The notification resulted in the creation of ticket A250140479-00A, which listed a legal start date of January 16, 2025, and an expiration date of February 11, 2025. Out of the five members associated with this ticket, four provided their responses prior to the legal start date and time; however, the City of Los Angeles Bureau of Street Lighting did not respond before the legal start date and time.

A250980935-00A: On April 8, 2025, Petrelli Electric notified the regional notification center about their intention to excavate to replace one power pole in Pacific Palisades, California. This notification resulted in the creation of Ticket A250980935-00A, which listed a legal start date of April 10, 2025, and an expiration date of May 6, 2025. Out of the nine members associated with this ticket, seven provided their responses prior to the legal start date and time; however, the City of Los Angeles Bureau of Street Lighting and the City of Los Angeles Department of Transportation did not respond before the legal start date and time.

A250990617-00A: On April 9, 2025, Petrelli Electric notified the regional notification center about their intention to excavate to replace three power poles in Pacific Palisades, California. This notification resulted in the creation of ticket A250990617-00A, which listed a legal start date of April 11, 2025, and an expiration date of May 7, 2025. Out of the six members associated with this ticket, five provided their responses prior to the legal start date and time; however, the City of Los Angeles Bureau of Street Lighting did not respond before the legal start date and time.

A251000794-00A: On April 10, 2025, Petrelli Electric notified the regional notification center about their intention to excavate to replace two power poles in Pacific Palisades, California. This notification resulted in the creation of ticket A251000794-00A, which listed a legal start date of April 14, 2025, and an expiration date of May 8, 2025. Out of the six members associated with this ticket, five provided their responses prior to the legal start date and time; however, the City of Los Angeles Bureau of Street Lighting did not respond before the legal start date and time.

A251000813-00A: On April 10, 2025, Petrelli Electric notified the regional notification center about their intention to excavate to replace two power poles and support anchors in Pacific Palisades, California. This notification resulted in the creation of ticket A251000813-00A, which listed a legal start date of April 14, 2025, and an expiration date of May 8, 2025. Out of the five members associated with this ticket, four provided their responses prior to the legal start date and time; however, the City of Los Angeles Bureau of Street Lighting did not respond before the legal start date and time.

The City of Los Angeles Bureau of Street Lighting Did Not Respond to the Ticket Before the Legal Excavation Start Date and Time

Government Code section 4216.3(a)(1)(A) requires operators to respond to locate requests by field marking the work area, providing information about the location of subsurface installations in the work area, or indicating that no subsurface installations are in the work area.

Government Code section 4216.3(c)(1)(A) requires an operator to provide an electronic positive response through the regional notification center before the legal start date and time of a ticket.

For the five tickets, A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A, the City of Los Angeles Bureau of Street Lighting did not respond to the tickets before the legal start date and time. (Exh. 4.)

The City of Los Angeles Bureau of Street Lighting's Reason for Not Responding to the Tickets

On September 5, 2025, the investigator emailed an information request (IR-2025-295) to the Los Angeles Bureau of Street Lighting.

On September 10, 2025, a physical copy of the information request (IR-2025-295) was mailed to the Los Angeles Bureau of Street Lighting.

On September 24, 2025, Ansar Mustafa, the Division Manager for the Bureau of Street Lighting Community Impact Division, replied to the information request. He stated that for the tickets A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A, the Los Angeles Bureau of Street Lighting was unable to provide EPR codes by the legal start dates. Additionally, Ansar Mustafa stated that field markings were not completed before the legal start dates for these tickets. (Exh. 6.)

The reason why EPR and field markings were not completed was due to the Los Angeles Bureau of Street Lighting's resource constraints affecting operations, as Ansar Mustafa stated that they only have one field locator and one vehicle available to service the entire city. Ansar Mustafa further stated that these limitations made it impossible to provide timely EPR responses or complete the necessary field markings for the five tickets identified in the information request. (Exh. 6.)

City of Los Angeles Department of Transportation Did Not Respond to Ticket A250980935-00A Before the Legal Excavation Start Date and Time

Government Code section 4216.3(a)(1)(A) requires operators to respond to locate requests by field marking the work area, providing information about the location of subsurface installations in the work area, or indicating that no subsurface installations are in the work area.

Government Code section 4216.3(c)(1)(A) requires an operator to provide an electronic positive response through the regional notification center before the legal start date and time of a ticket.

Ticket A250980935-00A required operators to respond before 5:01 p.m. on April 10, 2025. (Exh. 4.) The following two members did not respond before that time:

- The City of Los Angeles Bureau of Street Lightings (Member Code CITYLASTLI)
- The City of Los Angeles Department of Transportation (Member Code CITYLADOT)

The City of Los Angeles Bureau of Street Lighting (Member Code CITYLASTLI) did not respond to the locate request. (Exhs. 4, 6.)

The City of Los Angeles Department of Transportation (Member Code CITYLADOT) provided an EPR and completed field marks on April 24, 2025, at 2:20 p.m. (Exhs. 4, 7.)

City of Los Angeles Department of Transportation's Reason for Not Responding to the Ticket

On September 19, 2025, the investigator emailed an information request (IR-2025-325) to the City of Los Angeles Department of Transportation.

On October 2, 2025, Pedro Contreras, Signal Systems Supervisor in the Mark Out Division, responded to the information request. Pedro Contreras stated the City of Los Angeles Department of Transportation was not able to respond to and field mark the location for ticket A250980935-00A. The City of Los Angeles Department of Transportation's reason as to why a response and field marking was not provided before the legal start date was due to being understaffed. (Exh. 7.)

Pedro Contreras further explained in his email response that the department does not have enough personnel to cover the various areas of Los Angeles, which is divided into four parts: Central, Western, Valley West, and Valley East. (Exh. 7.)

Pedro Contreras explained that each City of Los Angeles Department of Transportation service area is staffed by only one employee, creating workload pressures due to budget constraints that prevent hiring or reassigning personnel. The Western area employee, responsible for the location in question, was unable to respond to USA Ticket #A250980935-00A within the required timeframe due to the high volume of daily requests and scheduling limitations. The location was field marked on April 24, 2025. (Exh. 7.)

Upon personal investigation, Pedro Contreras determined that the work performed was not near City of Los Angeles Department of Transportation utilities and that the ticket was incorrectly marked as “Street/Sidewalk: Y” instead of “Street/Sidewalk: N.” Had it been marked correctly, City of Los Angeles Department of Transportation could have issued a “Clear—No Conflict”. (Exh. 7.)

Pedro Contreras explained that the City of Los Angeles Department of Transportation has made efforts to improve its response to the daily ticket volume and has adjusted to have half of the staff alter their schedules to cover Fridays, which are typically regular days off. (Exh. 7.)

Findings:

1. The City of Los Angeles Bureau of Street Lighting (Member Code CITYLASTLI) did not respond to a locate request from a call center in one of three ways before the legal excavation start date and time: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area before the legal start date and time of tickets A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A.
2. The City of Los Angeles Bureau of Street Lightings (Member Code CITYLASTLI) did not provide an electronic positive response before the legal start date and time of tickets A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A.
3. The City of Los Angeles Department of Transportation (Member Code CITYLADOT) did not respond to a locate request from a call center in one of three ways before the legal excavation start date and time: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area before the legal start date and time of ticket A250980935-00A.
4. The City of Los Angeles Department of Transportation (Member Code CITYLADOT) did not provide an electronic positive response before the legal start date and time of ticket A250980935-00A.

Investigator	Supervisor
Adrian Anaya	Anona Bonner
Signature	Signature
/s/ Adrian Anaya	/s/Anona Bonner

Exhibit List:

Exhibit No.	Description	Date	Received From
1.	Incident Report submitted to the Underground Safety Board	Received on 03/26/2025	Garret Sharbonow, Petrelli Electric Inc.
2.	Contractor's License Detail for License No. 444795 obtained from the Contractor's State License Board website	Downloaded on 10/14/2025	California Contractors State License Board website at https://www.cslb.ca.gov/online/service/checklicense/checklicense.aspx
3.	Record of telephone conversation with Garret Sharbonow with Petrelli Electric Inc.	Called on 05/01/2025	
4.	Investigator's email to DigAlert requesting ticket information for the tickets provided by Petrelli Electric Email from DigAlert with copies of tickets	Emailed on 05/02/2025 Received on 05/02/2025	Amber Dahl, Safety Awareness Director, DigAlert
5.	Record of telephone conversation with Jim Schwilk with DigAlert	Called on 06/02/2025	
6.	Information Request sent to the City of Los Angeles Bureau of Street Lighting Information Request response from Ansar Mustafa	Emailed on 09/05/2025 Received on 09/24/2025	Ansar Mustafa, Division Manager, the City of Los Angeles Bureau of Street Lighting

7.	Information Request sent to the City of Los Angeles Department of Transportation Information Request response from Pedro Contreras	Emailed on 09/19/2025 Received on 10/02/2025	Pedro Contreras, Signal Systems Supervisor I, City of Los Angeles Department of Transportation
----	--	--	---

Exhibit 1

Notification Information Report

Information for Notification Number:- C250850002

Date Logged to CRM:- 3/26/2025 5:41 AM

Complaint/Incident Information	
Incident/Complaint Description	PLEASE INFORM (C/OF LA- ST LITE) ABOUT THE EPR SYSTEM REQUIREMENTS. ALL TICKETS AS OF 2025 CONTINUE TO AUTO GENERATE DUE TO LACK OF RESPONSE.
Incident Date	1/1/2025 12:00 AM
Incident State	CA
Incident County	Los Angeles
Incident Place	Los Angeles
Incident St from Address	
Incident St to Address	
Incident Street	All tickets
Incident Cross1	
Incident Location	
Type of Complaint	No response/Late response
Other Complaint Detail	NONE
Notification Number	C250850002
Notification Created	3/26/2025 5:41 AM
Notification Type	complaint
Damage Injury	Undefined
Damage Death	Undefined
Damage Fire Evacuation	Undefined
Damage Facility Type	
Damage Equipment	

Reporter Information	
Reporter First Name	Garret
Reporter Middle Name	
Reporter Last Name	Sharbonow
Reporter Company	Petrelli Electric
Reporter Email	garrets@petrellielectric.com
Reporter Phone	6619936405
Reporter Address	11615 Davenport Rd
Reporter Address 2	
Reporter City	Agua Dulce
Reporter State	CA
Reporter Zip	91390

Other Party Information	
First Name	
Middle Name	
Last Name	
Company	C/OF LA- ST LITE
Address	
City	
State	
Zip Code	
Email	
Phone	

Ticket Entry	
Ticket Number	
Ticket Type	
Revision	
Created	
Account	
Channel	
Work Date	
Response Required	
Response Due	
Expires	
One Year	
Priority	
Priority Number	
Category	
Lookup	
State	
County	
Place	
Work area zip code	
St to address	
St from address	
Street	
Cross 1	
Cross 2	
How delineated	
Excav st walk	
Work Type	
Boring	
Explosives	
Vacuum	
Permit	
Work Order	
Done For	
Remarks Type	
Company Name	
Address1	
Address2	
City	

State	
Zip Code	
Phone	
Phone ext	
Caller	
Caller Language	
Cell	
Email	
Contact Name	
Contact Phone	
Contact Phone Ext	
Contact Cell	
Contact Email	
Location	
Comments	
Map URL	MAP URL of Notification Number C250850002

Ticket GPS Coordinates

Caller GPS Coordinates

Name	Latitude	Longitude
------	----------	-----------

Best Fit Rectangle GPS Coordinates

Name	Latitude	Longitude
------	----------	-----------

Ticket Member List

Member Code

Exhibit 2

▼ Contractor's License Detail for License # 444795

DISCLAIMER: A license status check provides information taken from the CSLB license database. Before relying on this information, you should be aware of the following limitations.

- ▶ CSLB complaint disclosure is restricted by law ([B&P 7124.6](#)) If this entity is subject to public complaint disclosure click on link that will appear below for more information. Click [here](#) for a definition of disclosable actions.
- ▶ Only construction related civil judgments reported to CSLB are disclosed ([B&P 7071.17](#)).
- ▶ Arbitrations are not listed unless the contractor fails to comply with the terms.
- ▶ Due to workload, there may be relevant information that has not yet been entered into the board's license database.

Data current as of 10/14/2025 1:08:30 PM

Business Information

PETRELLI ELECTRIC INC
11615 DAVENPORT ROAD
AGUA DULCE, CA 91390
Business Phone Number:(661) 268-7312

Entity Corporation
Issue Date 08/16/1983
Reissue Date 04/03/1995
Expire Date **04/30/2027**

License Status

This license is current and active.

All information below should be reviewed.

Classifications

[C10 - ELECTRICAL](#)

Bonding Information

Contractor's Bond

This license filed a Contractor's Bond with [WESTERN SURETY COMPANY](#) .

Bond Number: 70045880

Bond Amount: \$25,000

Effective Date: 01/01/2023

[Contractor's Bond History](#)

Bond of Qualifying Individual

The qualifying individual SALVATORE PATRICK PETRELLI certified that he/she owns 10 percent or more of the voting stock/membership interest of this company; therefore, the Bond of Qualifying Individual is not required.

Effective Date: 04/03/1995

Workers' Compensation

This license has workers compensation insurance with the [TRAVELERS PROPERTY CASUALTY COMPANY OF AMERICA](#)

Policy Number: UB7P2517232526G

Effective Date: 07/01/2025

Expire Date: 07/01/2026

[Workers' Compensation History](#)

Workers' compensation classification code(s):

7538 - Electric Power Line Construction

8827 - Description Unavailable

8810 - Clerical Office Employees

For a description of the workers' compensation classification code(s) listed for this licensee, contact the licensee's insurance carrier. Contact information for the licensee's insurer is available by clicking the insurer link above. Classification codes are also available on the Workers' Compensation Insurance Rating Bureau's classification search page.

The board does not verify or investigate the accuracy of classification codes displayed.

- ▶ 04/03/1995 - LICENSE REISSUED TO ANOTHER ENTITY

[Back to Top](#)

[Conditions of Use](#)

[Privacy Policy](#)

[Accessibility](#)

[Accessibility Certification](#)

Copyright © 2025 State of California

Exhibit 3



**CALIFORNIA UNDERGROUND SAFETY BOARD
INVESTIGATION DIVISION
INTERVIEW REPORT**

REPORT DATE: May 02, 2025

CASE NO: C250850002

DATE AND TIME OF INTERVIEW: May 01, 2025, at 04:47pm

LOCATION OF INTERVIEW: Phone (661) 993-6405

INTERVIEWER: Ousama Alkahwaji

NAME, TITLE, AND COMPANY OF INTERVIEWEE: Garret Sharbonow, Reporter, Petrelli Electric Inc.

INTERVIEW:

Question: Hello, Garret. I'm following up on a complaint you raised about the City of Los Angeles and the EPR system. Is that correct?

Sharbonow: Yes, that's right. The issue is with the EPR system changes. The city made it mandatory, and they gave everyone time to comply. But now, if a member doesn't respond within 48 hours, the system automatically extends the legal start date for the dig ticket.

Question: So even if most members respond, say gas, water, electricity, communication, but one doesn't, the system auto-generates a message saying the ticket is postponed?

Sharbonow: Exactly. And in our case, it's always the LA City Streetlight Department. They're not responding, and so every ticket gets delayed. I'm getting auto-generated confirmations every 2–3 days for every ticket I file.

Question: How often is this happening?

Sharbonow: Constantly. We're working with LADWP. We have 16 active crews in the Pacific Palisades right now, an area hit hard by fires this year. Each crew installs about two poles per day.

That's around 30 poles per day company-wide, each needing a USA ticket. We're sitting on 80 open tickets at any given time.

Question: Have you spoken with DigAlert about this?

Sharbonow: Yes, I spoke with a person called Jim and I think he was the supervisor, his number is 951-808-8118. I raised this in January or February. He acknowledged it but said they have no way to enforce a response from LA Streetlight. He also said the utility gets the same auto-generated notices.

Question: Did you try contacting the Streetlight Department directly?

Sharbonow: I did. They told me they're understaffed and running 60–90 days behind on USA tickets. But a ticket is only valid for 28 days, so they expire long before they can respond.

Question: What are your concerns about this in general?

Sharbonow: If a ticket keeps getting extended, it technically never becomes legally valid. That can be a big issue in court, especially if a utility strike happens. Even if all other utilities have cleared us, the letter of the law says the ticket isn't valid without a full response.

So, my concern is that this auto-extension could create legal vulnerability even when we've done everything right.

And it's affecting every contractor digging in LA. It doesn't matter if you're setting poles, installing pools, or running gas lines.

Question: Thank you for explaining this. We typically investigate damages and complaints, and while we do not have control over this issue, I'll definitely document it and move it forward to my supervisor. But to move this forward, I need some specific examples. Can you provide a few ticket numbers showing this issue?

Sharbonow: Sure, I'll give you five tickets, all are 2025 tickets, and all are for the City of Los Angeles.: A-251000813, A-250980935, A-251000794, A-250990617, A250140479.

Exhibit 4

Alkhwaji, Ousama@EnergySafety.ca.gov

From: Alkhwaji, Ousama@EnergySafety.ca.gov
Sent: Friday, May 2, 2025 09:41 AM
To: Amber Dahl
Cc: Alcantar, Daysi@EnergySafety
Subject: C250850002 Ticket Request - Petrelli Electric

Hi Amber,

Please provide a copy of ticket numbers A251000813, A250980935, A251000794, A250990617, A250140479 and all revisions.

Thank you,

Ousama Alkhwaji

Investigator

Underground Infrastructure Directorate

Phone: (279) 245-1157

www.energysafety.ca.gov



OFFICE OF ENERGY
INFRASTRUCTURE
SAFETY

Stay connected and informed by signing up for the [Underground Safety Board's subscriber list](#).

Alkhwaji, Ousama@EnergySafety.ca.gov

From: Amber Dahl <amber@digalert.org>
Sent: Friday, May 2, 2025 11:49 AM
To: Alkhwaji, Ousama@EnergySafety.ca.gov
Cc: Alcantar, Daysi@EnergySafety
Subject: File C250850002

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Please copy AND then paste the below link to your web browser to view/print/save file. Link will be deleted after 10 business days.

<https://digalert.org/cordownloads/C250850002.pdf>

Thank you,



Amber Dahl, Safety Director
Underground Service Alert of Southern California
PO BOX 77070 Corona, CA 92877
P: 951-808-8115 F: 951-808-8101
E: amber@digalert.org W: www.digalert.org



This e-mail message may contain confidential or legally privileged information and is intended only for the use of the intended recipient(s). Any unauthorized disclosure, dissemination, distribution, copying or the taking of any action in reliance on the information herein is prohibited. E-mails are not secure and cannot be guaranteed to be error free as they can be intercepted, amended, or contain viruses. Anyone who communicates with us by e-mail is deemed to have accepted these risks. Underground Service Alert of Southern California is not responsible for errors or omissions in this message and denies any responsibility for any damage arising from the use of e-mail. Any opinion and other statement contained in this message and any attachment are solely those of the author and do not necessarily represent those of the company.



Underground Service Alert

of Southern California™

May 2, 2025

Ousama Alkahwaji
Underground Safety Board

File Number: C250850002

Dear Ousama,

Attached are DigAlert ticket(s) A251000813, A250980935, A251000794, A250990617, A250140479 as requested. I hope this information will be helpful.

If we can be of further assistance, please call us at 951-808-8100.

Sincerely,

Amber Dahl
Safety Awareness Director

MBRCOD 00001B USAS 05/02/25 09:54:11 A251000813-00A NEW NORM POLY LREQ

Ticket: A251000813 Rev: 00A Created: 04/10/25 14:22 User: KAW Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/14/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES

Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 324 VIA DE LA PAZ (POLE# 19213Y);

: R/O 318 VIA DE LA PAZ (POLE# 24790Y);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 68975 sq-miles: 0.002474

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.036961/-118.529811 34.036790/-118.528825

: 34.036283/-118.529928 34.036112/-118.528942

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=0DgKiFgEfLXMTLc-A

Members:

CITYLASTLI LAWP3 SCG3Z6 UCHTRW_N6 USCEMW

(c) Copyright 2022 Underground Service Alert of Southern California.

All rights reserved.

Ticket Responses for: A251000813-00A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	00A	04/17/25 06:09:11 PM	Late Notice	(999) Member did not respond by the required time
LAWP3	LADWP - WTR & PWR	00A	04/14/25 07:23:43 AM	TMS:MBALLESTEROS	(001) CLEAR - NO CONFLICT

Member	Name	Rev	Responded	By	Response
SCG3Z6	SOCALGAS DISTRIBUTION SANTA MONICA	00A	04/14/25 01:09:51 PM	EHERNAN7	(001) CLEAR - NO CONFLICT
UCHTRW_N6	SPECTRUM - VAN NUYS	00A	04/14/25 09:57:53 AM	UQ Responder	(001) CLEAR - NO CONFLICT
USCEMW	UTILIQUEST FOR SCE DIST METRO WEST	00A	04/14/25 09:57:54 AM	UQ Responder	(001) CLEAR - NO CONFLICT

MBRCOD 00001B USAS 05/02/25 09:54:14 A251000813-01A NRSP RUSH POLY LREQ

Ticket: A251000813 Rev: 01A Created: 04/17/25 18:09 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/16/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW
Site Phone: 661-810-1271 Site SMS/Cell:
Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272
Address : Street: VIA DE LA PAZ
Cross 1 : W FRIENDS ST
Cross 2 :
Location: R/O 324 VIA DE LA PAZ (POLE# 19213Y);
: R/O 318 VIA DE LA PAZ (POLE# 24790Y);
:
: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**
: **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 68975 sq-miles: 0.002474

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.036961/-118.529811 34.036790/-118.528825
: 34.036283/-118.529928 34.036112/-118.528942

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=1DjLhGfJeMSNWfM-x

Comments:

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:11 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000813-01A

Member	Name	Rev	Responded	By	Response
--------	------	-----	-----------	----	----------

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	01A	04/17/25 06:51:43 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:54:16 A251000813-02A NRSP RUSH POLY LREQ

Ticket: A251000813 Rev: 02A Created: 04/17/25 18:51 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/18/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 324 VIA DE LA PAZ (POLE# 19213Y);

: R/O 318 VIA DE LA PAZ (POLE# 24790Y);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 68975 sq-miles: 0.002474

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.036961/-118.529811 34.036790/-118.528825

: 34.036283/-118.529928 34.036112/-118.528942

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=2DiIkCjAjHbIXJe-8

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:11 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000813-02A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	02A	04/18/25 05:16:59 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:54:18 A251000813-03A NRSP RUSH POLY LREQ

Ticket: A251000813 Rev: 03A Created: 04/18/25 17:16 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/22/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 324 VIA DE LA PAZ (POLE# 19213Y);

: R/O 318 VIA DE LA PAZ (POLE# 24790Y);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 68975 sq-miles: 0.002474

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.036961/-118.529811 34.036790/-118.528825

: 34.036283/-118.529928 34.036112/-118.528942

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=3DlJjEhHgKULYFm-x

Comments:

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:11 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:59 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000813-03A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	03A	04/22/25 05:12:55 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:54:20 A251000813-04A NRSP RUSH POLY LREQ

Ticket: A251000813 Rev: 04A Created: 04/22/25 17:12 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/24/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 324 VIA DE LA PAZ (POLE# 19213Y);

: R/O 318 VIA DE LA PAZ (POLE# 24790Y);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 68975 sq-miles: 0.002474

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.036961/-118.529811 34.036790/-118.528825

: 34.036283/-118.529928 34.036112/-118.528942

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=4Du5x4r1s7l7i9o-z

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:11 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:59 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:12:55 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000813-04A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	04A	04/24/25 05:11:34 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:54:23 A251000813-05A NRSP RUSH POLY LREQ

Ticket: A251000813 Rev: 05A Created: 04/24/25 17:11 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/28/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 324 VIA DE LA PAZ (POLE# 19213Y);

: R/O 318 VIA DE LA PAZ (POLE# 24790Y);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 68975 sq-miles: 0.002474

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.036961/-118.529811 34.036790/-118.528825

: 34.036283/-118.529928 34.036112/-118.528942

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=5Dx6sDm7q9j9k3y-1

Comments:

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:11 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:59 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:12:55 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:11:34 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000813-05A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	05A	04/28/25 05:10:08 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:54:25 A251000813-06A NRSP RUSH POLY LREQ

Ticket: A251000813 Rev: 06A Created: 04/28/25 17:10 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/30/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 324 VIA DE LA PAZ (POLE# 19213Y);

: R/O 318 VIA DE LA PAZ (POLE# 24790Y);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 68975 sq-miles: 0.002474

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.036961/-118.529811 34.036790/-118.528825

: 34.036283/-118.529928 34.036112/-118.528942

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=6Dw26r2sDn3qzv0-n

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:11 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:59 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:12:55 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:11:34 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 04/28/2025 05:10:08 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000813-06A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	06A	04/30/25 05:09:16 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:54:27 A251000813-07A NRSP RUSH POLY LREQ

Ticket: A251000813 Rev: 07A Created: 04/30/25 17:09 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 05/02/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 324 VIA DE LA PAZ (POLE# 19213Y);

: R/O 318 VIA DE LA PAZ (POLE# 24790Y);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 68975 sq-miles: 0.002474

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.036961/-118.529811 34.036790/-118.528825

: 34.036283/-118.529928 34.036112/-118.528942

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=7Dz3zyxDkGYHcFm-x

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:11 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:59 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:12:55 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:11:34 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 04/28/2025 05:10:08 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 04/30/2025 05:09:16 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

**Ticket Responses for: A251000813-
07A**

Member Name Rev Responded By Response

MBRCOD 00001B USAS 05/02/25 09:55:50 A250980935-00A NEW NORM POLY LREQ

Ticket: A250980935 Rev: 00A Created: 04/08/25 16:10 User: MMD Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/10/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
 Co Addr: 11615 DAVENPORT ROAD
 City : AGUA DULCE State: CA Zip: 91390
 Created By: GARRET SHARBONOW Language: ENGLISH
 Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
 Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
 Zip: 90272
 Address : Street: SUNSET BLVD
 Cross 1 : LOS LIONES DR
 Cross 2 :
 Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);
 :
 : **MARK 25 FOOT RADIUS FROM POLE ANCHORS**
 : **QUESTIONS PLEASE CALL GARRET 661-810-1271**
 :
 : POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591
 : 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=F4SYUScQTYMZGYP-0

Members:

CASPANGWTR CITYLADOT CITYLASTLI LAWP3 SCG3Z6 TMOBILE
 UCHTRW_N6 USCENC UTFTRCA01

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250980935-00A

Member	Name	Rev	Responded	By	Response	Comment
CASPANGWTR	CA State Parks- Angeles District	00A	04/09/25 02:34:00 PM	Harkless	(001) CLEAR - NO CONFLICT	
CITYLADOT	CITY OF LOS ANGELES DEPT OF TRANSP	00A	04/17/25 06:00:38 PM	Late Notice	(999) Member did not respond by the required time	

Member	Name	Rev	Responded	By	Response	Comment
CITYLASTLI	CITY OF LOS ANGELES	00A	04/17/25 06:00:38 PM	Late Notice	(999) Member did not respond by the required time	
LAWP3	LADWP - WTR & PWR	00A	04/10/25 08:58:09 PM	TMS:CLUCERO	(010) LOCATE AREA MARKED	MARKED NO DWP WATER AND MARKED DWP POWER ON SIDEWALK USING OFF/SET MARKS.
SCG3Z6	SOCALGAS DISTRIBUTION SANTA MONICA	00A	04/10/25 02:10:10 PM	EHERNAN7	(001) CLEAR - NO CONFLICT	
TMOBILE	T-MOBILE USA	00A	04/09/25 07:16:25 AM	Jessica Parrales	(001) CLEAR - NO CONFLICT	
UCHTRW_N6	SPECTRUM - VAN NUYS	00A	04/09/25 12:43:53 PM	UQ Responder	(001) CLEAR - NO CONFLICT	
USCENC	UTILIQUEST FOR SCE DIST - NO COAST REG	00A	04/09/25 12:43:53 PM	UQ Responder	(001) CLEAR - NO CONFLICT	
UTFTRCA01	FRONTIER	00A	04/09/25 12:43:57 PM	UQ Responder	(001) CLEAR - NO CONFLICT	

MBRCOD 00001B USAS 05/02/25 09:55:52 A250980935-01A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 01A Created: 04/17/25 18:00 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/14/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=E4TbRZVbMbJcCZS-H

Comments:

****NO RESPONSE** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]**

Members:

CITYLADOT CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.

All rights reserved.

Ticket Responses for: A250980935-01A

Member	Name	Rev	Responded	By	Response
--------	------	-----	-----------	----	----------

Member	Name	Rev	Responded	By	Response
CITYLADOT	CITY OF LOS ANGELES DEPT OF TRANSP	01A	04/17/25 06:42:47 PM	Late Notice	(999) Member did not respond by the required time
CITYLASTLI	CITY OF LOS ANGELES	01A	04/17/25 06:42:47 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:55:55 A250980935-02A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 02A Created: 04/17/25 18:42 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/16/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=D4QaSUaSRaKbEcL-S

Comments:

****NO RESPONSE** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]**

****NO RESPONSE** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:42:47 PM]**

Members:

CITYLADOT CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250980935-02A

Member	Name	Rev	Responded	By	Response
CITYLADOT	CITY OF LOS ANGELES DEPT OF TRANSP	02A	04/17/25 07:26:13 PM	Late Notice	(999) Member did not respond by the required time
CITYLASTLI	CITY OF LOS ANGELES	02A	04/17/25 07:26:13 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:55:57 A250980935-03A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 03A Created: 04/17/25 19:26 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/18/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=C4RdPbTdKdHeAdO-L

Comments:

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:42:47 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:26:13 PM]

Members:

CITYLADOT CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250980935-03A

Member	Name	Rev	Responded	By	Response
CITYLADOT	CITY OF LOS ANGELES DEPT OF TRANSP	03A	04/18/25 05:15:16 PM	Late Notice	(999) Member did not respond by the required time
CITYLASTLI	CITY OF LOS ANGELES	03A	04/18/25 05:15:16 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:55:59 A250980935-04A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 04A Created: 04/18/25 17:15 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/22/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=B40cQWYUPcIdCgH-W

Comments:

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:42:47 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:26:13 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR
RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:15:16 PM]

Members:

CITYLADOT CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250980935-04A

Member	Name	Rev	Responded	By	Response
CITYLADOT	CITY OF LOS ANGELES DEPT OF TRANSP	04A	04/22/25 05:11:28 PM	Late Notice	(999) Member did not respond by the required time
CITYLASTLI	CITY OF LOS ANGELES	04A	04/22/25 05:11:28 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:56:01 A250980935-05A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 05A Created: 04/22/25 17:11 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/24/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=A4PfNdRfIfFg8hK-P

Comments:

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:42:47 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:26:13 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:15:16 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:11:28 PM]

Members:

CITYLADOT CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250980935-05A

Member	Name	Rev	Responded	By	Response
CITYLADOT	CITY OF LOS ANGELES DEPT OF TRANSP	05A	04/24/25 02:20:01 PM	AAA	(010) LOCATE AREA MARKED
CITYLASTLI	CITY OF LOS ANGELES	05A	04/24/25 05:10:16 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:56:03 A250980935-06A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 06A Created: 04/24/25 17:10 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/28/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=94HnFlJnAn6l7rA-Z

Comments:

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:42:47 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:26:13 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:15:16 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:11:28 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:10:16 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250980935-06A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	06A	04/28/25 05:08:45 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:56:05 A250980935-07A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 07A Created: 04/28/25 17:08 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/30/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=84EmGg0eFm7o4r5-i

Comments:

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:42:47 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:26:13 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:15:16 PM]

NO RESPONSE FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:11:28 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:10:16 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/28/2025 05:08:45 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250980935-07A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	07A	04/30/25 05:08:02 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:56:08 A250980935-08A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 08A Created: 04/30/25 17:08 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 05/02/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=74FpDnHp8p3sx17-g

Comments:

****NO RESPONSE**** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]

****NO RESPONSE**** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:42:47 PM]

****NO RESPONSE**** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:26:13 PM]

****NO RESPONSE**** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:15:16 PM]

****NO RESPONSE**** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:11:28 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:10:16 PM]

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/28/2025 05:08:45 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/30/2025 05:08:02 PM]**

**Members:
CITYLASTLI**

**(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.**

**Ticket Responses for: A250980935-
08A**

Member Name Rev Responded By Response

MBRCOD 00001B USAS 05/02/25 09:57:07 A251000794-00A NEW NORM POLY LREQ

Ticket: A251000794 Rev: 00A Created: 04/10/25 14:13 User: KAW Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/14/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW
Site Phone: 661-810-1271 Site SMS/Cell:
Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272
Address : Street: VIA DE LA PAZ
Cross 1 : W FRIENDS ST
Cross 2 :
Location: R/O 401 VIA DE LA PAZ (POLE# 41859M);
: R/O 425 VIA DE LA PAZ (POLE# 41858M);
:
: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**
: **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 121100 sq-miles: 0.004344

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.038197/-118.530224 34.037948/-118.529204
: 34.037065/-118.530500 34.036817/-118.529480

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=C70cMXSSRYOWJZS-H

Members:

ATTD SOUTH CITYLASTLI LAWP3 SCG3Z6 UCHTRW_N6 USCEMW

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000794-00A

Member	Name	Rev	Responded	By	Response
ATTD SOUTH	AT&T - DISTRIBUTION	00A	04/11/25 07:32:36 AM	UQ Responder	(001) CLEAR - NO CONFLICT
CITYLASTLI	CITY OF LOS ANGELES	00A	04/17/25 06:09:10 PM	Late Notice	(999) Member did not respond by the required time

Member	Name	Rev	Responded	By	Response
LAWP3	LADWP - WTR & PWR	00A	04/14/25 07:23:43 AM	TMS:MBALLESTEROS	(001) CLEAR - NO CONFLICT
SCG3Z6	SOCALGAS DISTRIBUTION SANTA MONICA	00A	04/14/25 01:09:50 PM	EHERNAN7	(001) CLEAR - NO CONFLICT
UCHTRW_N6	SPECTRUM - VAN NUYS	00A	04/11/25 07:32:36 AM	UQ Responder	(001) CLEAR - NO CONFLICT
USCEMW	UTILIQUEST FOR SCE DIST METRO WEST	00A	04/11/25 07:32:36 AM	UQ Responder	(001) CLEAR - NO CONFLICT

MBRCOD 00001B USAS 05/02/25 09:57:09 A251000794-01A NRSP RUSH POLY LREQ

Ticket: A251000794 Rev: 01A Created: 04/17/25 18:09 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/16/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 401 VIA DE LA PAZ (POLE# 41859M);

: R/O 425 VIA DE LA PAZ (POLE# 41858M);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 121100 sq-miles: 0.004344

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.038197/-118.530224 34.037948/-118.529204

: 34.037065/-118.530500 34.036817/-118.529480

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=D7NdPYNXMdNXIXQ-N

Comments:

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:10 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000794-01A

Member	Name	Rev	Responded	By	Response
--------	------	-----	-----------	----	----------

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	01A	04/17/25 06:51:43 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:57:12 A251000794-02A NRSP RUSH POLY LREQ

Ticket: A251000794 Rev: 02A Created: 04/17/25 18:51 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/18/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 401 VIA DE LA PAZ (POLE# 41859M);

: R/O 425 VIA DE LA PAZ (POLE# 41858M);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 121100 sq-miles: 0.004344

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.038197/-118.530224 34.037948/-118.529204

: 34.037065/-118.530500 34.036817/-118.529480

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=E7QaOVUQTWQULZS-H

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:10 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000794-02A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	02A	04/18/25 05:16:58 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:57:14 A251000794-03A NRSP RUSH POLY LREQ

Ticket: A251000794 Rev: 03A Created: 04/18/25 17:16 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/22/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 401 VIA DE LA PAZ (POLE# 41859M);

: R/O 425 VIA DE LA PAZ (POLE# 41858M);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 121100 sq-miles: 0.004344

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.038197/-118.530224 34.037948/-118.529204

: 34.037065/-118.530500 34.036817/-118.529480

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=F7PbRWPVObPVKXQ-N

Comments:

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:10 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:58 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000794-03A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	03A	04/22/25 05:12:55 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:57:16 A251000794-04A NRSP RUSH POLY LREQ

Ticket: A251000794 Rev: 04A Created: 04/22/25 17:12 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/24/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 401 VIA DE LA PAZ (POLE# 41859M);

: R/O 425 VIA DE LA PAZ (POLE# 41858M);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 121100 sq-miles: 0.004344

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.038197/-118.530224 34.037948/-118.529204

: 34.037065/-118.530500 34.036817/-118.529480

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=87BpDkBjApBj4o9-e

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:10 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:58 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:12:55 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000794-04A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	04A	04/24/25 05:11:33 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:57:18 A251000794-05A NRSP RUSH POLY LREQ

Ticket: A251000794 Rev: 05A Created: 04/24/25 17:11 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/28/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 401 VIA DE LA PAZ (POLE# 41859M);

: R/O 425 VIA DE LA PAZ (POLE# 41858M);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 121100 sq-miles: 0.004344

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.038197/-118.530224 34.037948/-118.529204

: 34.037065/-118.530500 34.036817/-118.529480

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=97EmChIcHiEg8hK-P

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:10 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:58 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:12:55 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:11:33 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000794-05A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	05A	04/28/25 05:09:58 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:57:20 A251000794-06A NRSP RUSH POLY LREQ

Ticket: A251000794 Rev: 06A Created: 04/28/25 17:09 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 04/30/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 401 VIA DE LA PAZ (POLE# 41859M);

: R/O 425 VIA DE LA PAZ (POLE# 41858M);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 121100 sq-miles: 0.004344

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.038197/-118.530224 34.037948/-118.529204

: 34.037065/-118.530500 34.036817/-118.529480

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=A7MeKZQUPaMYHhK-P

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:10 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:58 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:12:55 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:11:33 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 04/28/2025 05:09:58 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A251000794-06A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	06A	04/30/25 05:09:15 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:57:22 A251000794-07A NRSP RUSH POLY LREQ

Ticket: A251000794 Rev: 07A Created: 04/30/25 17:09 User: DIRECTAPI Chan: WEB

Work Start: 04/14/25 17:01 Legal Start: 05/02/25 17:01 Expires: 05/08/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: VIA DE LA PAZ

Cross 1 : W FRIENDS ST

Cross 2 :

Location: R/O 401 VIA DE LA PAZ (POLE# 41859M);

: R/O 425 VIA DE LA PAZ (POLE# 41858M);

:

: **MARK 25 FOOT RADIUS FROM ALL POLES AND ANCHORS**

: **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 2 BURNED POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 121100 sq-miles: 0.004344

Delineated Method: WHITEPAINT

Work Type: REPLACING 2 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900837

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.038197/-118.530224 34.037948/-118.529204

: 34.037065/-118.530500 34.036817/-118.529480

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=B7LfNaLZKfLZGfI-V

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:09:10 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:51:43 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/18/2025 05:16:58 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/22/2025 05:12:55 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/24/2025 05:11:33 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 04/28/2025 05:09:58 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 04/30/2025 05:09:15 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

**Ticket Responses for: A251000794-
07A**

Member Name Rev Responded By Response

MBRCOD 00001B USAS 05/02/25 09:57:53 A250990617-00A NEW NORM POLY LREQ

Ticket: A250990617 Rev: 00A Created: 04/09/25 13:14 User: LNR Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 04/11/25 17:01 Expires: 05/07/25 23:59

Response required: Y Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
 Co Addr: 11615 DAVENPORT ROAD
 City : AGUA DULCE State: CA Zip: 91390
 Created By: GARRET SHARBONOW Language: ENGLISH
 Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
 Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES

Zip: 90272

Address : Street: SWARTHMORE AVE

Cross 1 : DE PAUW ST

Cross 2 :

Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
 : 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
 : AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
 :
 : POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900834

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652

: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=7Ey0yy0zy7lBi4t-u

Members:

CITYLASTLI LAWP3 SCG3Z6 TMOBILE UCHTRW_N6 USCEMW

(c) Copyright 2022 Underground Service Alert of Southern California.

All rights reserved.

Ticket Responses for: A250990617-00A

Member	Name	Rev	Responded	By	Response	Comment
CITYLASTLI	CITY OF LOS ANGELES	00A	04/17/25 06:04:20 PM	Late Notice	(999) Member did not respond by the required time	
LAWP3	LADWP - WTR & PWR	00A	04/10/25 09:20:30 PM	TMS:CLUCERO	(001) CLEAR - NO CONFLICT	MARKED NO DWP WATER AND MARKED NO DWP POWER.

Member	Name	Rev	Responded	By	Response	Comment
SCG3Z6	SOCALGAS DISTRIBUTION SANTA MONICA	00A	04/10/25 01:27:51 PM	GHERNAN1	(001) CLEAR - NO CONFLICT	
TMOBILE	T-MOBILE USA	00A	04/09/25 02:00:44 PM	Jessica Parrales	(001) CLEAR - NO CONFLICT	
UCHTRW_N6	SPECTRUM - VAN NUYS	00A	04/10/25 02:46:18 PM	UQ Responder	(001) CLEAR - NO CONFLICT	
USCEMW	UTILIQUEST FOR SCE DIST METRO WEST	00A	04/10/25 02:46:18 PM	UQ Responder	(001) CLEAR - NO CONFLICT	

MBRCOD 00001B USAS 05/02/25 09:57:55 A250990617-01A NRSP RUSH POLY LREQ

Ticket: A250990617 Rev: 01A Created: 04/17/25 18:04 User: DIRECTAPI Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 04/15/25 17:01 Expires: 05/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES

Zip: 90272

Address : Street: SWARTHMORE AVE

Cross 1 : DE PAUW ST

Cross 2 :

Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
: 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
: AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900834

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652
: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=6Ev3zx5yv1r4l2v-s

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:04:20 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250990617-01A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	01A	04/17/25 06:46:39 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:57:57 A250990617-02A NRSP RUSH POLY LREQ

Ticket: A250990617 Rev: 02A Created: 04/17/25 18:46 User: DIRECTAPI Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 04/17/25 17:01 Expires: 05/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW
Site Phone: 661-810-1271 Site SMS/Cell:
Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272
Address : Street: SWARTHMORE AVE
Cross 1 : DE PAUW ST
Cross 2 :
Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
: 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
: AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:
Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS
Work For : LADWP
Permit: NOT AVAILABLE Job/Work order: 2900834
Project ID:
Project Name:
1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652
: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=5Ew2w5z2rAeFeBq-t

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:04:20 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:46:39 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250990617-02A

Member	Name	Rev	Responded	By	Response
--------	------	-----	-----------	----	----------

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	02A	04/17/25 07:30:15 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:57:59 A250990617-03A NRSP RUSH POLY LREQ

Ticket: A250990617 Rev: 03A Created: 04/17/25 19:30 User: DIRECTAPI Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 04/21/25 17:01 Expires: 05/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SWARTHMORE AVE

Cross 1 : DE PAUW ST

Cross 2 :

Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
: 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
: AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900834

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652
: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=4Et6w44zu2q6j7q-x

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:04:20 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:46:39 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:30:15 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250990617-03A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	03A	04/21/25 05:12:41 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:02 A250990617-04A NRSP RUSH POLY LREQ

Ticket: A250990617 Rev: 04A Created: 04/21/25 17:12 User: DIRECTAPI Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 04/23/25 17:01 Expires: 05/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SWARTHMORE AVE

Cross 1 : DE PAUW ST

Cross 2 :

Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
: 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
: AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900834

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652
: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=3EkGiDrBmBhGZNe-4

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:04:20 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:46:39 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:30:15 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:12:41 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250990617-04A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	04A	04/23/25 05:11:42 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:04 A250990617-05A NRSP RUSH POLY LREQ

Ticket: A250990617 Rev: 05A Created: 04/23/25 17:11 User: DIRECTAPI Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 04/25/25 17:01 Expires: 05/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SWARTHMORE AVE

Cross 1 : DE PAUW ST

Cross 2 :

Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
: 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
: AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900834

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652
: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=2EhJjCsAjFdKVOZ-D

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:04:20 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:46:39 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:30:15 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:12:41 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:11:42 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250990617-05A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	05A	04/25/25 05:10:56 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:06 A250990617-06A NRSP RUSH POLY LREQ

Ticket: A250990617 Rev: 06A Created: 04/25/25 17:10 User: DIRECTAPI Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 04/29/25 17:01 Expires: 05/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SWARTHMORE AVE

Cross 1 : DE PAUW ST

Cross 2 :

Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
: 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
: AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900834

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652
: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=1EiIgGkFiGYLYMb-B

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:04:20 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:46:39 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:30:15 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:12:41 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:11:42 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/25/2025 05:10:56 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250990617-06A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	06A	04/29/25 05:09:24 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:08 A250990617-07A NRSP RUSH POLY LREQ

Ticket: A250990617 Rev: 07A Created: 04/29/25 17:09 User: DIRECTAPI Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 05/01/25 17:01 Expires: 05/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SWARTHMORE AVE

Cross 1 : DE PAUW ST

Cross 2 :

Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
: 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
: AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900834

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652
: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=0EfLhFpDgIaNSTU-J

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:04:20 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:46:39 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:30:15 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:12:41 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:11:42 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/25/2025 05:10:56 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 04/29/2025 05:09:24 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250990617-07A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	07A	05/01/25 05:07:35 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:10 A250990617-08A NRSP RUSH POLY LREQ

Ticket: A250990617 Rev: 08A Created: 05/01/25 17:07 User: DIRECTAPI Chan: WEB

Work Start: 04/11/25 17:01 Legal Start: 05/05/25 17:01 Expires: 05/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SWARTHMORE AVE

Cross 1 : DE PAUW ST

Cross 2 :

Location: REAR OF FOLLOWING ADDRESSES: 541 (POLE# 41876M), 511 (POLE# 41878M),
: 557 (POLE# 41875M) SWARTHMORE AVE **MARK 25 FOOT RADIUS FROM ALL POLES
: AND ANCHORS** **QUESTIONS PLEASE CALL GARRET 661-810-1271**
:
: POLE NUMBER: 3 POWER POLE LOCATIONS

Searchable Tags:

Job size: sq-feet: 151575 sq-miles: 0.005437

Delineated Method: WHITEPAINT

Work Type: REPLACING 3 POWER POLES & SUPPORT ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2900834

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: N Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.039966/-118.528526 34.039754/-118.527652
: 34.038207/-118.528953 34.037995/-118.528078

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=FE9r9nHm5tzr3u-t

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:04:20 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:46:39 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:30:15 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:12:41 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:11:42 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/25/2025 05:10:56 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 04/29/2025 05:09:24 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 05/01/2025 05:07:35 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

**Ticket Responses for: A250990617-
08A**

Member Name Rev Responded By Response

MBRCOD 00001B USAS 05/02/25 09:58:42 A250140479-00A NEW NORM POLY LREQ

Ticket: A250140479 Rev: 00A Created: 01/14/25 11:29 User: RIC Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 01/16/25 17:01 Expires: 02/11/25 23:59

Response required: Y Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
 Co Addr: 11615 DAVENPORT ROAD
 City : AGUA DULCE State: CA Zip: 91390
 Created By: GARRET SHARBONOW Language: ENGLISH
 Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
 Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
 : ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
 : 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541

: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=88AqCkCm6q7sxn5-i

Members:

CITYLASTLI LAWP2 SCG4QF UCHTRW_N6 UTFTRCA01

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-00A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	00A	01/16/25 05:11:44 PM	Late Notice	(999) Member did not respond by the required time
LAWP2	LA DEPARTMENT WTR & PWR	00A	01/15/25 03:47:21 PM	TMS:G.S.	(010) LOCATE AREA MARKED
SCG4QF	SOCALGAS DISTRIBUTION BRANFORD	00A	01/14/25 01:21:09 PM	JAVALOS1	(001) CLEAR - NO CONFLICT
UCHTRW_N6	SPECTRUM - VAN NUYS	00A	01/14/25 04:01:20 PM	UQ Responder	(010) LOCATE AREA MARKED

Member		Name	Rev	Responded	By	Response
UTFTRCA01		FRONTIER	00A	01/14/25 04:01:26 PM	UQ Responder	(010) LOCATE AREA MARKED

MBRCOD 00001B USAS 05/02/25 09:58:44 A250140479-01A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 01A Created: 01/16/25 17:11 User: DIRECTAPI Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 01/21/25 17:01 Expires: 02/11/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=98DrBp5x9r5uvu1-m

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-01A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	01A	01/21/25 05:08:51 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:46 A250140479-02A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 02A Created: 01/21/25 17:08 User: DIRECTAPI Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 01/23/25 17:01 Expires: 02/11/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW
Site Phone: 661-810-1271 Site SMS/Cell:
Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040
Address : Street: ORO VISTA AVE
Cross 1 : W BIG CANYON DR
Cross 2 :
Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:
Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=A8LjJhFn9r5uvz0-j

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-02A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	02A	01/23/25 05:08:12 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:48 A250140479-03A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 03A Created: 01/23/25 17:08 User: DIRECTAPI Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 01/27/25 17:01 Expires: 02/11/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=B8KgMaMcHfJg7kD-a

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-03A

Member	Name	Rev	Responded	By	Response
--------	------	-----	-----------	----	----------

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	03A	01/27/25 05:07:28 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:51 A250140479-04A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 04A Created: 01/27/25 17:07 User: DIRECTAPI Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 01/29/25 17:01 Expires: 02/11/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=C8NhLfHlBp7sxx0-j

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-04A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	04A	01/29/25 05:05:42 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:53 A250140479-05A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 05A Created: 01/29/25 17:05 User: DIRECTAPI Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 01/31/25 17:01 Expires: 02/11/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=D8MeOYOaJdLeAjE-Z

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-05A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	05A	01/31/25 05:04:37 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:55 A250140479-06A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 06A Created: 01/31/25 17:04 User: DIRECTAPI Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 02/04/25 17:01 Expires: 02/11/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=E8PfNdJjDnAl6o7-g

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-06A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	06A	02/04/25 05:03:37 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:57 A250140479-07A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 07A Created: 02/04/25 17:03 User: DIRECTAPI Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 02/06/25 17:01 Expires: 02/11/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=F80cQWQYLbNcCjD-a

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-07A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	07A	02/06/25 05:02:49 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:58:59 A250140479-08A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 08A Created: 02/06/25 17:02 User: DIRECTAPI Chan: WEB

Work Start: 01/16/25 17:01 Legal Start: 02/10/25 17:01 Expires: 02/11/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=08s7v8oAjDlEbLc-B

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-08A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	08A	02/10/25 05:01:49 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:01 A250140479-09B RNEW NORM POLY LREQ

Ticket: A250140479 Rev: 09B Created: 02/07/25 16:24 User: GSHARB Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 02/07/25 16:24 Expires: 03/07/25 23:59
Response required: N Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=00AqCkCm7p9qzy0-n

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]

RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]

Members:

CITYLASTLI LAWP2 SCG4QF UCHTRW_N6 UTFTRCA01

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-09B

Member	Name	Rev	Responded	By	Response	Comment
LAWP2	LA DEPARTMENT WTR & PWR	09B	02/07/25 04:27:28 PM	TMS:SYSTEM	(004) NO MARKINGS REQUESTED	RENEW / UPDATE ONLY
UCHTRW_N6	SPECTRUM - VAN NUYS	09B	02/07/25 04:30:45 PM	UQ Responder	(004) NO MARKINGS REQUESTED	
UTFTRCA01	FRONTIER	09B	02/07/25 04:30:49 PM	UQ Responder	(004) NO MARKINGS REQUESTED	

MBRCOD 00001B USAS 05/02/25 09:59:03 A250140479-10A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 10A Created: 02/10/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 02/12/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=A8LjJhFn9r5usw8-b

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]

****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-10A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	10A	02/12/25 05:01:14 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:06 A250140479-11A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 11A Created: 02/12/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 02/14/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=B8KgMaMcHfJg9gH-W

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]

****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-11A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	11A	02/14/25 05:01:14 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:08 A250140479-12A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 12A Created: 02/14/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 02/19/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=88AqCkCm6q7sys4-j

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]

****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-12A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	12A	02/19/25 05:01:16 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:10 A250140479-13A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 13A Created: 02/19/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 02/21/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=98DrBp5x9r5usv4-f

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-13A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	13A	02/21/25 05:01:14 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:12 A250140479-14A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 14A Created: 02/21/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 02/25/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW
Site Phone: 661-810-1271 Site SMS/Cell:
Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040
Address : Street: ORO VISTA AVE
Cross 1 : W BIG CANYON DR
Cross 2 :
Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**
Searchable Tags:
Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609
Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=E8PfNdJjDnAl3t6-d

Comments:

NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-14A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	14A	02/25/25 05:01:11 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:14 A250140479-15A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 15A Created: 02/25/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 02/27/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=F80cQwQYLbNcDgH-W

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-15A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	15A	02/27/25 05:01:10 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:16 A250140479-16A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 16A Created: 02/27/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 03/03/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=C8NhLfHlBp7suCl-0

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-16A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	16A	03/03/25 05:01:09 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:19 A250140479-17A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 17A Created: 03/03/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 03/05/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=D8MeOYOaJdLeBkC-b

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-17A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	17A	03/05/25 05:01:09 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:21 A250140479-18A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 18A Created: 03/05/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 02/07/25 16:24 Legal Start: 03/07/25 17:01 Expires: 03/07/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=28u5xzx8lBnCeIf-7

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-18A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	18A	03/07/25 05:01:09 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:23 A250140479-19B RNEW NORM POLY LREQ

Ticket: A250140479 Rev: 19B Created: 03/06/25 16:25 User: GSHARB Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 03/06/25 16:25 Expires: 04/03/25 23:59
Response required: N Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=20CoEiEk9nBo1w1-m

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]

Members:

CITYLASTLI LAWP2 SCG4QF UCHTRW_N6 UTFTRCA01

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-19B

Member	Name	Rev	Responded	By	Response	Comment
LAWP2	LA DEPARTMENT WTR & PWR	19B	03/06/25 04:28:38 PM	TMS:SYSTEM	(004) NO MARKINGS REQUESTED	RENEW / UPDATE ONLY
SCG4QF	SOCALGAS DISTRIBUTION BRANFORD	19B	03/07/25 06:35:24 AM	RRGARCIA	(004) NO MARKINGS REQUESTED	
UCHTRW_N6	SPECTRUM - VAN NUYS	19B	03/06/25 04:30:59 PM	UQ Responder	(004) NO MARKINGS REQUESTED	
UTFTRCA01	FRONTIER	19B	03/06/25 04:31:04 PM	UQ Responder	(004) NO MARKINGS REQUESTED	

MBRCOD 00001B USAS 05/02/25 09:59:25 A250140479-20A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 20A Created: 03/07/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 03/11/25 17:01 Expires: 04/03/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=C8NhLfHlBp7szt6-d

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-20A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	20A	03/11/25 05:01:09 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:27 A250140479-21A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 21A Created: 03/11/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 03/13/25 17:01 Expires: 04/03/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=D8MeOYOaJdLeCdK-T

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-21A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	21A	03/13/25 05:01:09 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:29 A250140479-22A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 22A Created: 03/13/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 03/17/25 17:01 Expires: 04/03/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=E8PfNdJjDnA19lG-T

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-22A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	22A	03/17/25 05:01:09 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:31 A250140479-23A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 23A Created: 03/17/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 03/19/25 17:01 Expires: 04/03/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=F80cQwQYLbNcEdK-T

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-23A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	23A	03/19/25 05:01:10 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:34 A250140479-24A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 24A Created: 03/19/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 03/21/25 17:01 Expires: 04/03/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=88AqCkCm6q7szt3-k

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-24A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	24A	03/21/25 05:01:09 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:36 A250140479-25A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 25A Created: 03/21/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 03/25/25 17:01 Expires: 04/03/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=98DrBp5x9r5uxw8-b

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-25A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	25A	03/25/25 05:01:09 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:38 A250140479-26A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 26A Created: 03/25/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 03/27/25 17:01 Expires: 04/03/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=A8LjJhFn9r5ux8p-y

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-26A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	26A	03/27/25 05:01:08 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:40 A250140479-27A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 27A Created: 03/27/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 03/06/25 16:25 Legal Start: 04/01/25 17:01 Expires: 04/03/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=B8KgMaMcHfJgAlC-b

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-27A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	27A	04/17/25 04:34:43 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:42 A250140479-28B RNEW NORM POLY LREQ

Ticket: A250140479 Rev: 28B Created: 04/03/25 07:56 User: GSHARB Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/03/25 07:56 Expires: 05/01/25 23:59
Response required: N Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=50RdPbLhGgEhEiC-X

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]

Members:

CITYLASTLI LAWP2 SCG4QF UCHTRW_N6 UTFTRCA01

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-28B

Member	Name	Rev	Responded	By	Response	Comment
LAWP2	LA DEPARTMENT WTR & PWR	28B	04/03/25 07:58:56 AM	TMS:SYSTEM	(004) NO MARKINGS REQUESTED	RENEW / UPDATE ONLY
SCG4QF	SOCALGAS DISTRIBUTION BRANFORD	28B	04/03/25 08:24:05 AM	AMADUSKA	(004) NO MARKINGS REQUESTED	
UCHTRW_N6	SPECTRUM - VAN NUYS	28B	04/03/25 08:07:34 AM	UQ Responder	(004) NO MARKINGS REQUESTED	
UTFTRCA01	FRONTIER	28B	04/03/25 08:07:47 AM	UQ Responder	(004) NO MARKINGS REQUESTED	

MBRCOD 00001B USAS 05/02/25 09:59:44 A250140479-29A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 29A Created: 04/17/25 16:34 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/03/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=589v6q0yv3v2p7u-p

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-29A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	29A	04/17/25 04:55:51 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:47 A250140479-30A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 30A Created: 04/17/25 16:55 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/07/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=E8PfNdJjDnA15nD-a

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-30A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	30A	04/17/25 05:19:02 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:49 A250140479-31A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 31A Created: 04/17/25 17:19 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/09/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=F80cQwQYLbNcGZO-P

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
 RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
 NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-31A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	31A	04/17/25 05:45:40 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:51 A250140479-32A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 32A Created: 04/17/25 17:45 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/11/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=C8NhLfHlBp7swu1-m

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-32A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	32A	04/17/25 06:27:06 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:53 A250140479-33A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 33A Created: 04/17/25 18:27 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/15/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=D8MeOYOaJdLeEdK-T

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-33A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	33A	04/17/25 07:10:17 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:55 A250140479-34A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 34A Created: 04/17/25 19:10 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/17/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=A8LjJhFn9r5uuyz-o

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:10:17 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-34A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	34A	04/17/25 07:51:04 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 09:59:57 A250140479-35A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 35A Created: 04/17/25 19:51 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/21/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=B8KgMaMcHfJgChG-X

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
****RENEW TICKET**** WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:10:17 PM]
****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
 LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:51:04 PM]

Members:
 CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: A250140479-35A

Member	Name	Rev	Responded	By	Response
--------	------	-----	-----------	----	----------

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	35A	04/21/25 05:01:29 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 10:00:00 A250140479-36A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 36A Created: 04/21/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/23/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=88AqCkCm6q7s8mB-c

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:10:17 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:51:04 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:01:29 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-36A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	36A	04/23/25 05:01:18 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 10:00:02 A250140479-37A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 37A Created: 04/23/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/25/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=98DrBp5x9r5uux2-h

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:10:17 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:51:04 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:01:29 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:01:18 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-37A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	37A	04/25/25 05:01:18 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 10:00:04 A250140479-38A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 38A Created: 04/25/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 04/29/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND
Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=687t9n9p2u2xv8p-y

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:10:17 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:51:04 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:01:29 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:01:18 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/25/2025 05:01:18 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-38A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	38A	04/29/25 05:01:17 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 10:00:06 A250140479-39A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 39A Created: 04/29/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 04/03/25 07:56 Legal Start: 05/01/25 17:01 Expires: 05/01/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=78Bt9r3zyywt2v-s

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:10:17 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:51:04 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:01:29 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:01:18 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/25/2025 05:01:18 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/29/2025 05:01:17 PM]

Members:

CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-39A

Member	Name	Rev	Responded	By	Response
CITYLASTLI	CITY OF LOS ANGELES	39A	05/01/25 05:01:17 PM	Late Notice	(999) Member did not respond by the required time

MBRCOD 00001B USAS 05/02/25 10:00:08 A250140479-40B RNEW NORM POLY LREQ

Ticket: A250140479 Rev: 40B Created: 05/01/25 05:26 User: GSHARB Chan: WEB

Work Start: 05/01/25 05:26 Legal Start: 05/01/25 05:26 Expires: 05/29/25 23:59
Response required: N Priority: 2

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=10DrBp7v2u1yvx0-j

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:10:17 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:51:04 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:01:29 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:01:18 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/25/2025 05:01:18 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/29/2025 05:01:17 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 05/01/2025 05:26 AM]

Members:

CITYLASTLI LAWP2 SCG4QF UCHTRW_N6 UTFTRCA01

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-40B

Member	Name	Rev	Responded	By	Response	Comment
LAWP2	LA DEPARTMENT WTR & PWR	40B	05/01/25 05:29:14 AM	TMS:SYSTEM	(004) NO MARKINGS REQUESTED	RENEW / UPDATE ONLY
SCG4QF	SOCALGAS DISTRIBUTION BRANFORD	40B	05/01/25 06:24:36 AM	AMADUSKA	(004) NO MARKINGS REQUESTED	
UCHTRW_N6	SPECTRUM - VAN NUYS	40B	05/01/25 05:33:50 AM	UQ Responder	(004) NO MARKINGS REQUESTED	
UTFTRCA01	FRONTIER	40B	05/01/25 05:33:52 AM	UQ Responder	(004) NO MARKINGS REQUESTED	

MBRCOD 00001B USAS 05/02/25 10:00:10 A250140479-41A NRSP RUSH POLY LREQ

Ticket: A250140479 Rev: 41A Created: 05/01/25 17:01 User: DIRECTAPI Chan: WEB

Work Start: 05/01/25 05:26 Legal Start: 05/05/25 17:01 Expires: 05/29/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: SUNLAND

Zip: 91040

Address : Street: ORO VISTA AVE

Cross 1 : W BIG CANYON DR

Cross 2 :

Location: **(POLE# 421359M - 1-ANCHOR)** **MARK 25 FEET RADIUS FROM POLE AND
: ANCHOR** **QUESTIONS PLEASE CALL GARRET 661-810-1271** **POLE NUMBER:
: 421359M**

Searchable Tags:

Job size: sq-feet: 17225 sq-miles: 0.000618

Delineated Method: WHITEPAINT

Work Type: REPLACING 1 POWER POLE ANCHOR

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2583262

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.272174/-118.316024 34.272093/-118.315541
: 34.271773/-118.316092 34.271692/-118.315609

Excavator Provided: 34.271934/-118.315816

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=18v9t6mChJfKZGh-5

Comments:

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/16/2025 05:11:44 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/21/2025 05:08:51 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/23/2025 05:08:12 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/27/2025 05:07:28 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/29/2025 05:05:42 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 01/31/2025 05:04:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/04/2025 05:03:37 PM]**

****NO RESPONSE** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY**

LEGAL START DATE/TIME --[DIRECTAPI 02/06/2025 05:02:49 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 02/07/2025 04:24 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/10/2025 05:01:49 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/12/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/14/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/19/2025 05:01:16 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/21/2025 05:01:14 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/25/2025 05:01:11 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 02/27/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/03/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/05/2025 05:01:09 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 03/06/2025 04:25 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/07/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/11/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/13/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/17/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/19/2025 05:01:10 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/21/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/25/2025 05:01:09 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 03/27/2025 05:01:08 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 04/03/2025 07:56 AM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:34:43 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 04:55:51 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:19:02 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 05:45:40 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:27:06 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:10:17 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:51:04 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/21/2025 05:01:29 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/23/2025 05:01:18 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/25/2025 05:01:18 PM]
NO RESPONSE FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 04/29/2025 05:01:17 PM]
RENEW TICKET WORK CONTINUING PER GARRET SHARBONOW--[GSHARB 05/01/2025 05:26 AM]

****NO RESPONSE**** FROM CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY
LEGAL START DATE/TIME --[DIRECTAPI 05/01/2025 05:01:17 PM]

Members:
CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: A250140479-
41A

Member Name Rev Responded By Response

Exhibit 5



**CALIFORNIA UNDERGROUND SAFETY BOARD
INVESTIGATION DIVISION
INTERVIEW REPORT**

REPORT DATE: June 02, 2025

CASE NO: C250850002

DATE AND TIME OF INTERVIEW: June 02, 2025, at 02:57pm

LOCATION OF INTERVIEW: Phone (951) 808-8118

INTERVIEWER: Ousama Alkahwaji

NAME, TITLE, AND COMPANY OF INTERVIEWEE: Vice President, Jim Schwilk, DigAlert

INTERVIEW:

Question: I am contacting you regarding a concern that the City of Los Angeles Street Light generating repeated EPR system messages in the DigAlert ticket, it was reported that there is an ongoing issues with these notifications.

Jim: I understand. What specifically would you like to know?

Question: An excavator has indicated that every time they request a DigAlert ticket for City of Los Angeles streetlight work, the EPR system generates repeated “no response” messages. I have reviewed the ticket examples and see multiple instances where the system generates “No Response” and “Lack of EPR Response by Legal Start Time” notifications. For example, on March 17th, March 19th, and March 21st. Why is this happening, and is this a system error?

Jim: This is not a system error. The repeated notifications are generated because the responsible member—in this case, the City of Los Angeles— has failed to respond to the ticket within the required timeframe. The system is designed to send these notifications every two days, not including the date of notification, as long as the member remains non-compliant.

Question: So, the system is working as intended, and these messages will continue until the member responds?

Jim: Correct. Per regulation 4216, members are required to respond to both the initial ticket and any subsequent “no response” notifications. If they fail to do so, we continue to send notifications, and this is considered a violation of the law. The notifications will only stop when the member provides a valid response.

We have received similar complaints from other contractors and even from our own board that the City of Los Angeles is not responding to these notifications. The issue is well-documented.

Question: To confirm, there is no lag or error in the system. The repeated notifications are solely due to the member’s failure to comply with 4216.3, correct?

Jim: That is correct. The system is functioning as designed. The problem is entirely due to the member’s non-compliance.

Exhibit 6

Anaya, Adrian@EnergySafety

From: Anaya, Adrian@EnergySafety
Sent: Friday, September 5, 2025 10:35 AM
To: bsl.streetlighting@lacity.org; Ansar.mustafa@lacity.org
Subject: Underground Safety Board Investigation: C250850002 Information Request Letter
Attachments: Copy of Information Request Letter - CITYLASTLI 09.10.2025.pdf

Dear LA Bureau of Street Lighting,

I attached a copy of an information request letter (IR-2025-295) that is scheduled to be mailed out for 09/10/2025. A copy is provided for your convenience, and the letter contains a scheduled due date.

Send all documentation and responses to my email address: Adrian.anaya@energysafety.ca.gov

If there are any questions, give me a call or send me an email.

Thank you,
[Adrian Anaya](#)
Investigator
Office of Energy Infrastructure Safety
Mobile: (279) 245-1133
EnergySafety.ca.gov





**OFFICE OF ENERGY INFRASTRUCTURE SAFETY
UNDERGROUND SAFETY BOARD**
715 P Street, 20th Floor | Sacramento, CA 95814
916.902.6000 | www.energysafety.ca.gov

MEMBERS
Bill Johns, Chair
Randy Charland, Vice Chair
Amparo Munoz
Travis Clausen
Marshall Johnson
Dave Sorem

EXECUTIVE OFFICER
Brittany Branaman (Acting)

TRANSMITTED VIA CERTIFIED MAIL

Request Date: September 10, 2025

Response Due: September 25, 2025

To: City of Los Angeles Street Lighting Bureau
1149 South Broadway Suite 200
Los Angeles, California 90015

Investigator: Adrian Anaya

Send your response to the investigator at this email address:

Adrian.anaya@energysafety.ca.gov

Information Request Number: Underground Safety-IR-2025-295

Subject: Request for information for notification C250850002 regarding electronic positive response and field markings.

We received electronic positive responses (EPR) from the Regional Notification Center. For tickets **A251000813-00A**, **A250980935-00A**, **A251000794-00A**, **A250990617-00A**, and **A250140479-00A**. The City of Los Angeles (CITYLASTLI) was issued a 999 EPR code, on several dates, the utility did not provide a response code before the response due date for the five (5) tickets.

As part of our investigation, we are attempting to determine why CITYLASTLI was not able to locate and mark before the legal start date, along with providing an EPR for each of the five (5) tickets.

REQUESTS

1. Provide all documents and photographs that depict City of Los Angeles (CITYLASTLI) provided to the excavator with the location of subsurface installations by locating and field marking, providing information about the location of subsurface installations, or advised no subsurface installations within the delineated area in response to ticket **A251000813-00A** and all revisions. If no electronic positive response was provided by

the legal start date and time, explain why an electronic positive response was not provided.

2. Provide documents and photographs that depict City of Los Angeles (CITYLASTLI) completed field markings for ticket **A251000813-00A**. If no field marking were completed, explain why.
3. Provide all documents and photographs that depict City of Los Angeles (CITYLASTLI) provided to the excavator with the location of subsurface installations by locating and field marking, providing information about the location of subsurface installations, or advised no subsurface installations within the delineated area in response to ticket **A250980935-00A** and all revisions. If no electronic positive response was provided by the legal start date and time, explain why an electronic positive response was not provided.
4. Provide documents and photographs that depict City of Los Angeles (CITYLASTLI) completed field markings to ticket **A250980935-00A**. If no field marking were completed, explain why.
5. Provide all documents and photographs that depict City of Los Angeles (CITYLASTLI) provided to the excavator with the location of subsurface installations by locating and field marking, providing information about the location of subsurface installations, or advised no subsurface installations within the delineated area in response to ticket **A251000794-00A** and all revisions. If no electronic positive response was provided by the legal start date and time, explain why an electronic positive response was not provided.
6. Provide documents and photographs that depict City of Los Angeles (CITYLASTLI) completed field markings to ticket **A251000794-00A**. If no field marking were completed, explain why.
7. Provide all documents and photographs that depict City of Los Angeles (CITYLASTLI) provided to the excavator with the location of subsurface installations by locating and field marking, providing information about the location of subsurface installations, or advised no subsurface installations within the delineated area in response to ticket **A250990617-00A** and all revisions. If no electronic positive response was provided by the legal start date and time, explain why an electronic positive response was not provided.
8. Provide documents and photographs that depict City of Los Angeles (CITYLASTLI) completed field markings to ticket **A250990617-00A**. If no field marking were completed, explain why.

9. Provide all documents and photographs that depict City of Los Angeles (CITYLASTLI) provided to the excavator with the location of subsurface installations by locating and field marking, providing information about the location of subsurface installations, or advised no subsurface installations within the delineated area in response to ticket **A250140479-00A** and all revisions. If no electronic positive response was provided by the legal start date and time, explain why an electronic positive response was not provided.
10. Provide documents and photographs that depict City of Los Angeles (CITYLASTLI) completed field markings to ticket **A250140479-00A**. If no field marking were completed, explain why.
11. Provide all documents that relate to any communications between the City of Los Angeles (CITYLASTLI) and the regional notification center regarding the incident above. This includes all tickets, electronic positive responses, and emails.
12. Provide a copy of all policies and procedures regarding electronic positive responses.
13. Is Patrick Cross employed with the City of Los Angeles Street Lighting Bureau?
(Yes/No)

If the answer to the above questions is, "No."

- a. What was Patrick Cross role with the City of Los Angeles Street Lighting Bureau?
- b. What was Patrick Cross last day of employment with the City of Los Angeles Street Lighting Bureau (Month, Day, Year)

INSTRUCTIONS

- a. Provide all information in your possession, custody, or control, or the possession, custody, and/or control of your affiliates or agents, that is responsive to these requests by the due date identified above.
- b. Identify the personnel (employees, consultants, agents, etc.) who provided information responsive to each of the information requests by stating the full name, business address, and title of each person.
- c. If you do not know the exact answer to any of the requests above, please so indicate and provide your best estimate.
- d. Provide data in its original format (i.e., PDF, Excel, GIS shapefile, etc.), unless otherwise specified in the request.

Anaya, Adrian@EnergySafety

From: Ansar Mustafa <ansar.mustafa@lacity.org>
Sent: Wednesday, September 24, 2025 7:31 AM
To: Anaya, Adrian@EnergySafety
Cc: Megan Hackney; Dave Van De Wetering
Subject: Re: Underground Safety Board Investigation: C250850002 Information Request Letter

Follow Up Flag: Follow up
Flag Status: Flagged

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good Morning Anaya,

Regarding the Underground Safety Board Investigation (C250850002) and the information request (IR-2025-295), BSL wanted to confirm the situation with the electronic positive responses (EPR) and field markings.

Specifically, for the tickets A251000813-00A, A250980935-00A, A251000794-00A, A250990617-00A, and A250140479-00A mentioned in questions 1 through 10 of the request, we were unable to provide EPR codes before the statutory deadlines. Furthermore, field markings were not completed prior to the legal start dates for these tickets.

This was primarily due to significant resource constraints currently affecting our operations. At this time, the Bureau's field operations are staffed with only one field locator and one vehicle to service the entire city. These limitations made it impossible to provide timely EPR responses or complete the necessary field markings for the five tickets identified in the information request. This explanation directly addresses the issues raised in questions 1 through 12.

Thanks,

Ansar Mustafa , Civil P.E. , ENV SP
Division Manager
B.S.L Community Impact Division
Ansar.mustafa@lacity.org
Direct: 213 -847-1346

On Fri, Sep 5, 2025, 10:34 AM Anaya, Adrian@EnergySafety <Adrian.Anaya@energysafety.ca.gov> wrote:

Dear LA Bureau of Street Lighting,

I attached a copy of an information request letter (IR-2025-295) that is scheduled to be mailed out for 09/10/2025. A copy is provided for your convenience, and the letter contains a scheduled due date.

Send all documentation and responses to my email address: Adrian.anaya@energysafety.ca.gov

If there are any questions, give me a call or send me an email.

Thank you,

[Adrian Anaya](#)

Investigator

Office of Energy Infrastructure Safety

Mobile: (279) 245-1133

EnergySafety.ca.gov



Exhibit 7

Anaya, Adrian@EnergySafety

From: Anaya, Adrian@EnergySafety
Sent: Friday, September 19, 2025 10:54 AM
To: PEDRO.CONTRERAS@LACITY.ORG
Subject: Underground Safety Board Investigation: C250850002 Request for Information Letter
Attachments: 2025-325 Information Request Letter - CITYLADOT.pdf

Importance: High

Good morning,

My name is Adrian, and I am the investigator assigned to investigate the case number above. I attached a request for information letter. The letter contains a scheduled due date and description for the purpose of the investigation. Send all documentation and responses to my email address: Adrian.anaya@energysafety.ca.gov

If there are any questions, give me a call at the number below or send me an email.

Thank you, and have a good day.

Regards,

[Adrian Anaya](#)

Investigator

Office of Energy Infrastructure Safety

Mobile: (279) 245-1133

EnergySafety.ca.gov





**OFFICE OF ENERGY INFRASTRUCTURE SAFETY
UNDERGROUND SAFETY BOARD**
715 P Street, 20th Floor | Sacramento, CA 95814
916.902.6000 | www.energysafety.ca.gov

MEMBERS
Bill Johns, Chair
Vacant, Vice Chair
Travis Clausen
Amparo Muñoz
Marshall Johnson
Shant Simonian
Dave Sorem

EXECUTIVE OFFICER
Brittany Branaman (Acting)

TRANSMITTED VIA ELECTRONIC MAIL

Request Date: September 19, 2025

Response Due: October 6, 2025

To: Pedro Contreras
City of Los Angeles Department of Transportation (Member Code: CITYLADOT)
100 South Main Street, 10th Floor
Los Angeles, California 90012
pedro.contreras@lacity.org

Investigator: Adrian Anaya

Send your responses to the investigator at this email address:

Adrian.anaya@energysafety.ca.gov

Information Request Number: Underground Safety-IR-2025-325

Subject: Request for information for notification C250850002 regarding electronic positive response and field markings.

We received electronic positive responses (EPR) from the regional notification center. For ticket A250980935-00A, the City of Los Angeles Department of Transportation (Member Code: CITYLADOT) was issued a 999 EPR code on April 17, 2025. The member did not provide an electronic positive response before the response due date for ticket A250980935-00A.

As part of our investigation, we are attempting to determine why CITYLADOT was not able to locate and field mark before the legal start date, along with providing an EPR for ticket A250980935-00A.

REQUESTS

1. Provide all documents and photographs that depict CITYLADOT provided to the excavator with the location of subsurface installations by locating and field marking, providing information about the location of subsurface installations, or advised no subsurface installations within the delineated area in response to ticket A250980935-

00A and all revisions. If no electronic positive response was provided by the legal start date and time, explain why an electronic positive response was not provided.

2. Provide documents and photographs that depict CITYLADOT completed field markings for ticket A250980935-00A. If no field markings were completed, explain why.
3. Provide all documents that relate to any communications between CITYLADOT and the regional notification center regarding the incident above. This includes all ticket revisions, electronic positive responses, and emails.
4. Provide a copy of all policies and procedures regarding electronic positive responses.

INSTRUCTIONS

- a. Provide all information in your possession, custody, or control, or the possession, custody, and/or control of your affiliates or agents, that is responsive to these requests by the due date identified above.
- b. Identify the personnel (employees, consultants, agents, etc.) who provided information responsive to each of the information requests by stating the full name, business address, and title of each person.
- c. If you do not know the exact answer to any of the requests above, please so indicate and provide your best estimate.
- d. Provide data in its original format (i.e., PDF, Excel, GIS shapefile, etc.), unless otherwise specified in the request.

Anaya, Adrian@EnergySafety

From: Pedro Contreras <pedro.contreras@lacity.org>
Sent: Tuesday, September 30, 2025 12:09 PM
To: Anaya, Adrian@EnergySafety
Subject: Re: Underground Safety Board Investigation: C250850002 Request for Information Letter

Follow Up Flag: Follow up
Flag Status: Flagged

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good afternoon,

Regarding the email sent to me, I am gathering the information you requested and will send it to you before or on the due date provided. Thank you.

Best Regards,

On Fri, Sep 19, 2025 at 10:54 AM Anaya, Adrian@EnergySafety <Adrian.Anaya@energysafety.ca.gov> wrote:

Good morning,

My name is Adrian, and I am the investigator assigned to investigate the case number above. I attached a request for information letter. The letter contains a scheduled due date and description for the purpose of the investigation. Send all documentation and responses to my email address: Adrian.anaya@energysafety.ca.gov

If there are any questions, give me a call at the number below or send me an email.

Thank you, and have a good day.

Regards,

[Adrian Anaya](#)
Investigator
Office of Energy Infrastructure Safety
Mobile: (279) 245-1133
[EnergySafety.ca.gov](mailto:Adrian.anaya@energysafety.ca.gov)



Anaya, Adrian@EnergySafety

From: Pedro Contreras <pedro.contreras@lacity.org>
Sent: Thursday, October 2, 2025 1:47 PM
To: Anaya, Adrian@EnergySafety
Subject: Underground Safety Board Investigation
Attachments: Ssignal lab25092411050.pdf; Ssignal lab25092411051.pdf; Petrelli Electric.pdf; Los Liones Dr & Sunset Bl USA#A250980935-00A.pdf1.pdf; Los Liones Dr & Sunset Bl USA#A250980935-00A.pdf2.pdf; Los Liones Dr & Sunset Bl USA#A250980935-00A.pdf3.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

You don't often get email from pedro.contreras@lacity.org. [Learn why this is important](#)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Greetings,

LADOT was unable to respond to and mark the location provided by USA Ticket # A250980935-00A due to being understaffed. Our department does not have enough personnel to cover the various areas of Los Angeles, which is divided into four parts: Central, Western, Valley West, and Valley East. Each area is assigned one staff member who is responsible for their entire section alone. Budget constraints prevent us from hiring or transferring additional employees to our Utility Mark Out Division, which increases the pressure and stress on our current staff.

Unfortunately, the employee assigned to the Western area, where the work mentioned in the USA ticket was taking place, could not address the ticket due to the high volume of requests received daily. On April 24, 2025, six days past the required response time, my employee was finally able to visit the location and mark the area of work. If my employee had attempted to respond before April 17, it would not have been feasible due to scheduling conflicts, as the entire staff had a day off on Friday, April 18.

Furthermore, the City of Los Angeles has placed a hold on overtime until the budget allows for work during our designated days off. Therefore, even if we had tried to respond earlier, any overtime needed would not have been approved. Please understand that while we are doing our best to manage every ticket, the severe understaffing makes it impossible to address all the requests on time.

To improve our response to the daily ticket volume, our department has made some adjustments. Half the staff have altered their schedules to cover Fridays, which are typically

our Regular Days Off. Unfortunately, we could not mark the location within the required timeframe.

Upon receiving the email regarding this ticket, I personally visited the location and conducted an investigation. I found that the work performed was not in proximity to our utilities. The ticket indicated that the work was being done on the street and sidewalk, which was not the case. Instead, the ticket should have been marked as "Street/Sidewalk: N." If that had been done, we could have issued a "Clear-No Conflict" designation for the ticket. I want to clarify that this is not an attempt to justify our delayed response, but had the circumstances been different, we would have been able to mark the location as requested.

In my email, I will attach the requested information, including the name and position of the employee involved, along with a summary report written by the employee explaining the reasons for his response. To the best of my knowledge, I've responded to the requests as best as I could. Feel free to contact me if there are any questions regarding the matter. Thank you.

The employee responsible for USA# A250980935-00A

Name: Carlos Reynaga

Location: Piper Tech

555 Ramirez St.

Los Angeles, CA. 90012

Position: Signal Systems Electrician

<https://docs.digalert.org/um/electronic-positive-response-epr>

Pedro Contreras
Signal Systems Supervisor I
Los Angeles Department of Transportation
Piper Tech - Mark Out Division
213.292.0473
Mail Stop #732

CITYLADOT 01340A USAS 04/17/25 20:06:09 A250980935-03A NRSP RUSH POLY LREQ

Ticket: A250980935 Rev: 03A Created: 04/17/25 19:26 User: DIRECTAPI Chan: WEB

Work Start: 04/10/25 17:01 Legal Start: 04/18/25 17:01 Expires: 05/06/25 23:59
Response required: Y Priority: 0

Excavator Information

Company: PETRELLI ELECTRIC Type: CONT
Co Addr: 11615 DAVENPORT ROAD
City : AGUA DULCE State: CA Zip: 91390
Created By: GARRET SHARBONOW Language: ENGLISH
Office Phone: 661-810-1271 SMS/Cell: 661-993-6405
Office Email: GARRETS@PETRELLIELECTRIC.COM

Site Contact: GARRET SHARBONOW

Site Phone: 661-810-1271 Site SMS/Cell:

Site Email: garrets@petrellielectric.com

Excavation Area

State: CA County: LOS ANGELES Place: PACIFIC PALISADES
Zip: 90272

Address : Street: SUNSET BLVD

Cross 1 : LOS LIONES DR

Cross 2 :

Location: E/S SUNSET BLVD, 120' N/O LOS LIONES DR (POLE# 126531M);

:

: **MARK 25 FOOT RADIUS FROM POLE ANCHORS**

· **QUESTIONS PLEASE CALL GARRET 661-810-1271**

:

: POLE NUMBER: 1 POWER POLE LOCATION

Searchable Tags:

Job size: sq-feet: 17200 sq-miles: 0.000617

Delineated Method: WHITEPAINT

Work Type: REPLACING POWER POLES ANCHORS

Work For : LADWP

Permit: NOT AVAILABLE

Job/Work order: 2914776

Project ID:

Project Name:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N Pavement Only: N

Lat/Long

Center Generated (NAD83): 34.042524/-118.554072 34.042442/-118.553591

: 34.042124/-118.554140 34.042042/-118.553659

Excavator Provided: 34.042284/-118.553864

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=6AzAs200t7n7i8pzwrp

Comments:

****NO RESPONSE**** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:00:38 PM]

****NO RESPONSE**** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 06:42:47 PM]

****NO RESPONSE**** FROM CITYLADOT, CITYLASTLI - AUTO GENERATED DUE TO LACK OF EPR RESPONSE BY LEGAL START DATE/TIME --[DIRECTAPI 04/17/2025 07:26:13 PM]

Members:

CITYLADOT CITYLASTLI

(c) Copyright 2022 Underground Service Alert of Southern California.
All rights reserved.

Audit History:

4/17/2025 8:06:40 PM: Received

DETAILS: Ticket received for registration code CITYLADOT

4/17/2025 8:06:40 PM: Put in Folder

DETAILS: Put in West by auto process

NOTE: Auto Processed per Responsibility Area

4/17/2025 8:06:45 PM: Ticket Queued

DETAILS: Ticket queued for delivery

4/17/2025 8:06:46 PM: Ticket Delivered

DETAILS: Ticket successfully sent to ladot.digalert.support@lacity.org

4/24/2025 2:19:32 PM: Responded

DETAILS: Locate Area Marked: added by Carlos Reynaga, Locate Time:

4/24/2025 12:25:00 PM, Units of Work: 0.01

Response entered at GPS Coordinates: Latitude 34.0421, Longitude -118.554

4/24/2025 2:19:38 PM: Positive Response to Center Queued

DETAILS: Positive Response to Center queued for delivery

4/24/2025 2:19:38 PM: Positive Response to Excavator Queued

DETAILS: Positive Response to Excavator queued for delivery to
GARRETS@PETRELLIELECTRIC.COM

4/24/2025 2:19:44 PM: Positive Response to Excavator Delivered

DETAILS: Positive Response to Excavator successfully sent to
GARRETS@PETRELLIELECTRIC.COM

4/24/2025 2:20:02 PM: Positive Response to Center Delivered

DETAILS: Positive Response to Center successfully sent

NOTES (CONT'D)

CONTRACTOR SHALL OBSERVE ALL INDUSTRY SAFETY STANDARDS, PARTICULARLY THE REQUIREMENTS OF TITLE 8 OF CALIFORNIA REGULATION WHEN NEAR OWNED LINES.

ALL NEW VEHICLE AND PEDESTRIAN TRAFFIC SIGNALS SHALL BE LED MODULES PER LADOT SPECIFICATIONS (SEE ATTACHED LADOT EDITIONS).



ALL VEHICLE RINGS ARE 12" UNLESS OTHERWISE STATED.

THE B-PERMITTEE SHALL BE RESPONSIBLE FOR LABOR AND MATERIALS INVOLVED IN THE REMOVAL, MAINTENANCE AND INSTALLATION OF ALL STRENGTHENING AND MAINTENANCE AND JOBS PER LADOT GEOMETRIC PLAN NO. A-5335.

SEE STREET LIGHTING SHEET FOR WORK ON STREET LIGHTING FACILITIES.

CONTRACTOR SHALL CONTACT THE TRAFFIC CONSULTANT FOR ANY PROBLEMS.

THE TRAFFIC CONSULTANT SHALL CONTACT THE LADOT ENGINEER AT (714) 954-4644 FOR ANY RESOLUTION OF SIGNAL RELATED CONSTRUCTION PROBLEMS.


NOTICE TO CONTRACTOR

- [illegible]



If this is the power pole in question, we have no utilities in this area that pertain to fault C S15 19/5

2. AT THE BEGINNING OF PREEMPTION, IF A PEDESTRIAN SIGNAL IS DISPLAYING TO PEDESTRIAN CLEARANCE, ANY ACTIVE PEDESTRIAN CALLS ARE CLEARED WILL COUNTDOWN TWENTY NINE (29) SECONDS.
3. FIRST STAGE WARNING PHASES BEGINNING WITH GREEN AND TO ALTERNATELY FLASHING YELLOW PHASES DISPLAYING GREEN WILL ADVANCE TO YELLOW AND ALL FOLLOWED BY TWO (2) SECONDS OF ALL-RED FOR ALL VEHICULAR INDICATIONS REMAIN IN SOLID "DON'T WALK". FLASHING BEACONS REMAIN FLASING YELLOW.
4. THIRTY (30) SECONDS OF GREEN EMERGENCY VEHICLE CLEARANCE FOR ALL VEHICULAR INDICATIONS REMAIN IN SOLID "DON'T WALK". FLASHING BEACONS REMAIN FLASHING YELLOW.
5. AT THE END OF PREEMPTION, VEHICLE INDICATIONS FOR PHASE 2 AND PHASE 3 BEGINNING WITH GREEN AND TO ALTERNATELY FLASHING YELLOW AND ALL-RED CLEARANCE. ALL OTHER VEHICULAR INDICATIONS REMAIN IN SOLID "DON'T WALK". FLASHING BEACONS REMAIN FLASHING YELLOW.
6. SIGNAL RETURN TO NORMAL OPERATION WITH GREEN INDICATION FOR PHASE 1 AND FLASHING BEACONS WILL GO DARK.



SUNSET BLVD. (7330' W) AT LOS LIONES DR. I.A.A. 2005-8056/DR W/2005-7602 DESIGN PERMIT ID- 402296		CONSTRUCTION PERMIT BC	
REVIEW: <u>DATE</u>	RECOMMENDED: <u>BY</u>	APPROVED: <u>DATE</u>	BY <u>NAME</u>
Transportation Engineer	Senior Transportation Engineer	Senior Transportation Engineer	Senior Transportation Engineer
AS BUILT			
Division of <u>DATE</u>	CITY OF LOS ANGELES	DEPARTMENT OF TRANSPORTATION	
LAUSD Engineer: <u>NAME</u>	BETA L. ROBINSON, GENERAL MANAGER		
Division for <u>DATE</u>	TITLE		
LAUSD Engineer:	LOS LIONES DR. & SUNSET BLVD.		
Drawn: <u>DATE</u> (WITHIN)	PROJECT		
Revised: <u>DATE</u>	Notes: <u>DATE</u>		
Field check:	NO. <u>DATE</u>		
Reference:	DATE: <u>DATE</u>		
Field check:	NO. <u>DATE</u>		

Re: Ticket Number A250980935 (January 2025 Palisades Fire)

Ticket Created: April 17, 2025

Ticket Legal Start Date: April 18, 2025

Date: September 23, 2025

For: Petrelli Electric

I responded and marked this location on April 24th, 2025, beyond the legal start date.

This was in direct alignment to the high volume of USA tickets in conjunction with low staffing levels within our Markout team. Consequently, causing untimely positive responses to Dig Alert tickets in general. Also, my work schedule at the time did not allow me to respond on April 18th due to our whole team having the day off. Our work schedules have since been restructured making our team available for markout Monday-Friday every week to enhance our response time.

Regards,

Carlos Reynaga

LADOT



Faded LADOT mark from 04/24/2025



Faded LADOT mark from 04/24/2025



Anchor away from LADOT utility

The image shows a concrete sidewalk on the right, bordered by a landscaped area with mulch and green shrubs on the left. A large tree with dense green foliage stands in the background. A yellow arrow points from the text 'Anchor away from LADOT utility' to a point in the mulch area. Two orange arrows, each labeled 'LADOT', point to specific locations on the sidewalk: one on the left side and one on the right side.

LADOT

LADOT