



**CALIFORNIA UNDERGROUND SAFETY BOARD  
INVESTIGATION DIVISION**

**INVESTIGATION REPORT**

**DATE:** December 2, 2025

**CASE No.:** CAS-01529-G6V5K1

**Violations:**

San Diego County Department of Public Works, Special Districts (member code: COSDSD)  
Government Code § 4216.3(c)(1)(A): Failure to provide electronic positive response  
prior to the legal excavation start date and time.

**Executive Summary:**

San Diego County Department of Public Works, Special Districts received the locate request from the regional notification center for ticket B223320148-00B and did not provide electronic positive response by the legal start date and time.

**Reporting Party Information:**

Josh Westbrook, Inspector 1  
Olivenhain Municipal Water District  
1966 Olivenhain Road  
Encinitas, California 92024

**Date of Incident:**

November 30, 2022

**Location of the Incident:**

Rancho Santa Fe, California, at the intersection of Rama De Las Palmas and Vista De Golf

**Operator:**

Olivenhain Municipal Water District  
1966 Olivenhain Road  
Encinitas, California 92024

**Excavator:**

Agundez Concrete Company  
1534 Quiet Trail Drive  
Chula Vista, California 91915

**Facility Type Damaged:**

Water valve can and asbestos valve casing

**Investigation:**

**Notification of the Incident**

On November 28, 2022, Josh Westbrook, an inspector with operator Olivenhain Municipal Water District in Encinitas, California, reported to the California Underground Safety Board (Board) that Agundez Concrete Company damaged a water valve can and asbestos valve casing at 1:20 p.m. (Exh. 1.).

The case was assigned to Jeff McClenahan (Investigator).

**Nautilus Contacted DigAlert Regarding Work at the Site**

Nautilus General Contractors contacted DigAlert on November 28, 2022, at 8:43 a.m. regarding the demolition work at the intersection of Rama De Las Palmas and Vista De Golf in Rancho Santa Fe, California. USA North created ticket B223320148-00B, which indicated that the legal excavation start date and time for the work was November 30, 2022, at 5:01 p.m. (Exh. 2.)

**The Work Which Caused the Damage Was Not the Subject of Any Other DigAlert Ticket**

On December 16, 2022, Investigator emailed Amber Dahl, Safety Awareness Director for DigAlert, asking for tickets for the intersection of Rama De Las Palms and Vista De Golf. Ann Diamond (Diamond), President of DigAlert, replied by email that same day. Diamond stated that their search, from July 1, 2022, through December 12, 2022, had revealed no tickets for the intersection of Rama De Las Palmas and Vista De Golf other than the provided ticket B223320148-00B. (Exh. 3.)

On December 132, 2025, Amber Dahl, Safety Director of DigAlert, confirmed that member code COSDSD referred to San Diego County Department of Public Works. (Exh. 4.)

**San Diego County Department of Public Works, Special Districts Did Not Provide a Timely EPR Response**

Ticket B223320148-00B indicates that the legal excavation start date and time was 5:00 p.m. on November 30, 2022. The ticket indicates that operator San Diego County Department of Public Works, Special Districts (DigAlert Member Code COSDSD) did not provide an electronic positive response before that time and date: "(999) – Member did not respond by the required time" as of November 30, 2022, at 5:01 p.m. (Exh. 2.)

**Ticket Responses for: B223320148-00B**

Member	Name	Rev	Responded	By	Response
ATTD SOUTH AT&T - DISTRIBUTION		00B	11/29/22 09:57:42 AM	UQ Responder	(022) NO DELINEATION - RESEND TICKET REQUESTED
COSDSD	SAN DIEGO CO DPW, SPECIAL DISTRICTS	00B	11/30/22 05:01:15 PM	Late Notice	(999) Member did not respond by the required time
COX04	COX COMMUNICATIONS - NO SD	00B	11/29/22 10:00:37 AM	AAA	(022) NO DELINEATION - RESEND TICKET REQUESTED
OMW62	OLIVENHAIN MWD	00B	11/29/22 09:53:35 AM	jwestbrook	(022) NO DELINEATION - RESEND TICKET REQUESTED
SDG01	SDG&E GAS DISTRIBUTION AND ELECTRIC	00B	11/29/22 02:23:09 PM	PRSDG01 MWEINGEL	(040) EXCAVATOR COMPLETED WORK PRIOR TO DUE DATE
WHISPM	WHISPERING PALMS CSD	00B	11/29/22 07:12:40 AM	Ken Burtech	(001) CLEAR - NO CONFLICT

*Photo 1: Screenshot taken by the Investigator of the EPRs on ticket B223320148-00B, provided by DigAlert. (Exh. 2.)*

On December 29, 2022, the Investigator requested information from the San Diego County Department of Public Works, Special Districts regarding the failure to provide an EPR to ticket B223320148-00B. (Exh. 5.) San Diego County Department of Public Works, Traffic Engineering Section emailed a response on January 3, 2023, stating:

- A county electrician, Michael Krosky, responded to the ticket on November 28, 2022.
- The response was that there was no conflict for County of San Diego streetlights. (Exh. 5.)

San Diego County Department of Public Works, Traffic Engineering Section provided a copy of that response email from Michael Krosky to Nautilus General Contractors which stated in full: “No conflict.” (Exh. 6.) However, the San Diego County Department of Public Works, Traffic Engineering Section did not state the reason why it did not provide an electronic positive response. (Exh. 5, 6.)

**Findings:**

1. Operator San Diego County Department of Public Works, Special Districts (DigAlert Member Code COSDSD) failed to supply an electronic positive response (EPR) through the Regional Notification Center before the legal excavation start date and time of November 30, 2022, at 5:01 p.m. on Ticket B223320148-00B.

Investigator Name	Supervisor Name
Jeff McClenahan	Anona Bonner
Signature	Signature
/s/Jeff McClenahan	/s/Anona Bonner

<b>Exhibit No.</b>	<b>Description</b>	<b>Date</b>	<b>Received From</b>
1	Notification Information Report D223320008	Received on 11/28/2024	
2	DigAlert ticket B223320148-00B	Received on 12/16/2022	Ann Diamond President DigAlert
3	Email exchange with DigAlert to locate tickets	Received on 12/16/2022	Ann Diamond President DigAlert
4	Emails with DigAlert on Member Code COSDSD	Received on 12/1/2025	Amber Dahl, Safety Director, DigAlert
5	Information Request and Email to San Diego County re: EPR Request	Emailed on 12/29/2022	San Diego County Department of Public Works, Traffic Engineering Section
6	Email from San Diego County to Nautilus General Contractors	Dated 11/28/2022	San Diego County Department of Public Works, Traffic Engineering Section

# Exhibit 1

# Notification Information Report

Information for Notification Number:- **D223320008**

Date Logged to CRM:- **11/28/2022 4:14 PM**

Complaint/Incident Information	
Incident/Complaint Description	AGUNDEZ CONCRETE CO. WITH OUT A DIG ALERT TICKET USED A SKID STEER WITH A JACKHAMMER ATTACHMENT TO EXCAVATE PAVERS. IN THE PROCESS THE DAMAGED A WATER VALVE CAN LID AND ASBESTOS PIPE CASING.
Incident Date	11/28/2022 1:20 PM
Incident State	CA
Incident County	San Diego
Incident Place	Rancho Sante Fe
Incident St from Address	
Incident St to Address	
Incident Street	Rama De Las Palmas
Incident Cross1	Rama De Las Palmas
Incident Location	VALVE CAN LOCATED AT INTERSECTION WAS BROKEN.
Type of Complaint	
Other Complaint Detail	
Notification Number	D223320008
Notification Created	11/28/2022 4:08 PM
Notification Type	incident
Damage Injury	No
Damage Death	No
Damage Fire Evacuation	No
Damage Facility Type	Water Valve Can and Valve casing
Damage Equipment	Skid steer with jack hammer attachment.

### Reporter Information

Reporter First Name	Josh
Reporter Middle Name	
Reporter Last Name	Westbrook
Reporter Company	Olivenhain Municipal Water District
Reporter Email	jwestbrook@[REDACTED]
Reporter Phone	[REDACTED]
Reporter Address	1966 Olivenhain Rd
Reporter Address 2	
Reporter City	Encinitas
Reporter State	CA
Reporter Zip	92024

### Other Party Information

First Name	Matthew
Middle Name	
Last Name	Agundez
Company	Agundez Concrete CO.
Address	
City	
State	
Zip Code	
Email	matthew.agundez@[REDACTED]
Phone	[REDACTED]

<b>Ticket Entry</b>	
Ticket Number	
Ticket Type	
Revision	
Created	
Account	
Channel	
Work Date	
Response Required	
Response Due	
Expires	
One Year	
Priority	
Priority Number	
Category	
Lookup	
State	
County	
Place	
Work area zip code	
St to address	
St from address	
Street	
Cross 1	
Cross 2	
How delineated	
Excav st walk	
Work Type	
Boring	
Explosives	
Vacuum	
Permit	
Work Order	
Done For	
Remarks Type	
Company Name	
Address1	
Address2	
City	

State	
Zip Code	
Phone	
Phone ext	
Caller	
Caller Language	
Cell	
Email	
Contact Name	
Contact Phone	
Contact Phone Ext	
Contact Cell	
Contact Email	
Location	
Comments	
Map URL	MAP URL of Notification Number D223320008

## Ticket GPS Coordinates

### Caller GPS Coordinates

Name	Latitude	Longitude
------	----------	-----------

### Best Fit Rectangle GPS Coordinates

Name	Latitude	Longitude
------	----------	-----------

## **Ticket Member List**

Member Code

# Exhibit 2

**Ticket: B223320148-00B**

MBRCOD 00001A USAS 12/19/22 13:50:22 B223320148-00B NEW NORM POLY LREQ

Ticket: B223320148 Rev: 00B Created: 11/28/22 08:43 User: DIRECT Chan: WEB

Work Start: 11/30/22 17:01 Legal Start: 11/30/22 17:01 Expires: 12/26/22 23:59

Response required: Y Priority: 2

**Excavator Information**

Company: NAUTILUS GENERAL

Co Addr: 8033 VICKERS STREET

City : SAN DIEGO State: CA Zip: 92111

Created By: JOE VILLEGRAS Language: ENGLISH

Office Phone: [REDACTED] SMS/Cell: [REDACTED]

Office Email: VILLEGRAS [REDACTED]

Site Contact: MIGUEL CARDOZA

Site Phone: [REDACTED] Site SMS/Cell: [REDACTED]

Site Email: cardoza [REDACTED]

**Excavation Area**

State: CA County: SAN DIEGO Place: RANCHO SANTA FE

Zip: 92091

Location: Address/Street: RAMA DE LAS PALMAS

: X/ST1: VISTA DE GOLF

:

: ALL INTER OF RAMA DE LAS PALMAS AND VISTA DE GOLF;

Delineated Method: WHITEPAINT

Work Type: DEMO

Work For : HOA

Permit: Job/Work order:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: Y Explosives: N

**Lat/Long**

Center Generated (NAD83): 32.990323/-117.212514 32.990244/-117.212038

: 32.989922/-117.212582 32.989843/-117.212106

Excavator Provided:

**Map link:**[https://newtin.digalert.org/newtinweb/map\\_tkt.nap?TRG=0DhJgJfHcHeKVJf-7](https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=0DhJgJfHcHeKVJf-7)**Members:**

ATTDSOUTH COSDSD

COX04

OMW62

SDG01

WHISPM

(c) Copyright 2018 Underground Service Alert of Southern California.  
All rights reserved.

**Ticket Responses for: B223320148-00B**

Member	Name	Rev	Responded	By	Response
ATTDSOUTH AT&T - DISTRIBUTION		00B	11/29/22 09:57:42 AM	UQ Responder	(022) NO DELINEATION - RESEND TICKET REQUESTED
COSDSD	SAN DIEGO CO DPW, SPECIAL DISTRICTS	00B	11/30/22 05:01:15 PM	Late Notice	(999) Member did not respond by the required time
COX04	COX COMMUNICATIONS - NO SD	00B	11/29/22 10:00:37 AM	AAA	(022) NO DELINEATION - RESEND TICKET REQUESTED
OMW62	OLIVENHAIN MWD	00B	11/29/22 09:53:35 AM	jwestbrook	(022) NO DELINEATION - RESEND TICKET REQUESTED
SDG01	SDG&E GAS DISTRIBUTION AND ELECTRIC	00B	11/29/22 02:23:09 PM	PRSDG01 MWEINGEL	(040) EXCAVATOR COMPLETED WORK PRIOR TO DUE DATE
WHISPM	WHISPERING PALMS CSD	00B	11/29/22 07:12:40 AM	Ken Burtech	(001) CLEAR - NO CONFLICT

# Exhibit 3

**From:** [Alcantar, Daysi@EnergySafety](mailto:Alcantar_Daysi@EnergySafety)  
**To:** [McClanahan, Jeff@EnergySafety](mailto:McClanahan_Jeff@EnergySafety)  
**Subject:** Case involving Ticket Number B223320148- Agundez Concrete- Nautilus Generals  
**Date:** Wednesday, February 22, 2023 4:04:06 PM  
**Attachments:** [b223320148.pdf](#)  
[image001.png](#)

---

FYI

This was a duplicate case. One was submitted as an incident ticket and the other was a complaint ticket.

---

**From:** Amber Dahl <amber [REDACTED]>  
**Sent:** Friday, December 16, 2022 1:57 PM  
**To:** Damazio, Chrystal@EnergySafety <Chrystal.Damazio@EnergySafety.ca.gov>  
**Cc:** Barkley, Jon@EnergySafety <Jon.Barkley@EnergySafety.ca.gov>; Alcantar, Daysi@EnergySafety <Daysi.Alcantar@EnergySafety.ca.gov>  
**Subject:** Re: Case involving Ticket Number B223320148- Agundez Concrete- Nautilus Generals

Chrystal

Amber is off today so I'm helping out.

Attached is a copy of ticket B223320148. I also searched from July 1, 2022 until today to see if there were any other tickets for the location of Rama De Las Palmas and Vista De Golf and did not find anything else.

Every entity that is digging must have their own ticket so Agundez can't be working under Nautilus's ticket unless they fall under 4216.8 exception.

For future requests please include the time frame you would like us to search. We have records back for 5 years - but it's a hard 5 years so today we can search back to 12/17/2017.

Hope that helps.

Ann Diamond

---- Original Message ----

From: "Damazio, Chrystal@EnergySafety" <[Chrystal.Damazio@energysafety.ca.gov](mailto:Chrystal.Damazio@energysafety.ca.gov)>  
Sent: 12/16/2022 11:57:43 AM  
To: "amber [REDACTED]" <[amber@EnergySafety.ca.gov](mailto:amber@EnergySafety.ca.gov)>  
Cc: "Barkley, Jon@EnergySafety" <[Jon.Barkley@energysafety.ca.gov](mailto:Jon.Barkley@energysafety.ca.gov)>, "Alcantar, Daysi@EnergySafety" <[Daysi.Alcantar@energysafety.ca.gov](mailto:Daysi.Alcantar@energysafety.ca.gov)>  
Subject: Case involving Ticket Number B223320148- Agundez Concrete- Nautilus Generals

Hello Amber,

Complaint Notification C223320007/ Damage Notification D223320008

I have a no ticket complaint case and a damage incident case both reported by Josh Westbrook of Olivenhain Municipal Water District, area of incident reported in Rancho Sante Fe INTERSECTION OF RAMA DE LAS PALMAS AND VISTA DE GOLF.

According to both cases, Agundez was working under Nautilus Dig Alert Ticket B223320148.  
Can you please supply me any and all tickets involving these incidents.

Thank You,

**Chrystal Damazio**

Investigator | Underground Infrastructure Safety Directorate

Office of Energy Infrastructure Safety

715 P Street, 20th Floor

Sacramento, CA 95814

Mobile: (279) 789-1814

<https://energysafety.ca.gov/>




OFFICE OF ENERGY  
INFRASTRUCTURE  
SAFETY

# Exhibit 4

**From:** [Amber Dahl](#)  
**To:** [McClanahan, Jeff@EnergySafety](#)  
**Subject:** RE: Underground Safety Board: Contact information confirmation COSDSD  
**Date:** Monday, December 1, 2025 3:30:07 PM

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

The Membership Agreement under COSDSD signed in 1991, was signed under the name County of San Diego Department of Public Works.



This e-mail message may contain confidential or legally privileged information and is intended only for the use of the intended recipient(s). Any unauthorized disclosure, dissemination, distribution, copying or the taking of any action in reliance on the information herein is prohibited. E-mails are not secure and cannot be guaranteed to be error free as they can be intercepted, amended, or contain viruses. Anyone who communicates with us by e-mail is deemed to have accepted these risks. Underground Service Alert of Southern California is not responsible for errors or omissions in this message and denies any responsibility for any damage arising from the use of e-mail. Any opinion and other statement contained in this message and any attachment are solely those of the author and do not necessarily represent those of the company.

**From:** McClanahan, Jeff@EnergySafety <[Jeff.McClanahan@energysafety.ca.gov](mailto:Jeff.McClanahan@energysafety.ca.gov)>  
**Sent:** Monday, December 1, 2025 3:15 PM  
**To:** Amber Dahl <[amber@digalert.org](mailto:amber@digalert.org)>  
**Cc:** Ann Diamond <[ann@digalert.org](mailto:ann@digalert.org)>  
**Subject:** RE: Underground Safety Board: Contact information confirmation COSDSD

Thanks, Amber! Yes, thanks for the correction, I meant that as a B.

Best,

**Jeff McClanahan** (He/they)  
Senior Policy Investigator | Underground Investigations Division


Office of Energy Infrastructure Safety  
(279) 789-1818


**From:** Amber Dahl <[amber@digalert.org](mailto:amber@digalert.org)>  
**Sent:** Monday, December 1, 2025 3:13 PM  
**To:** McClanahan, Jeff@EnergySafety <[Jeff.McClanahan@energysafety.ca.gov](mailto:Jeff.McClanahan@energysafety.ca.gov)>  
**Cc:** Ann Diamond <[ann@digalert.org](mailto:ann@digalert.org)>  
**Subject:** RE: Underground Safety Board: Contact information confirmation COSDSD

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

COSDSD in DigAlert's Member Maintenance has the company as San Diego CO DPW, Special Districts. We do not have any other unabbreviated name for that code.

Also, DigAlert tickets begin with either the letter A or B, not X so the correct ticket number for a location at the intersection of Rama De La Palmas & Vista De Golf in Rancho Santa Fe is B223320148.





This e-mail message may contain confidential or legally privileged information and is intended only for the use of the intended recipient(s). Any unauthorized disclosure, dissemination, distribution, copying or the taking of any action in reliance on the information herein is prohibited. E-mails are not secure and cannot be guaranteed to be error free as they can be intercepted, amended, or contain viruses. Anyone who communicates with us by e-mail is deemed to have accepted these risks. Underground Service Alert of Southern California is not responsible for errors or omissions in this message and denies any responsibility for any damage arising from the use of e-mail. Any opinion and other statement contained in this message and any attachment are solely those of the author and do not necessarily represent those of the company.

**From:** McClenahan, Jeff@EnergySafety <[Jeff.McClenahan@energysafety.ca.gov](mailto:Jeff.McClenahan@energysafety.ca.gov)>  
**Sent:** Monday, December 1, 2025 3:04 PM  
**To:** Amber Dahl <[amber.dahl@energysafety.ca.gov](mailto:amber.dahl@energysafety.ca.gov)>  
**Subject:** RE: Underground Safety Board: Contact information confirmation COSDSD

Hi Amber,

Can you please confirm the full name for member code COSDSD?

On ticket X223320148-008 I see "San Diego CO DPW, Special Districts" – do you have any unabbreviated names for that code?

Thanks,

**Jeff McClenahan** (He/they)  
Senior Policy Investigator | Underground Investigations Division

Office of Energy Infrastructure Safety  
(279) 789-1818

---

**From:** Amber Dahl <[amber.dahl@energysafety.ca.gov](mailto:amber.dahl@energysafety.ca.gov)>  
**Sent:** Friday, November 1, 2024 10:38 AM  
**To:** McClenahan, Jeff@EnergySafety <[Jeff.McClenahan@energysafety.ca.gov](mailto:Jeff.McClenahan@energysafety.ca.gov)>  
**Subject:** RE: Underground Safety Board: Contact information confirmation COSDSD

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

---

5510 Overland Ave, Ste 140, Room 470  
San Diego, CA 92123-1239

Thank you,

**Amber Dahl**, Safety Director  
Underground Service Alert of Southern California



PO BOX 77070 Corona, CA 92877  
P: [REDACTED] F: [REDACTED]  
E: [REDACTED] w: [www.digalert.org](http://www.digalert.org)

This e-mail message may contain confidential or legally privileged information and is intended only for the use of the intended recipient(s). Any unauthorized disclosure, dissemination, distribution, copying or the taking of any action in reliance on the information herein is prohibited. E-mails are not secure and cannot be guaranteed to be error free as they can be intercepted, amended, or contain viruses. Anyone who communicates with us by e-mail is deemed to have accepted these risks. Underground Service Alert of Southern California is not responsible for errors or omissions in this message and denies any responsibility for any damage arising from the use of e-mail. Any opinion and other statement contained in this message and any attachment are solely those of the author and do not necessarily represent those of the company.

---

**From:** McClenahan, Jeff@EnergySafety <[Jeff.McClenahan@energysafety.ca.gov](mailto:Jeff.McClenahan@energysafety.ca.gov)>  
**Sent:** Friday, November 1, 2024 10:37 AM  
**To:** Amber Dahl <[Amber.Dahl@digalert.org](mailto:Amber.Dahl@digalert.org)>  
**Subject:** RE: Underground Safety Board: Contact information confirmation COSDSD

And what is the mailing address for COSDSD?

Thanks,

**Jeff McClenahan (He/him)**  
Senior Policy Investigator | Underground Investigations Division

Office of Energy Infrastructure Safety  
(279) 789-1818

---

**From:** Amber Dahl <[Amber.Dahl@digalert.org](mailto:Amber.Dahl@digalert.org)>  
**Sent:** Friday, November 1, 2024 8:41 AM  
**To:** McClenahan, Jeff@EnergySafety <[Jeff.McClenahan@energysafety.ca.gov](mailto:Jeff.McClenahan@energysafety.ca.gov)>  
**Subject:** RE: Underground Safety Board: Contact information confirmation COSDSD

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

The Main Contact we have is Minh Tran [REDACTED] [minh.tran@digalert.org](mailto:minh.tran@digalert.org)

Thank you,

**Amber Dahl, Safety Director**  
Underground Service Alert of Southern California  
PO BOX 77070 Corona, CA 92877  
P: [REDACTED] F: [REDACTED]  
E: [Amber.Dahl@digalert.org](mailto:Amber.Dahl@digalert.org) w: [www.digalert.org](http://www.digalert.org)

This e-mail message may contain confidential or legally privileged information and is intended only for the use of the intended recipient(s). Any unauthorized disclosure, dissemination, distribution, copying or the taking of any action in reliance on the information herein is prohibited. E-mails are not secure and cannot be guaranteed to be error free as they can be intercepted, amended, or contain viruses. Anyone who communicates with us by e-mail is deemed to have accepted these risks. Underground Service Alert of Southern California is not responsible for errors or omissions in this message and denies any responsibility for any damage arising from the use of e-mail. Any opinion and other statement contained in this message and any attachment are solely those of the author and do not necessarily represent those of the company.

---

**From:** McClenahan, Jeff@EnergySafety <[Jeff.McClenahan@energysafety.ca.gov](mailto:Jeff.McClenahan@energysafety.ca.gov)>  
**Sent:** Thursday, October 31, 2024 3:48 PM  
**To:** Amber Dahl <[Amber.Dahl@digalert.org](mailto:Amber.Dahl@digalert.org)>  
**Subject:** Underground Safety Board: Contact information confirmation COSDSD

Hi Amber,

Will you please confirm the contact information for San Diego County Department of Water-Special Districts (DigAlert Member Code COSDSD)?

Thank you,

**Jeff McClenahan (He/him)**  
Senior Policy Investigator | Underground Investigations Division

Office of Energy Infrastructure Safety  
715 P Street, 20th Floor  
Sacramento, CA 95814  
(279) 789-1818  
[Energysafety.ca.gov](http://Energysafety.ca.gov)

# Exhibit 5

**From:** [Finley, Giselle](#)  
**To:** [Damazio, Chrystal@EnergySafety](#)  
**Cc:** [Krosky, Michael](#)  
**Subject:** RE: B223320148-00B created on November 28, 2022, which required an Electronic Positive Response by Operator to Dig Alert  
**Date:** Tuesday, January 3, 2023 1:27:30 PM  
**Attachments:** [image001.png](#)  
[FW External USAS COSDSD 20221128 #00008B B223320148-00B NORM NEW LREQ.msg](#)  
[FW External USAS COSDSD 20221128 #00008B B223320148-00B NORM NEW LREQ.msg](#)

---

Dear Ms. Damazio

Please see the attached response for the above noted Dig Alert Ticket.

The ticket was reviewed and responded to by Michael Krosky, County Electrician on 11/28/22 with a no conflict for County of San Diego streetlights.

Please let me know if there is any additional information needed.

Thank you.

*Giselle "Gigi" Finley, P.E., T.E., PTOE  
Traffic Signals and Street Lighting  
Department of Public Works  
Traffic Engineering Section*

---

**From:** Damazio, Chrystal@EnergySafety <Chrystal.Damazio@energysafety.ca.gov>  
**Sent:** Thursday, December 29, 2022 9:20 AM  
**To:** Finley, Giselle <Giselle.Finley.███████████>  
**Subject:** [External] B223320148-00B created on November 28, 2022, which required an Electronic Positive Response by Operator to Dig Alert

Good Afternoon Ms. Finley,

My name is Chrystal Damazio and I am an Investigator with the Underground Safety Board. On November 28, 2022 you were notified by the Dig Alert Call Center that planned excavation at the intersection of Rama de las Palmas and Vista de Golf required an Electronic Positive Response in regards to the location of your Facilities. Please see the attached Information Request surrounding the above captioned incident. Once we receive all requested documents, I will schedule a mutually agreed upon date and time for a telephone interview.

Thank you for your time regarding this matter, your cooperation in this investigation is valuable.

Please feel free to contact me with any questions or concerns you may have.

Chrystal Damazio  
Investigator | Underground Infrastructure Safety Directorate

Office of Energy Infrastructure Safety

715 P Street, 20th Floor

Sacramento, CA 95814

Mobile: (279) 789-1814

<https://energysafety.ca.gov/>





**TRANSMITTED VIA ELECTRONIC MAIL**

**INFORMATION REQUEST**

**Request Date:** December 28, 2022

**Response Due:** January 11, 2023

To: Giselle Finley

San Diego CO, DPW Special Districts

5510 Overland Avenue, Suite 140 Room 470

San Diego, CA 92123

**Originator:** Chrystal Damazio, Investigator

**Information Request Number:** 027

**Subject:** B223320148-00B created on November 28, 2022, which required an Electronic Positive Response from an operator to DigAlert providing the status of an operator's response to ticket.

**INSTRUCTIONS**

- a. Provide all information in your possession, custody, or control, or the possession, custody, and/or control of your affiliates or agents, that is responsive to these requests by the due date identified above.
- b. Responses and documents may be produced and served electronically, but they shall be fully machine-readable and searchable.
- c. If you have any questions about the meaning or scope of the information requests herein, direct such questions to the Energy Safety staff identified as the “Originator” of this request at your earliest opportunity.
  - i. Lack of clarity on meaning or scope of requests, without prior request for clarification from the “Originator,” will not be a permissible reason for incomplete responses and will be regarded as non-compliance with the request.
- d. Identify the personnel (employees, consultants, agents, etc.) who provided information responsive to each of the information requests below. As used in this context herein, “identify” means to provide the full name, business address, and title of each employee, consultant, or agent who provided such information.

- e. If you do not know the exact answer to any of the requests below, please so indicate and provide your best estimate.
- f. Provide data in its original format (i.e., PDF, Excel, GIS shapefile, etc.), unless otherwise specified in the request.
- g. Send your response to case investigator:

**Chrystal Damazio (chrystal.damazio@energysafety.ca.gov)**

- 1. This is a request for a copy of **all records** including video, photographs, interviews, documents, Dig Alert Dig Alert tickets and any reports of any kind concerning Dig Alert ticket B223320148-00B created on November 28, 2022, which required an Electronic Positive Response from the operator to DigAlert.

**END OF REQUEST**

# Exhibit 6

**From:** [Krosky, Michael](#)  
**To:** [cardoza \[REDACTED\]](#)  
**Cc:** [Finley, Giselle](#); [Macias, Efrain](#)  
**Subject:** FW: [External] USAS COSDSD 2022/11/28 #00008B B223320148-00B NORM NEW LREQ  
**Date:** Monday, November 28, 2022 10:54:28 AM

---

No conflict

-----Original Message-----

From: Finley, Giselle <Giselle.Finley [REDACTED]>  
Sent: Monday, November 28, 2022 8:44 AM  
To: Krosky, Michael <Michael.Krosky [REDACTED]>; Macias, Efrain <Efrain.Macias [REDACTED]>  
Subject: FW: [External] USAS COSDSD 2022/11/28 #00008B B223320148-00B NORM NEW LREQ

From: Notification [REDACTED] <Notification [REDACTED]>  
Sent: Monday, November 28, 2022 8:44:19 AM (UTC-08:00) Pacific Time (US & Canada)  
To: Finley, Giselle  
Subject: [External] USAS COSDSD 2022/11/28 #00008B B223320148-00B NORM NEW LREQ

COSDSD 00008B USAS 11/28/22 08:44:19 B223320148-00B NEW NORM POLY LREQ

Ticket: B223320148 Rev: 00B Created: 11/28/22 08:43 User: DIRECT Chan: WEB

Work Start: 11/30/22 17:01 Legal Start: 11/30/22 17:01 Expires: 12/26/22 23:59 Response required: Y Priority: 2

#### Excavator Information

Company: NAUTILUS GENERAL  
Co Addr: 8033 VICKERS STREET  
City : SAN DIEGO State: CA Zip: 92111  
Created By: JOE VILLEGAS Language: ENGLISH  
Office Phone: [REDACTED] SMS/Cell: [REDACTED]  
Office Email: VILLEGAS [REDACTED]

Site Contact: MIGUEL CARDOZA

Site Phone: [REDACTED] Site SMS/Cell: [REDACTED]  
Site Email: cardoza [REDACTED]

#### Excavation Area

State: CA County: SAN DIEGO Place: RANCHO SANTA FE  
Zip: 92091

Location: Address/Street: RAMA DE LAS PALMAS

: X/ST1: VISTA DE GOLF  
:  
: ALL INTER OF RAMA DE LAS PALMAS AND VISTA DE GOLF;

Delineated Method: WHITEPAINT

Work Type: DEMO

Work For : HOA

Permit: Job/Work order:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: Y Explosives: N

Lat/Long

Center Generated (NAD83): 32.990323/-117.212514 32.990244/-117.212038

: 32.989922/-117.212582 32.989843/-117.212106 Excavator Provided:

Map link:

[https://newtin.digalert.org/newtinweb/map\\_tkt.nap?TRG=98Aq7s0wxwz1swyr1s](https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=98Aq7s0wxwz1swyr1s)

Members:

ATTDSOUTH COSDSD COX04 OMW62 SDG01 WHISPM

(c) Copyright 2018 Underground Service Alert of Southern California.  
All rights reserved.