



February 9, 2026

Brandon Tolentino
Vice President, Wildfire and Business Resiliency
Southern California Edison Company
2244 Walnut Grove Ave
Rosemead, CA 91770

NOTICE OF DATA INACCURACY

Mr. Tolentino:

Pursuant to Government Code Section 15472, et seq, the Office of Energy Infrastructure Safety (Energy Safety) has conducted an inspection of work completed by Southern California Edison Company (SCE) in accordance with its 2025 Wildfire Mitigation Plan (WMP) and determined the existence of a data inaccuracy. Energy Safety therefore issues SCE a Notice of Data Inaccuracy (NODI). Failure to remedy this data inaccuracy prior to the submission of SCE's 2025 Annual Implementation Report may lead to a Notice of Non-Performance (NON) if the inaccuracy causes SCE to miss a WMP target or prevents Energy Safety from ensuring that SCE performed the targets and statements made in SCE's 2025 WMP.

On January 13, 2026, Energy Safety conducted an inspection of Southern California Edison Company's WMP initiatives in the vicinity of the city of Oak View, California. The inspection report is enclosed herewith. Energy Safety found the following data inaccuracies:

Data Inaccuracy 1. On Pole ID 4630772E, Grid Hardening ID TD2091619-4630772E at coordinates 34.4133144995652, -119.285974247888, the inspector observed that covered conductor was not installed at the stated location.

The data inaccuracy identified in this notice could make it appear as though SCE reached the target set in its WMP initiative related to covered conductor when it has not. If SCE does not address this data inaccuracy and includes the inaccurate data in its reporting regarding its WMP initiative related to covered conductor, SCE may be found to fail to achieve the target for that WMP initiative. This failure may be raised in a future NON or in Energy Safety's 2025 Annual Report on SCE's WMP Performance.

Within 30 days from the issuance date of this NODI, SCE should provide a response advising Energy Safety of corrective actions taken or planned to remedy the identified data inaccuracy.

This response shall be filed in the Energy Safety e-Filing system under the 2025 NODI Docket,¹ and the associated file name(s) must begin with the NODI identification number.

Sincerely,

Patrick Doherty

Patrick Doherty
Program Manager | Performance Assessment Division
Office of Energy Infrastructure Safety
Patrick.Doherty@energysafety.ca.gov

Cc:

Gary Chen, SCE

Gary.Chen@sce.com

Elizabeth Leano, SCE

Elizabeth.Leano@sce.com

Cynthia Childs, SCE

Cynthia.Childs@sce.com

Raghu Rayalu, SCE

Raghu.Rayalu@sce.com

Erick Sanchez, SCE

Erick.G.Sanchez@sce.com

Sally Jeun, SCE

Sally.Jeun@sce.com

Keyshawn Ford, Energy Safety

Keyshawn.Ford@energysafety.ca.gov

Yana Loginova, Energy Safety

Yana.Loginova@energysafety.ca.gov

Samuel Isaiah, Energy Safety

Samuel.Isaiah@energysafety.ca.gov

Shannon Greene, Energy Safety

Shannon.Greene@energysafety.ca.gov

AssetPerformance@energysafety.ca.gov

¹ <https://efiling.energysafety.ca.gov/EFiling/DocketInformation.aspx?docketnumber=2025%20NODI>



State of California – A Natural Resources Agency
OFFICE OF ENERGY INFRASTRUCTURE SAFETY
715 P Street, 15th Floor | Sacramento, CA 95814
916.902.6000 | www.energysafety.ca.gov

Gavin Newsom, Governor
Caroline Thomas Jacobs, Director

INSPECTION REPORT

Electrical Corporation:	Southern California Edison Company
Report Number:	PAD_SCE_KSF_20260113_1125
Date of inspection:	January 13, 2026
City and/or County of Inspection:	Oak View, Ventura County
Inspector:	Keyshawn Ford
WMP Year Inspected:	2025
Quarterly Data Report (QDR) Referenced:	Quarter 3 (Q3)
Inspection Selection:	Energy Safety viewed the contents of the Q3 QDR and performed an analysis that resulted in the selection of the WMP initiatives and locations referenced in this report.
Relevant WMP Initiative(s):	8.1.2.1.1 – Covered Conductor
Inspection Purpose:	Assess the accuracy of Southern California Edison Company’s QDR data, completeness of its work, and performance of WMP requirements.

WMP Inspection Data Inaccuracies

Data Inaccuracy #	Structure ID	Grid Hardening ID	Lat/Long	HFTD	Initiative Number	Data Inaccuracy Description
Data Inaccuracy 1	4630772E	TD2091619-4630772E	34.4133144995652, -119.285974247888	Tier 3	8.1.2.1.1 Covered Conductor	Covered conductor was not installed at stated location.

Observations

On Pole ID 4630772E, Grid Hardening ID TD2091619-4630772E at 195 Alto Dr, Oak View, CA, 93022, USA, 34.4133144995652, -119.285974247888, the inspector observed that covered conductor was not installed. The inspector's observation is documented in Data Inaccuracy 1 photographs G1mg1, G1mg2, and G1mg3, which are attached to this report as Exhibit A.

Energy Safety concludes that there are inaccurate data because of these facts:

1. Southern California Edison Company reported that WMP initiative 8.1.2.1.1 - Covered Conductor installation was completed at the inspection location.
2. Covered conductor was not installed; bare conductor was observed.

This observation warrants a notice of data inaccuracy. Failure to rectify this data inaccuracy prior to the submission of any performance assessments, such as annual reports, may result in a notice of non-performance.

Exhibits

Exhibit A: Photo Log

Structure ID: 4630772E

Data Inaccuracy 1



G1mg1: Overall Structure



G1mg2: Structure ID



G1mg3: View of bare conductor