

March 5, 2026

VIA ELECTRONIC FILING

Docket # 2025 NON

Patrick Doherty
Program Manager
Compliance Assurance Division
Office of Energy Infrastructure Safety
715 P Street, 20th Floor
Sacramento, CA 95814
Patrick.Doherty@energysafety.ca.gov

RE: PacifiCorp's Response to Notice of Non-Performance – PAD_PC_IAG_20251008_1100

Dear Patrick Doherty:

PacifiCorp provides the following response to the finding identified in the “Notice of Non-Performance, “NON_PAD_PC_IAG_20251008_1100” (NON) issued by the Office of Energy Infrastructure Safety (Energy Safety) on February 03, 2026. On October 8, 2025, Energy Safety conducted an inspection of PacifiCorp’s WMP initiatives in the vicinity of the city of Klamath River, California.

Energy Safety found the following deficiency:

Deficiency 1. Energy Safety observed that in implementing the 2025 WMP initiative Covered conductor installation, PC failed to install covered conductor on Pole ID 06246009.133401, Grid Hardening ID 7011447i at coordinates 41.83017052263573, -122.8464202100858. Energy Safety considers this non-performance to be in the Minor risk category. PC must complete a corrective action for this deficiency by 12 months from date of this notice.

PacifiCorp Response:

In response to the Notice of Non-Performance, the company conducted a field inspection on February 4, 2026. Covered conductor has been installed on the tap line, and the mainline installation will be completed under a separate work order or project. PacifiCorp did note in the Quarterly Data Report (QDR) that this project was for the tap line “Hwy 96 Taps Pt 2.”

Pole ID 06246009133401, Grid Hardening ID 7011447i at 21722-21998 Klamath River Rd,
Klamath River, CA,96050, USA, 41.83017052263573, -122.8464202100858

Covered conductor is installed on the tap line. The mainline will be completed on a
different work order.



**Picture: Near Pole ID 06246009.133401, Grid Hardening ID 7011447i at
coordinates 41.83017052263573, -122.8464202100858. Picture taken February 04, 2026.**

PacifiCorp appreciates the opportunity to provide this response to Energy Safety's
NON_PAD_PC_IAG_20251008_1100.

Please refer any questions to Pooja Kishore, Regulatory Affairs Manager at 503-813-7314 or via
email at pooja.kishore@pacificorp.com and californiadockets@pacificorp.com.

Sincerely,

Carrie Laird

Carrie Laird

Vice President, Wildfire Mitigation and Emergency Operations

cc: assetperformance@energysafety.ca.gov

Shannon.Greene@energysafety.ca.gov

Yana.Loginova@energysafety.ca.gov

Babak.Kaviani@energysafety.ca.gov

Samuel.Isaiah@energysafety.ca.gov

Ivan.Garcia@energysafety.ca.gov

Patrick.Doherty@energysafety.ca.gov