



March 30, 2026

VIA ELECTRONIC FILING

Docket # 2025 NON

Patrick Doherty
Program Manager
Compliance Assurance Division
Office of Energy Infrastructure Safety
715 P Street, 20th Floor
Sacramento, CA 95814
Patrick.Doherty@energysafety.ca.gov

**RE: PacifiCorp's Response to Notice of Non-Performance –
PAD_PC_BKA_20251007_1414**

Dear Patrick Doherty:

PacifiCorp provides the following response to the finding identified in the “Notice of Non-Performance, “NON_PAD_PC_BKA_20251007_1414” (NON) issued by the Office of Energy Infrastructure Safety (Energy Safety) on February 26, 2026. On October 7, 2025, Energy Safety conducted an inspection of PacifiCorp’s WMP initiatives in the vicinity of the city of Yreka, California.

Energy Safety found the following deficiency:

Deficiency 1. Energy Safety observed that in implementing 2025 WMP initiative 8.1.2.12 – Expulsion Fuse Replacements, PC failed to complete the installation of CAL FIRE-approved non-expulsion fuses on pole ID 20/7X, Grid Hardening ID 7112939 at coordinates 41.7383054840344, -122.615714. Energy Safety considers this non-performance to be in the Minor risk category. PC must complete a corrective action for this deficiency by 12 months from the date of this notice.

PacifiCorp Response:

In response to the Notice of Non-Performance, the company conducted a field inspection on March 6, 2026. No expulsion fuses were observed. The cutouts have been replaced, and solid blades have been installed. Accordingly, this location should not have been reported under initiative GH-05, as it remains non-exempt.



Picture 1: Near Pole ID 20/7X, Grid Hardening ID 7112939 at coordinates 41.7383054840344, -122.615714. Picture taken March 6, 2026.



Picture 1: Near Pole ID 20/7X, Grid Hardening ID 7112939 at coordinates 41.7383054840344, -122.615714. Picture taken March 6, 2026.

Office of Energy Infrastructure Safety

March 30, 2026

Page 3

PacifiCorp appreciates the opportunity to provide this response to Energy Safety's NON_PAD_PC_BKA_20251007_1414.

Please refer any questions to Pooja Kishore, Regulatory Affairs Manager at 503-813-7314 or via email at pooja.kishore@pacificorp.com and californiadockets@pacificorp.com.

Sincerely,

Carrie Laird

Carrie Laird

Vice President, Wildfire Mitigation and Emergency Operations

Cc: assetperformance@energysafety.ca.gov

Shannon.Greene@energysafety.ca.gov

Yana.Loginova@energysafety.ca.gov

Babak.Kaviani@energysafety.ca.gov

Samuel.Isaiah@energysafety.ca.gov

Ivan.Garcia@energysafety.ca.gov