



**CALIFORNIA UNDERGROUND FACILITIES SAFE EXCAVATION BOARD
INVESTIGATION DIVISION
INVESTIGATION REPORT**

DATE: September 14, 2023
CASE No.: C223470004

Violations:

Los Angeles Department of Water and Power - Water (member code LAWP3)
Government Code section 4216.3(a)(1)(A): Failure to respond to a locate request from a call center in one of three ways before the legal excavation start date and time: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

City of Los Angeles Department of Transportation (member code CITYLADOT)
Government Code § 4216.3(c)(1)(A): Failure to provide positive electronic response before the legal start date and time.

City of Los Angeles (member code CITYLASTLI)
Government Code § 4216.3(c)(1)(A): Failure to provide positive electronic response before the legal start date and time.

Los Angeles Department of Water & Power (member code LAP03)
Government Code § 4216.3(c)(1)(A): Failure to provide positive electronic response before the legal start date and time.

Southern California Gas Company (member code SOCALGAS DISTRIBUTION SAN PEDRO)
Government Code § 4216.3(c)(1)(A): Failure to provide positive electronic response before the legal start date and time.

Executive Summary:

On December 13, 2022, the Southern California Gas Company (SCG) submitted a complaint that the Los Angeles Department of Water and Power – Water (LADWP) had refused to field mark in response to locate requests which related to installation of a gas main. That complaint led Board staff to investigate six instances in which LADWP refused to mark. This report documents one of those six investigations.

In the instance documented in this report, the LADWP stated in its electronic positive response that (1) the excavator was not going to dig within 14 days, and (2) that the work area was not delineated. In written statements, the LADWP explained that its decision not to field mark was

based on DigAlert direction and that SCG was improperly using tickets for engineering work. SCG has asserted that it delineated the work area and planned to dig potholes.

After creating the initial ticket, DigAlert created a revised ticket to include a comment from SCG about the refusal to mark. Fifteen days after the legal start date specified in the initial ticket, LADWP provided an electronic positive response (to the revised ticket) indicating that it had field marked the work area.

Further, four operators did not provide electronic positive responses to DigAlert before the legal excavation start date and time.

Reporting Party Information:

Southern California Gas Company (SCG)
701 North Bullis Road, Compton, California 90221

Excavator:

Southern California Gas Company (SCG)
701 North Bullis Road, Compton, California 90221

Complaint from Southern California Gas Company

The Southern California Gas Company submitted the following complaint on November 30, 2022:

ON MULTIPLE OCCASIONS, LADPW-WATER IN THIS AREA REFUSE TO MARK THEIR FACILITY STATING 'WE DO NOT MARK FOR PRE-PLANNING'. WE ARE POTHOLING TO FIND DEPTH OF UTILITIES IN ADVANCE FOR A HP GAS MAIN INSTALLATION PROJECT. NO OTHER UTILITIES USE THIS EXCUSE TO NOT PROVIDE MARKINGS. AFTER SPEAKING TO THEIR LOCATING OFFICE, UTILITY MEMBER HAS ALSO LIED WHEN RESPONDING TO THE USA TICKET, STATING 'NOT EXCAVATING, PREPLANNING ONLY', WHEN I SPECIFICALLY TOLD THEIR REPRESENTATIVE THAT WE WILL BE EXCAVATING. DUE TO THEIR FAILURE TO RESPOND WE HAD TO PERFORM EXCAVATION WITHOUT KNOWING WATER MAIN LOCATION. (Exh. 1.)

First Ticket and Locate Request

On November 28, 2022, the Southern California Gas Company contacted DigAlert, indicate that it planned to dig potholes on West Harry Bridges Avenue near North Marine Avenue in the city of Wilmington. DigAlert created ticket number B223320138-00B at 8:38 a.m. That ticket required operators to respond and indicated that the legal start date and time was 5:01 p.m. on November 30, 2022. (Exh. 6.¹)

¹ Exhibits 6 and 7 are tickets that DigAlert provided to the investigator. Exhibit 5 is the transmittal correspondence that DigAlert sent with those tickets.

Delineation

In his interview with the investigator, John Chow of SCG stated that the work area was delineated. (Exh. 3.) The ticket indicates that the work area was delineated with white paint. (Exh. 6.)

Electronic Positive Responses

An “electronic positive response” is “an electronic response from an operator to the regional notification center providing the status of an operator’s statutorily required response to a ticket.” (Gov. Code § 4216(e).) Government Code section 4216.3(c)(1)(A) requires operators to provide an electronic positive response to each locate request before the legal excavation start date and time.

The ticket (number B223320138-00B) indicates that the following four members did not provide electronic positive responses to the locate request:

- City of Los Angeles Department of Transportation (member code CITYLADOT)
- City of Los Angeles (member code CITYLASTLI)
- Los Angeles Department of Water & Power (member code LAP03)²
- Southern California Gas Company (member code SOCALGAS DISTRIBUTION SAN PEDRO)

For each of these members, the ticket indicates “(999) Member did not respond by the required time”. (Exh. 6.)

Response of Los Angeles Department of Water and Power - Water

Government Code section 4216.3(a)(1)(A) requires an operator to respond to a locate request from a call center in one of three ways before the legal excavation start date and time: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

The legal start date and time indicated on ticket number B223320138-00B was 5:01 p.m. on November 30, 2022. (Exh. 6.) The Los Angeles Department of Water and Power – Water³ (member code LAWP3) provided the following electronic positive response at 2:18 p.m. on November 30, 2022:

² The Los Angeles Department of Water and Power uses multiple DigAlert member codes, and this ticket lists two of those codes. This report uses the acronym “LADWP” to refer to that department, which, as member code “LAP03”, did not provide an electronic positive response. As member code “LAWP3”, LADWP declined to field mark the work area, which this report discusses below.

³ This report uses the acronym “LADWP” to refer to the Los Angeles Department of Water and Power.

(043) EXCAVATOR NOT DIGGING WITHIN 14 CALENDAR DAYS (PREPLANNING)

LADWP added this comment to the response:

RESENT TKT DO TO NO DELIN. (Exh. 6.)

Delineation

In his interview with the investigator, John Chow of SCG stated that the work area was delineated. (Exh. 3.) The ticket indicates that the work area was delineated with white paint. (Exh. 6.)

Fraser Campbell of LADWP disputed that the work area was delineated in his written statement to the investigator:

Question:

3. Can you please explain why there was no response from LADWP on the six USA Dig Alert Tickets? Government Code 4216.3(c)(1)(A) indicates that every Operator needs to supply a response.

Answer:

Yes there were multiple responses (see below). Mr. Chow was not planning to dig in the next fourteen (14) calendar days. If someone calls in a USA Ticket and does not delineate the proposed excavation in white paint, we are not required to guess where someone may excavate. (Emphasis added.) (Exh. 4.)

LADWP's Other Reasons for Not Field Marking

In his written statement to the investigator, Fraser Campbell stated additional reasons for LADWP's decision not to field mark the areas where SCG planned to pothole:

We receive hundreds of USA Tickets each day, when someone tries to use our resources for their personal gain, it compounds our efforts to make sure we mark every USA Ticket by the legal time allowed.

Mr. Chow was not planning to dig in the next fourteen (14) calendar days. If someone calls in a USA Ticket and does not delineate the proposed excavation in white paint, we are not required to guess where someone may excavate. Mr. Chow was attempting to use Valuable LADWP Resources to help him engineer an upcoming project. We are in the business of Protecting the Public and LADWP's Underground Assets and complying with 4216 of the Government Code. We have informed Mr. Chow numerous times of the proper protocols for attaining the information he requires.

All six of these tickets have to do with our USA Office dealings with Mr. Chow w/ Social Gas

I spoke to Mr. Chow re: his work. As he explained to me, the potholing was in order to find a location for a New main line that gas was engineering in the area – to that date they had no idea where their work area was going to be. As I explained to him, from the training directly provide to Utilities over the summer by Dig Alert, tickets cannot be used in the guise of engineering work, that information must be collected independently by contacting utility companies and requesting/purchasing that information. (Exh. 4.)

First Revised Ticket

SCG responded to LADWP’s electronic positive response and comment by contacting DigAlert on December 13. At that time, DigAlert created ticket number B223320138-01A, which was:

- (1) A “no response” ticket, designated “NRSP”.
- (2) A “locate request” category ticket, designated “LREQ”.
- (3) A “RUSH” priority. (Exh. 2,⁴ 7.)

The ticket included this statement from SCG:

****NO RESPONSE** FROM WATR - CALLER CONFIRMS SITE IS DELINEATED WORK IS SCHEDULED TO START 12/17 PLEASE RESPOND ASAP PER JOHN CHOW--[MPS 12/13/2022 11:43:23 AM] (Exh. 7.)**

LADWP Response

LADWP responded to this revised ticket on December 14 with the electronic positive response “(010) LOCATE AREA MARKED” and this comment “MARKED TRUNK LINE BY DWP ATER / FAX TO U.G. TRANS FOR POWER MARKS”. (Exh. 7.)

The legal excavation start date was November 30. (Exh. 6.) December 14 was 15 days after November 30.

Findings

I. The following four operators failed to provide electronic positive responses before the legal start date and time:

City of Los Angeles Department of Transportation (member code CITYLADOT)

City of Los Angeles (member code CITYLASTLI)

Los Angeles Department of Water & Power (member code LAP03)

⁴ Exhibit 2, “DigAlert Ticket Types, Headers and Explanations”, was obtained from the DigAlert website at the address: <https://docs.digalert.org/pages/viewpage.action?pageId=89358400>

Southern California Gas Company (member code SOCALGAS DISTRIBUTION SAN PEDRO)

Government Code section 4216.3(c)(1)(A) requires operators to provide an electronic positive response to each locate request before the legal excavation start date and time.

II. Los Angeles Department of Water and Power - Water (member code LAWP3)

Government Code section 4216.3(a)(1)(A) requires an operator to respond to a locate request from a call center in one of three ways before the legal excavation start date and time: (1) locate and mark the work area, (2) provide information about the location of subsurface installation, or (3) state that no installations are within the work area.

The legal start date and time to ticket number B223320138-00B was 5:01 p.m. on November 30, 2022. (Exh.6.)

The Los Angeles Department of Water and Power – Water initially refused to field mark the work area, then provided an electronic response indicating that it had field marked the work area on December 14, which was 15 days after the legal excavation start date.

Investigator Name	Supervisor Name
Daysi Alcantar	Brittany Branaman
<i>Daysi Alcantar</i>	<i>Brittany Branaman</i>

Exhibit List

Exhibit No.	Document	Date Received	Received From
1	Complaint submitted by the Southern California Gas Company	12/13/ 2022	SCG
2	DigAlert Ticket Types, Headers and Explanations		DigAlert website: https://docs.digalert.org/pages/viewpage.action?pageId=89358400

3	Notes of interview with John Chow	12/21/2022	Notes taken by investigator Pattison
4	Email from Fraser Campbell to Pattison	12/22/2022	Fraser Campbell
5	Letter from Amber Dahl (DigAlert) transmitting tickets to Pattison	1/06/2023	Amber Dahl
6	DigAlert Ticket no. B223320138-00B	01/06/2023	DigAlert
7	DigAlert Ticket no. B223320138-01A	01/06/2023	DigAlert

Exhibit 1

Ticket Summary

Ticket Number	---
Notification Created	12/13/2022 8:10 PM
Notification type	* complaint
Notification Number	* C223470004
Address1	---
Expires	---
One Year	---
Location	---
Map URL	---
State	CA
City	---
Vacuum	No
Remarks Type	---
Work Order	---
Comments	---
Ticket Type	---
Zip Code	---
Work Date	---
violation	---
Phone	---
Date Logged to CMS	12/13/2022

Complaint/Incident Information

County	Los Angeles
Incident/Complaint Description	ON MULTIPLE OCCASIO...
Incident Date	* 11/30/2024 9:01 PM
Incident State	CA
Incident County	* Los Angeles
Incident Place	Wilmington
Incident St from Address	---
Incident St to Address	---
Incident Street	Marine Ave and Harry Bri...
Incident Cross1	Marine Ave
Type of complaint	No response/Late respons
Other complaint Detail	NONE
Notification Number	* C223470004
Notification Created	* 12/13/2022 8:10 PM
Notification type	* complaint
Incident Location	USA TICKE# A222840096...
Damage Injury	Undefined
Damage Death	Undefined
Damage Fire Evacuation	Undefined

ON MULTIPLE OCCASIONS, LADPW - WATER IN THIS AREA REFUSE TO MARK THEIR FACILITY STATING 'WE DO NOT MARK FOR PRE-PLANNING'. WE ARE POTHOLES TO FIND DEPTH OF UTILITIES IN ADVANCE FOR A HP GAS MAIN INSTALLATION PROJECT. NO OTHER UTILITIES USE THIS EXCUSE TO NOT PROVIDE MARKINGS. AFTER SPEAKING TO THEIR LOCATING OFFICE, UTILITY MEMBER HAS ALSO LIED WHEN RESPONDING TO THE USA TICKET, STATING 'NOT EXCAVATING, PREPLANNING ONLY'; WHEN I SPECIFICALLY TOLD THEIR REPRESENTATIVE THAT WE WILL BE EXCAVATING. DUE TO THEIR FAILURE AND REFUSAL TO RESPOND WE HAD TO PERFORM EXCAVATION WITHOUT KNOWING WATER MAIN LOCATION.




Exhibit 2

DigAlert Ticket Types, Headers & Explanations

Create snapshot

Updated: 7/7/2022
Version: 21.12.1a
Effective: Jan 1st 2023

⚠ WARNING

This information contained within this page will become effective January 1st, 2023

Email Header & Subject line

1	2	3	4	5	6	7	8	10
USAS	USA01	2018/03/01	#00001A	A121231234-00A	NORM	NEW	LREQ	

(See "Ticket Header" below for corresponding numbers)

Ticket Header

2	4	1	3	5	6	8	7	9	10
USA01	00001A	USAS	3/1/2018 00:00:00	A121231234-00A	NEW	NORM	POLY	LREQ	

- Center identification – USAS = Underground Service Alert Southern California
- Member Code – sometimes referred to as a CDC code or Member ID
- Date (or Date and Time) the ticket was completed
- Ticket Sequence number. This is incremented from zero each day from each server (A or B). This tells you how many tickets you receive each day from each server.
- Ticket Number
 - The server ID. This will either be A or B
 - Last 2 digits of the year the ticket was issued
 - The Julian date. The number of the day in the year the ticket was issued
 - The number of the ticket issued for that day. Incremented from 0001 on each day from each server
- Ticket revision number. Incremented each time the ticket is sent. The Server ID will change each time depending on which server issued the revision.
- Ticket Priority
- Ticket Type
- States how the member was added to the ticket. This will always be 'POLY'
- Category of ticket.
 - LREQ - Locate Request
 - PRJT - Project ticket (FOR FUTURE USE)**

Ticket Types

- AMND – (Amendment tickets). For all reasons other than listed below that is not requesting any members to respond, for example: correcting a ticket, adding more information, clarifying the location, etc.
- CNCL – (Cancel tickets). When the ticket is being canceled.
- ~~DMEX – (Damage/Exposed tickets). When the excavator states there is a damage or exposed line.~~
- DMGE – (Damaged line ticket). When the excavator states there is a damaged line and requests members to respond.**
- DSGN – (Design tickets). **FOR FUTURE USE ONLY. These tickets will not be used until a later date that has not been determined at this time.**
- EXPD - (Exposed tickets). When the excavator states there is an unmarked exposed line and requests the members to respond to be identified.**
- NEW – (New tickets). New first time tickets. The revision number will always be 00A or 00B.
- NRSP – (No Response tickets). When the excavator states that any or all members failed to respond by the work date and time on the ticket.
- RNEW – (Renewal tickets). Tickets where the work is continuing past 28 calendar days.
- REMK – (Re-mark requested tickets). When the excavator requests any or all members to remark their lines. Also extends the ticket for 28 calendar days.
- RTRN - (Return Trip requested). When the excavator states they need any or all members to respond to the site for any reason other than listed above. This ticket type will reset the legal notice for members required to respond back to the site.**

Ticket Priorities

- NORM or (2) – 2 working days or more notice (not including the date of notification)
- SHRT or (1) – From 4 hours to 1 minute less than 2 working days' notice (not including the date of notification)
- RUSH or (0) – From 0 hours to 3 hours 59 minutes notice
- DSGN or (8) – Dedicated priority for design tickets. **FOR FUTURE USE ONLY. These tickets will not be used until a later date that has not been determined at this time.**
- EMER or (9) – Dedicated priority for Emergency tickets

Excavator Types

- CDOT - Caltrans

- CITY - City
- CNTY - County
- CONT - Contractor
- FARM - Farmer
- HOME - Home owner
- MEMB - Member of DigAlert
- MILT - Military

Searchable Tags

Searchable tags is the name of the field that will hold hashtags for systems to index, parse and also for members to read. If the hashtag appears, then that means whatever the hashtag says will be done on that ticket. For example, #microtrench would mean that micro trenching is taking place on this ticket. If it isn't there, then micro trenching will not be done on this ticket. This field allows the format to adapt to excavation situations in the future without needing a format change which is lengthy and costly for members. This list will be a living list and change as needed.

Searchable tags will be listed with a space between each tag, for example "Searchable Tags: #microtrench #pipe_burst"

Possible hashtags:

- #microtrench
- #PipeBurst
- #night_weekend

Possible Email Subject Headers by Ticket Type

New (NEW):

- USAS USA01 2015/01/01 #00001A A0121231234-00A NEW NORM LREQ
- USAS USA01 2015/01/01 #00001A A0121231234-00A NEW SHRT LREQ
- USAS USA01 2015/01/01 #00001A A0121231234-00A NEW RUSH LREQ
- USAS USA01 2015/01/01 #00001A A0121231234-00A NEW EMER LREQ

Renewal Only (RNEW):

- USAS USA01 2015/01/01 #00001A A0121231234-01A RNEW NORM LREQ

Request Remarks & work Continuing (REMK):

- USAS USA01 2015/01/01 #00001A A0121231234-01A REMK NORM LREQ

Amendment (AMND):

- USAS USA01 2015/01/01 #00001A A0121231234-01A AMND NORM LREQ
- USAS USA01 2015/01/01 #00001A A0121231234-01A AMND SHRT LREQ
- USAS USA01 2015/01/01 #00001A A0121231234-01A AMND RUSH LREQ
- USAS USA01 2015/01/01 #00001A A0121231234-01A AMND EMER LREQ

No Response (NRSP):

- USAS USA01 2015/01/01 #00001A A0121231234-01A NRSP RUSH LREQ
- USAS USA01 2015/01/01 #00001A A0121231234-01A NRSP EMER LREQ

Damage (DMGE):

- ~~USAS USA01 2015/01/01 #00001A A0121231234-01A DMEX RUSH LREQ~~
- **USAS USA01 2015/01/01 #00001A A0121231234-01A DMGE EMER LREQ**

Exposed (EXPD):

- **USAS USA01 2015/01/01 #00001A A0121231234-01A EXPD RUSH LREQ**

Return Trip Requested (RTRN):

- **USAS USA01 2015/01/01 #00001A A0121231234-01A RTRN NORM LREQ**

Cancel (CNCL):

- USAS USA01 2015/01/01 #00001A A0121231234-01A CNCL RUSH LREQ

Read about Ticket Format as Well

Be sure to read about ticket format → [Plain Text Ticket Format Details](#)

These types, headers and explanations become effective **January 1st, 2023**

Search this
documentation

The selected root page could
not be found.

Search

Exhibit 3

CASE NO: CAS-01533-W6P3L2

DATE/TIME OF INTERVIEW: 12/21/2022 10:30-11:30 AM

LOCATION OF INTERVIEW: Teams

NAME/ADDRESS OF INTERVIEWEE:

John Chow, Lead Planning Associate, Pacific Region of Southern California Gas
701 North Bullis Road., Compton, California 90221
Tel: 626-378-9664

Q. What's your title with Southern California Gas Company?

A. John Chow, Lead Planning Associate, Pacific Region

Q. What was the excavation for?

A. The excavation was for potholing to locate gas lines and depth.

Q. Was there ever an issue with delineation?

A. No, my crew had the area delineated in white paint.

Q. Did any damage occur?

A. No damage

Q. What was the issue with the Los Angeles Department of Water and Power (LADWP)?

A. They refused to mark their owned utility line, made excuses, and said we were pre-planning.

Q. Who did you talk to about the issue?

A. I spoke with Fraser Campbell to tell him that excavation was scheduled for October 15, 2022.

Q. What step was the project at the last phase of excavation?

A. Reinstalment was completed.

Q. Did you speak to, DigAlert about the issue?

A. I don't recall the person's name, but I communicated that no pre-planning was occurring, just excavation.

Q. What tools were used?

A. Hand shovels, hose

Q. Has the work evaluation been completed?

A. Yes, the excavation work was completed.

Q. Why do you believe the LADWP refused to mark?

A. They thought my project was for preplanning only, but I kept informing LADWP that preplanning was completed, and excavation would occur on October 15, 2022.

Exhibit 4

From: [Campbell, Fraser](#)
To: Pattison, Adela@EnergySafety
Subject: FW: [EXTERNAL] Alleged complaint follow-up
Date: Thursday, December 22, 2022 11:59:28 AM
Attachments: [image002.png](#)
[image004.png](#)

Inspector Adela Pattison,

I have looked into your request, and will answer your questions. In my answers I will explain what Mr. Chow is trying to accomplish. We receive hundreds of USA Tickets each day, when someone tries to use our resources for their personal gain, it compounds our efforts to make sure we mark every USA Ticket by the legal time allowed. That is our safety standard, and in a five hundred square mile metropolitan city such as Los Angeles we do accomplish this task routinely.

1. How do you handle (what is the process) when you receive a request for a marking due to an excavation? *We receive our Notification of Proposed Excavation from DigAlert of Southern California Regional Control Center. We pull up our Water and Power underground maps and prints for the area of the proposed excavation. Then we either print the maps out or electronically send the maps to our LADWP Locator's Laptop and assign the Underground Service Alert (USA) Ticket to the Locator responsible for that area. The locator routes themselves to the area via the information on the USA Ticket. Then they look for the area of Proposed Excavation delineated in White. Through our Maps and Electronic Locating Device our Locator locates the substructure, and marks it in either RED or Blue chalk paint per 4216 depending on the asset. Then moves on to the other tickets in his area of responsibility.*
2. Who oversees the processing of the USA DigAlert Tickets? *We have two (2) USA Operations Offices, one (1) in Metro Los Angeles, and one (1) in the San Fernando Valley of the City Of Los Angeles. The District Senior Underground Distribution Construction Supervisor is responsible for the daily staffing of the USA Operations Office, along with LADWP's underground construction activity in that district. The office consists of a Underground Distribution Construction Supervisor "A", and a Electrical Craft Helper "A". Depending on*

the USA ticket volume, we pull Underground Distribution Construction Mechanics from the field if needed to staff the office or go out and Locate & Mark USA Tickets.

3. Can you please explain why there was no response from LADWP on the six USA Dig Alert Tickets? Government Code 4216.3(c)(1)(A) indicates that every Operator needs to supply a response. Yes there were multiple responses (see below). Mr. Chow was not planning to dig in the next fourteen (14) calendar days. If someone calls in a USA Ticket and does not delineate the proposed excavation in white paint, we are not required to guess where someone may excavate. Mr. Chow was attempting to use Valuable LADWP Resources to help him engineer an upcoming project. We are in the business of Protecting the Public and LADWP's Underground Assets and complying with 4216 of the Government Code. We have informed Mr. Chow numerous times of the proper protocols for attaining the information he requires.

Inspector Adela Pattison, please see below our interactions with Mr. Chow. If you have any further questions on this issue or any other concerns about Underground Service Alert or Underground Construction Excavation please do not hesitate to contact me. My contact information is in my signature below. Happy Holidays...

All six of these tickets have to do with our USA Office dealings with Mr. Chow w/ Socal Gas.

Prior to processing the original 3 tickets, I spoke to Mr. Chow re: his work. As he explained to me, the potholing was in order to find a location for a New main line that gas was engineering in the area – to that date they had no idea where their work area was going to be. As I explained to him, from the training directly provide to Utilities over the summer by Dig Alert, tickets cannot be used in the guise of engineering work, that information must be collected independently by contacting utility companies and requesting/purchasing that information. While this was not the answer he was hoping for, I sent our positive response that same day – and every other time he sent a “no show” - and I also provide him with information about the AB regarding this and the contact number to the locating foreman.

10/14/2022 A222840096

10/14/2022 A222840105

10/14/2022 A222840118

Status: CLOSED • RLONA "Ronald Lona"

Response: 043 · By: MBALLESTEROS

+Comment: LOOKING FOR INFORMATION FOR FUTURE INSTALLATION OF MAIN...PER DIGALERT TICKETS CANNOT BE USED FOR PLANNING - PLEASE CONTACT DWP ENGINEERS FOR INFO OR

RECORD REQUEST

Response Date: Wed Oct 12 2022 5:53AM (2 Months Ago)

Date Located: Wed Oct 12 2022 5:52AM (2 Months Ago)

Units Marked: Time Worked: 0m

In December, Mr. Chow create another 3 tickets in another location. Both myself and the Locator assigned to that area spoke with Mr. Chow via phone. Mr. Chow explain the exact same thing as before, and I reiterated the Dig alert standard. However, in a show of good will the locator took out the tickets to inspect the area Mr. Chow was looking at, Upon arriving, no delineations were found, not even minimal brackets. Corresponding positive responses where sent that same day.

12/12/2022 B223320138

12/13/2022 A223320201

12/13/2022 A223320254

Status: CLOSED • RLONA "Ronald Lona"

Response: 043 · By: RLONA

+Comment: SPOKE TO JOHN CHOW , NO DELIN. RESEND TKT. AS REQUESTED

Response Date: Wed Nov 30 2022 2:24PM (3 Weeks Ago)

Date Located: Wed Nov 30 2022 2:20PM (3 Weeks Ago)

Units Marked: Time Worked: 0m

Fraser Campbell

Manager of Underground Transmission

& Distribution Conduit Construction.

& Underground Service Alert Operations.

O. (213) 367-0406

C. (213) 792-6465



From: Pattison, Adela@EnergySafety <Adela.Pattison@energysafety.ca.gov>

Sent: Wednesday, December 21, 2022 5:56 PM

To: Campbell, Fraser <Fraser.Campbell@ladwp.com>

Subject: [EXTERNAL] Alleged complaint follow-up

EXTERNAL EMAIL! This email was generated from a non-LADWP address. If any links exist, do not click/open on them unless you are 100% certain of the associated site or source. ALWAYS hover over the link to preview the actual URL/site and confirm its legitimacy.

My name is Adela Pattison, and I am the assigned Investigator from the Department of Energy Safety

Infrastructure. At your earliest convenience, if you can answer the following questions regarding the following Dig Alert Tickets.

DATE: USA TICKET

10/14/2022	A222840096
10/14/2022	A222840105
10/14/2022	A222840118
12/12/2022	B223320138
12/13/2022	A223320201
12/13/2022	A223320254

Question: How do you handle (what is the process) when you receive a request for a marking due to an excavation?

Question: Who oversees the processing of the USA Dig Alert Tickets?

Question: Can you please explain why there was no response from LADWP on the six USA Dig Alert tickets?

Government Code 4216.3(c)(1)(A) indicates that every Operator needs to supply a response.

Adela Pattison
Investigator | Underground Infrastructure Safety Directorate

Office of Energy Infrastructure Safety
715 P Street, 20th Floor
Sacramento, CA 95814
Mobile: (279) 789-1811
<https://energysafety.ca.gov/>



-----Confidentiality Notice-----
This electronic message transmission contains information from the Los Angeles Department of Water and Power, which may be confidential. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify us immediately by e-mail and delete the original message and any attachment without reading or saving in any manner.

Exhibit 5



Underground Service Alert of Southern California

January 6, 2023

Adela Pattison
Underground Safety Board
715 P Street, 20th Floor
Sacramento, CA 95814

File Number: C223470004

Dear Adela:

Attached are DigAlert ticket(s) A222840096, A222840105, A222840118, B223320138, A223320201, A223320254 as requested. I hope this information will be helpful.

If we can be of further assistance, please call us at 951-808-8100.

Sincerely,

A handwritten signature in black ink that reads "Amber Dahl". The signature is written in a cursive, flowing style.

Amber Dahl
Safety Awareness Director

Exhibit 6

MBRCOD 00001A USAS 01/06/23 07:11:54 B223320138-00B NEW NORM POLY LREQ

Ticket: B223320138 Rev: 00B Created: 11/28/22 08:38 User: CCHOW Chan: WEB

Work Start: 11/30/22 17:01 Legal Start: 11/30/22 17:01 Expires: 12/26/22 23:59
Response required: Y Priority: 2

Excavator Information

Company: SOUTHERN CALIFORNIA GAS COMPANY

Co Addr: 701 N BULLIS RD

City : COMPTON State: CA Zip: 90221

Created By: JOHN CHOW Language: ENGLISH

Office Phone: 310-605-7925 SMS/Cell: 626-378-9664

Office Email: CCHOW@SOCALGAS.COM

Site Contact: JOHN CHOW

Site Phone: 310-605-7925 Site SMS/Cell: 626-378-9664

Site Email: cchow@socalgas.com

Excavation Area

State: CA County: LOS ANGELES Place: WILMINGTON

Zip: 90744

Location: Address/Street: W HARRY BRIDGES BLVD

: X/ST1: N MARINE AVE

:

: S/E COR/OF W HARRY BRIDGES BLVD AND N MARINE AVE;

: ** FROM 35' N/S PL TO S/ CURB OF HARRY BRIDGES BL; FROM 10' W/

: CENTERLINE TO EAST CURB OF MARINE AVE **

Delineated Method: WHITEPAINT

Work Type: POTHOLE

Work For : SOUTHERN CALIFORNIA GAS COMPANY

Permit: Job/Work order:

1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N

Lat/Long

Center Generated (NAD83): 33.771444/-118.263258 33.771364/-118.262777

: 33.771042/-118.263325 33.770962/-118.262844

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=8Ey0z8q4p2s411x-q

Members:

AIRPRO ATDSOUTH CITYLADOT CITYLASTLI DFS01 KINDER2400 LAP03

LAWP3 PRAXWIL SCG3Z9 TLC03 UCHTRW_N4 WARRENEP

(c) Copyright 2018 Underground Service Alert of Southern California.
All rights reserved.

Ticket Responses for: B223320138-00B

Member	Name	Rev	Responded	By	Response	Comment
AIRPRO	AIR PRODUCTS & CHEMICALS INC	00B	11/29/22 12:13:22 PM	glickjh	(001) CLEAR - NO CONFLICT	
ATTD SOUTH	AT&T - DISTRIBUTION	00B	11/29/22 09:12:32 AM	UQ Responder	(001) CLEAR - NO CONFLICT	
CITYLADOT	CITY OF LOS ANGELES DEPT OF TRANSP	00B	11/30/22 05:01:14 PM	Late Notice	(999) Member did not respond by the required time	
CITYLASTLI	CITY OF LOS ANGELES	00B	11/30/22 05:01:14 PM	Late Notice	(999) Member did not respond by the required time	
DFS01	THE SOURCE GROUP/APEX	00B	11/28/22 01:47:44 PM	MICHAEL NEWELL	(001) CLEAR - NO CONFLICT	
KINDER2400	KINDER MORGAN ENERGY PARTNERS	00B	11/28/22 08:55:32 AM	KM_KINDER2400	(001) CLEAR - NO CONFLICT	
LAP03	LA DEPARTMENT WTR & PWR	00B	11/30/22 05:01:14 PM	Late Notice	(999) Member did not respond by the required time	
LAWP3	LADWP - WATER	00B	11/30/22 02:18:17 PM	TMS:RLONA	(043) EXCAVATOR NOT DIGGING WITHIN 14 CALENDAR DAYS (PREPLANNING)	RESEND TKT DO TO NO DELIN.
PRAXWIL	LINDE INC	00B	11/28/22 09:03:21 AM	GPRS	(001) CLEAR - NO CONFLICT	
SCG3Z9	SOCALGAS DISTRIBUTION SAN PEDRO	00B	11/30/22 05:01:14 PM	Late Notice	(999) Member did not respond by the required time	
TLC03	TORRANCE LOGISTICS CO/PBF ENERGY	00B	11/29/22 06:36:48 AM	AAA	(001) CLEAR - NO CONFLICT	Pipeline distance is greater than 200 feet from USA delineation.
UCHTRW_N4	SPECTRUM - HERMOSA BEACH	00B	11/29/22 09:12:32 AM	UQ Responder	(001) CLEAR - NO CONFLICT	
WARRENEP	WARREN E & P INC	00B	11/29/22 05:57:44 AM	GONZALO BUCIO	(001) CLEAR - NO CONFLICT	

Exhibit 7

MBRCOD 00001A USAS 01/06/23 07:11:55 B223320138-01A NRSP RUSH POLY LREQ

Ticket: B223320138 Rev: 01A Created: 12/13/22 11:47 User: MPS Chan: 100

Work Start: 12/13/22 11:43 Legal Start: 12/13/22 11:43 Expires: 12/26/22 23:59
Response required: N Priority: 0

Excavator Information

Company: SOUTHERN CALIFORNIA GAS COMPANY
Co Addr: 701 N BULLIS RD
City : COMPTON State: CA Zip: 90221
Created By: JOHN CHOW Language: ENGLISH
Office Phone: 310-605-7925 SMS/Cell: 626-378-9664
Office Email: CCHOW@SOCALGAS.COM

Site Contact: JOHN CHOW
Site Phone: 310-605-7925 Site SMS/Cell: 626-378-9664
Site Email: cchow@socalgas.com

Excavation Area

State: CA County: LOS ANGELES Place: WILMINGTON
Zip: 90744
Location: Address/Street: W HARRY BRIDGES BLVD
: X/ST1: N MARINE AVE
:
: S/E COR/OF W HARRY BRIDGES BLVD AND N MARINE AVE;
: ** FROM 35' N/S PL TO S/ CURB OF HARRY BRIDGES BL; FROM 10' W/
: CENTERLINE TO EAST CURB OF MARINE AVE **

Delineated Method: WHITEPAINT

Work Type: POTHOLE

Work For : SOUTHERN CALIFORNIA GAS COMPANY

Permit: Job/Work order:
1 Year: N Boring: N Street/Sidewalk: Y Vacuum: N Explosives: N

Lat/Long

Center Generated (NAD83): 33.771363/-118.263324 33.771444/-118.262845
: 33.770962/-118.263256 33.771043/-118.262777

Excavator Provided:

Map link:

https://newtin.digalert.org/newtinweb/map_tkt.nap?TRG=86DnCb17m7ryr4-j

Comments:

NO RESPONSE FROM WATR - CALLER CONFIRMS SITE IS DELINEATED WORK IS SCHEDULED
TO START 12/17 PLEASE RESPOND ASAP PER JOHN CHOW--[MPS 12/13/2022 11:43:23 AM]

Members:

AIRPRO ATADSOUTH CITYLADOT CITYLASTLI DFS01 KINDER2400 LAP03
 LAW3 PRAXWIL SCG3Z9 TLC03 UCHTRW_N4 WARRENEP

(c) Copyright 2018 Underground Service Alert of Southern California.
 All rights reserved.

Ticket Responses for: B223320138-01A

Member	Name	Rev	Responded	By	Response	Comment
ATADSOUTH	AT&T - DISTRIBUTION	01A	12/13/22 12:02:47 PM	UQ Responder	(004) NO MARKINGS REQUESTED	
DFS01	THE SOURCE GROUP/APEX	01A	12/13/22 01:28:24 PM	MICHAEL NEWELL	(001) CLEAR - NO CONFLICT	
KINDER2400	KINDER MORGAN ENERGY PARTNERS	01A	12/13/22 11:50:08 AM	KM_KINDER2400	(001) CLEAR - NO CONFLICT	
LAW3	LADWP - WATER	01A	12/14/22 02:17:18 PM	TMS:RLONA	(010) LOCATE AREA MARKED	MARKED TRUNK LINE BY DWP WATER / FAX TO U.G. TRANS FOR POWER MARKS
PRAXWIL	LINDE INC	01A	12/13/22 12:25:57 PM	GPRS	(001) CLEAR - NO CONFLICT	
TLC03	TORRANCE LOGISTICS CO/PBF ENERGY	01A	12/13/22 04:36:12 PM	AAA	(001) CLEAR - NO CONFLICT	Pipeline distance is greater than 25 feet from USA delineation, previous knowledge of pipeline location at site.
UCHTRW_N4	SPECTRUM - HERMOSA BEACH	01A	12/13/22 11:56:26 AM	UQ Responder	(004) NO MARKINGS REQUESTED	