

July 29, 2024

VIA ELECTRONIC FILING

Docket # 2024 NOV

Patrick Doherty
Program Manager
Compliance Assurance Division
Office of Energy Infrastructure Safety
715 P Street, 20th Floor
Sacramento, CA 95814

RE: PacifiCorp's Response to Notice of Violation – PC_GCA_20240604_1315

Dear Patrick Doherty:

PacifiCorp provides the following response to the finding(s) identified in the “Notice of Violation PC_GCA_20240604_1315” (Notice of Violation or NOV) issued by the Office of Energy Infrastructure Safety (Energy Safety) on June 28, 2024. On June 4, 2024, Energy Safety conducted an inspection of PacifiCorp's WMP initiatives in the vicinity of the city of Dunsmuir, California.

Energy Safety found the following violations:

Violation 1. Energy Safety observed that in implementing WMP initiative 8.2.3.1.2 - Pole Clearing, PacifiCorp failed to adhere to its protocol of pole clearing around pole ID 90505 at coordinates 41.3271629996257, -122.323769769563. Energy Safety considers this violation for adherence to protocol to be in the “Minor” risk category.

PacifiCorp Response:

PacifiCorp records show that the pole was cleared on April 4, 2024. In response to the notice of violation, the Company conducted a field inspection on July 3, 2024, and found dead branches within a 10' radius of the pole 10' up from ground. The Company took corrective actions and the dead limbs were removed from a 10' radius on July 3, 2024. No additional corrective actions are planned. Please see below images of the field inspection before the limb was removed and after.



1 - Before Corrective Action



2- After Corrective Action

PacifiCorp appreciates the opportunity to provide this response to Energy Safety's PC_GCA_20240604_1315. Please refer any questions to Pooja Kishore, Regulatory Affairs Manager at 503-813-7314 or californiadockets@pacificorp.com.

Sincerely,

Handwritten signature of Allen Berreth.

Allen Berreth
Vice President of Transmission & Distribution Operations
PacifiCorp
825 NE Multnomah Street, Suite 2000
Portland, OR 97232