

July 29, 2024

***VIA ELECTRONIC FILING***

Docket # 2024 NOV

Patrick Doherty  
Program Manager  
Compliance Assurance Division  
Office of Energy Infrastructure Safety  
715 P Street, 20th Floor  
Sacramento, CA 95814

**RE: PacifiCorp's Response to Notice of Violation – PC\_GCA\_20240604\_1017**

Dear Patrick Doherty:

PacifiCorp provides the following response to the finding(s) identified in the “Notice of Violation PC\_GCA\_20240604\_1017” (Notice of Violation or NOV) issued by the Office of Energy Infrastructure Safety (Energy Safety) on June 28, 2024. On June 4, 2024, Energy Safety conducted an inspection of PacifiCorp's WMP initiatives in the vicinity of the city of Dunsmuir, California.

Energy Safety found the following violations:

**Violation 1.** Energy Safety observed that in implementing WMP initiative 8.2.3.1.1 - Wood and Slash Management, PacifiCorp failed to adhere to its protocol as vegetation debris was found near pole ID 131040 at coordinates 41.2313964061729, -122.282205299914. Energy Safety considers this violation for adherence to protocol to be in the “Minor” risk category.

**PacifiCorp Response:**

PacifiCorp records show that the tree was pruned on May 21, 2024. In response to the notice of violation, the company conducted a field inspection on July 3, 2024, and found a limb in the tree. The Company took corrective actions and the limb was slashed and removed from the tree on July 3, 2024. No additional corrective actions are planned. Please see below images of the field inspection before the limb was removed and after.




**1 - Before Corrective Action**



**2- After Corrective Action**

PacifiCorp appreciates the opportunity to provide this response to Energy Safety's PC\_GCA\_20240604\_1017. Please refer any questions to Pooja Kishore, Regulatory Affairs Manager at 503-813-7314 or [californiadockets@pacificorp.com](mailto:californiadockets@pacificorp.com).

Sincerely,



Allen Berreth

Vice President of Transmission & Distribution Operations

PacifiCorp

825 NE Multnomah Street, Suite 2000

Portland, OR 97232