

January 24, 2025

VIA ELECTRONIC FILING

Docket # 2024 NOV

Patrick Doherty
Program Manager
Compliance Assurance Division
Office of Energy Infrastructure Safety
715 P Street, 20th Floor
Sacramento, CA 95814

RE: PacifiCorp's Response to Notice of Violation – CAD_PC_CAC22_20240905_1200

Dear Patrick Doherty:

PacifiCorp provides the following response to the finding(s) identified in the “Notice of Violation CAD_PC_CAC22_20240905_1200” (Notice of Violation or NOV) issued by the Office of Energy Infrastructure Safety (Energy Safety) on December 24, 2024. On September 5, 2024, Energy Safety conducted an inspection of PacifiCorp's WMP initiatives in the vicinity of the city of Yreka, California.

Energy Safety found the following violation:

Violation 1. Energy Safety observed that in implementing 2024 WMP initiative 8.1.2.12 - Expulsion Fuse Replacements, PC failed to provide accurate data in reporting that expulsion fuses were replaced on Pole ID 223541, Grid Hardening ID 7032082, at coordinates 41.73697023450076, -122.64524538900024.

PacifiCorp's Response:


In response to the NOV, PacifiCorp conducted a field inspection on January 9, 2025. PacifiCorp found that the line fuse and cutout assembly was removed per the design. A new line fuse installation was not part of the design. The transformer fuse that is present at this location is outside of the High Fire-Threat District and therefore is not in scope for the Company's work. The Company further notes that in its upcoming quarter 4, 2024 Quarterly Data Report submission, the 2024 count for this initiative will be reduced by one to reflect this facility point as not fully mitigated.

Please refer to the following reference document attached with this response:

- WO 07032082 5G163 LENNOX RCMS Additional Documents Rev 0.pdf
Page 42 (SEQ# 1320) which lists the fuse, cutout and arrestor assembly removal.

The following pictures were taken on January 9, 2025:





PacifiCorp appreciates the opportunity to provide this response to Energy Safety's NOV CAD_PC_CAC22_20240905_1200. Please refer any questions to Pooja Kishore, Regulatory Affairs Manager at 503-813-7314 or via email at pooja.kishore@pacificorp.com and californiadockets@pacificorp.com.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Jones', is shown above the printed name.

Josh Jones
Vice President, Asset Management and Wildfire Strategy
PacifiCorp
1407 West North Temple, Suite 275
Salt Lake City, UT 84116