RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

NAME

TIME 10:26:33

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU	INST /REM	A L S	QTY
0005	230042		06245007.0		X	Foreign	Owner?	(Y)
1010	230042		06245007.0		X	Foreign	Owner?	(Y)
1020	230141		06245007.0		X	Foreign	Owner?	(Y)
1030	231303		06245007.0		X	Foreign	Owner?	(N)
1040	231302		06245007.0		X	Foreign	Owner?	(N)
1050	232412		06245007.0		X	Foreign	Owner?	(N)
1060	231402		06245007.0		X	Foreign	Owner?	(N)
1070	231542		06245007.0		X	Foreign	Owner?	(Y)

RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

NAME

TIME 10:26:33

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU	INST /REM	S A L	QTY
1080	229545		06245007.0		X	Foreign		Owner?(Y)
1090	229503		06245007.0		X	Foreign		Owner?(N)
1100	229301		06245007.0		X	Foreign		Owner?(N)
1120	230741		06245007.0		X	Foreign		Owner?(Y)
1130	230740		06245007.0		X	Foreign		Owner?(Y)
1140	228546		06245007.0		X	Foreign		Owner?(Y)
1150	228545		06245007.0		X	Foreign		Owner?(Y)
1160	228542		06245007.0		X	Foreign		Owner?(Y)

RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

NAME

TIME 10:26:33

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU	INST /REM	S A L	QTY
1170	227546		06245007.0		X	Foreign		Owner?(Y)
1180	228640		06245007.0		X	Foreign		Owner?(Y)
1190	227542		06245007.0		X	Foreign		Owner?(Y)
1200	226543		06245007.0		X	Foreign		Owner?(Y)
1210	226445		06245007.0		X	Foreign		Owner?(Y)
1220	226443		06245007.0		X	Foreign		Owner?(Y)
1230	226404		06245007.0		X	Foreign		Owner?(N)
1240	226403		06245007.0		X	Foreign		Owner?(N)

RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

NAME

TIME 10:26:33

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU	INST /REM	S A L	QTY
1250	225403		06245007.0		X	Foreign		Owner?(N)
1260	224404		06245007.0		X	Foreign		Owner?(N)
1270	224403		06245007.0		X	Foreign		Owner?(N)
1280	224501		06245007.0		X	Foreign		Owner?(N)
1290	223548		06245007.0		X	Foreign		Owner?(Y)
1300	222544		06245007.0		X	Foreign		Owner?(Y)
1310	223544		06245007.0		X	Foreign		Owner?(Y)
1320	223541		06245007.0		X	Foreign		Owner?(Y)

RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

NAME

TIME 10:26:33

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU	INST /REM	A L S	QTY
1330	222443		06245007.0		X	Foreign	Owner?	(Y)
1340	222401		06245007.0		X	Foreign	Owner?	(N)
1350	222303		06245007.0		X	Foreign	Owner?	(N)
1360	222342		06245007.0		X	Foreign	Owner?	(Y)
1365	220444		06245007.0		X	Foreign	Owner?	(Y)
1370	222300		06245007.0		X	Foreign	Owner?	(N)
1380	222207		06245007.0		X	Foreign	Owner?	(N)
2010	226541		06245007.0		X	Foreign	Owner?	(Y)

RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

NAME

TIME 10:26:33

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU	INST /REM	S A L	QTY
2020	226604		06245007.0		X	Foreign		Owner?(N)
2030	225603		06245007.0		X	Foreign		Owner?(N)
2040	224602		06245007.0		X	Foreign		Owner?(N)
2050	224706		06245007.0		X	Foreign		Owner?(N)
2060	223705		06245007.0		X	Foreign		Owner?(N)
2070	223741		06245007.0		X	Foreign		Owner?(Y)
2080	223740		06245007.0		X	Foreign		Owner?(Y)
2090	222760		06245007.0		X	Foreign		Owner?(N)

RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

NAME

TIME 10:26:33

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU	INST /REM	S A L	QTY
2100	220662		06245007.0		X	Foreign		Owner?(N)
2110	220660		06245007.0		X	Foreign		Owner?(N)
2120	219660		06245007.0		X	Foreign		Owner?(N)
2130	219540		06245007.0		X	Foreign		Owner?(N)
2140	218442		06245007.0		X	Foreign		Owner?(N)
2150	217562		06245007.0		X	Foreign		Owner?(N)
2160	216561		06245007.0		X	Foreign		Owner?(N)
2170	217606		06245007.0		X	Foreign		Owner?(N)

RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

NAME

TIME 10:26:33

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU	INST /REM	S A L	QTY
2180	217701		06245007.0		X	Foreign		Owner?(N)
2190	216702		06245007.0		X	Foreign		Owner?(N)
2200	216700		06245007.0		X	Foreign		Owner?(N)
2210	215600		06245007.0		X	Foreign		Owner?(N)
2220	217607		06245007.0		X	Foreign		Owner?(N)
2230	218707		06245007.0		X	Foreign		Owner?(N)
2240	218802		06245007.0		X	Foreign		Owner?(N)
2250	217802		06245007.0		X	Foreign		Owner?(N)

RCMS

PLANT ACCT/P R U REPORT

DATE 07/19/23

TIME 10:26:33

NAME

ADDRESS CITY

TITLE 5G163 LENNOX PT1 FUSE COORDINATION

WO# 07032082

COORDINATOR: ALFONSO DOMINGUEZ

VER 1

CC# 11571

SEQ# / BA#	POINT SI#	DESCRIPTION	MAP/LOC	PLT ACCT	EPRU X	INST /REM Foreign	A L Owner?	S QTY (N)
2260								

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 1
SEQ# 0005 DESCRIPTION:
MAP# 06-2-45-007.0_____ POINT: 230042 Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	75	COVER,CUTOUT,FHCA,15-27KV,PF		BA	EV151G	_
I	781	JUMPER WIRE BIRD GUARD SILICON		BA	EV901B	
I	5	COVER,CUTOUT,FHCA,27KV,STD UNI		BA	EV151F	
I	43	1PH CUTOUT AND ARRESTOR ASSY		CU	EM241ACIEY	
	43	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	43	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	43	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	43	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	86	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	344	JMPR WIRE #4 7STR CU COVERED			EC951J	
	43	C/O,27KV,100A,12KA,POLY,W/CVR			EM701A	
	43	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	86	STRAP, NYLON, BLACK			ET811X	
R	43	1PH CUTOUT AND ARRESTOR ASSY		CU	EM241ACIEY	
	43	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	43	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	43	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	43	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	86	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	344	JMPR WIRE #4 7STR CU COVERED			EC951J	
	43	C/O,27KV,100A,12KA,POLY,W/CVR			EM701A	
	43	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	86	STRAP, NYLON, BLACK			ET811X	
I	5	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
R	5	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
R	11	UNIV FUSE LINK,15/25KV,2KS		BA	DP501B	
R	4	UNIV FUSE LINK,15/25KV,3KS		BA	DP501C	
R	14	UNIV FUSE LINK,15/25KV,6T		BA	DP501D	
R	2	UNIV FUSE LINK,15/25KV,8T		BA	DP501M	
R	10	UNIV FUSE LINK,15/25KV,10T		BA	DP501E	
R	1	UNIV FUSE LINK,15/25KV,15T		BA	DP501F	
R	1	UNIV FUSE LINK,15/25KV,20T		BA	DP501O	
I	22	FUSE,ELF,6A,8.3KV,27KV CUTOUT		BA	DP586AM	

SEQ# 0005 DESCRIPTION:
MAP# 06-2-45-007.0_____ POINT: 230042 Foreign Ownership? (Y)

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 2

I	2	FUSE,ELF,8A,8.3KV,27KV CUTOUT	BA	DP586AL
I	7	FUSE,ELF,12A,8.3KV,27KV CUTOUT	BA	DP586AA
I	1	FUSE,ELF,18A,8.3KV,27KV CUTOUT	BA	DP586AC
I	1	FUSE,ELF,20A,8.3KV,27KV CUTOUT	BA	DP586AD
I	7	FUSE,ELF,6A,15KV,27KV CUTOUT	BA	DP586BM
I	3	FUSE,ELF,12A,15KV,27KV CUTOUT	BA	DP586BA
--	------	----------	------	----------
--	------	----------	------	----------
--	------	----------	------	----------

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 3
SEQ# 1010 DESCRIPTION: 41.729127067,-122.631671185
MAP# 06-2-45-007.0_____ POINT: 230042 Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	2	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	2	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
I	3	POWER FUSE,SMU-20,25KV,50E		BA	DP551D	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 4
SEQ# 1020 DESCRIPTION: 41.730155421,-122.631240264
MAP# 06-2-45-007.0_____ POINT: 230141 Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	1	UNIV FUSE LINK,15/25KV,40T		BA	DP501H	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,50E		BA	DP551D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	8	JMPR WIRE #4 7STR CU COVERED			EC951J	
	1	SMD20 P/F,17KV,200E,W/COVER			EM701J	
	1	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 5
SEQ# 1030 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 231303

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	2	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	2	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
I	3	POWER FUSE,SMU-20,25KV,175E		BA	DP551J	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 6
SEQ# 1040 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 231302

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	12	JMPR WIRE #2 7STR CU COVERE		BA	EC951H	
I	6	HTAP CONNECTOR,#2|#4-#2|#6		BA	DE301A	
R	3	UNIV FUSE LINK,15/25KV,140T		BA	DP501K	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
R	3	UNIV FUSE LINK,15/25KV,140T		BA	DP501K	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 7
SEQ# 1050 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 232412

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	POWER FUSE,SMU-20,25KV,100E		BA	DP551G	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
R	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 8
SEQ# 1060 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 231402

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,50E		BA	DP551D	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 9
SEQ# 1070 DESCRIPTION: 502 E. LENNOX ST.
MAP# 06-2-45-007.0_____ POINT: 231542

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	2	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
I	2	POWER FUSE,SMU-20,25KV,50E		BA	DP551D	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	16	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	2	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	2	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	2	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	2	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	4	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	4	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 10
SEQ# 1080 DESCRIPTION: E. LENNOX AND BURGESS
MAP# 06-2-45-007.0_____ POINT: 229545

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,50E		BA	DP551D	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 11
SEQ# 1090 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 229503

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	4	JMPR WIRE #2 7STR CU COVERE		BA	EC951H	
I	2	HTAP CONNECTOR,#2|#4-#2|#6		BA	DE301A	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 12
SEQ# 1100 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 229301

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	1	UNIV FUSE LINK,15/25KV,15T		BA	DP501F	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 13
SEQ# 1120 DESCRIPTION: 129 E. BLAKE ST.
MAP# 06-2-45-007.0_____ POINT: 230741

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,50E		BA	DP551D	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 14
SEQ# 1130 DESCRIPTION: 129 E. BLAKE ST.
MAP# 06-2-45-007.0_____ POINT: 230740

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	POWER FUSE,SMU-20,25KV,50E		BA	DP551D	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,40T		BA	DP501H	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
R	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 15
SEQ# 1140 DESCRIPTION: 302 W LENNOX ST
MAP# 06-2-45-007.0_____ POINT: 228546

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 16
SEQ# 1150 DESCRIPTION: 504 3RD ST.
MAP# 06-2-45-007.0_____ POINT: 228545

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	4	JMPR WIRE #2 7STR CU COVERE		BA	EC951H	
I	2	HTAP CONNECTOR,#2|#4-#2|#6		BA	DE301A	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 17
SEQ# 1160 DESCRIPTION: 308 W. LENNOX ST
MAP# 06-2-45-007.0_____ POINT: 228542

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	1	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	WD POLE GROUND,ROD,#4CU,CA		BA	DG201BLA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 18
SEQ# 1170 DESCRIPTION: N. OREGON AND W. LENNOX
MAP# 06-2-45-007.0_____ POINT: 227546

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 19
SEQ# 1180 DESCRIPTION: 530 N. OREGON ST
MAP# 06-2-45-007.0_____ POINT: 228640

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	POWER FUSE,SMU-20,25KV,125E		BA	DP551H	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,140T		BA	DP501K	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
R	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 20
SEQ# 1190 DESCRIPTION: 623 W LENNOX ST
MAP# 06-2-45-007.0_____ POINT: 227542

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	1	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	C/O,27KV,300A,POLYMER,W/CVR		BA	EM701C	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	WD POLE GROUND,ROD,#4CU,CA		BA	DG201BLA	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 21
SEQ# 1200 DESCRIPTION: HILL AND PINE ST.
MAP# 06-2-45-007.0_____ POINT: 226543

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 22
SEQ# 1210 DESCRIPTION: 314 PINE ST.
MAP# 06-2-45-007.0_____ POINT: 226445

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
I	3	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 23
SEQ# 1220 DESCRIPTION: PINE AND YAMA ST.
MAP# 06-2-45-007.0_____ POINT: 226443

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 24
SEQ# 1230 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 226404

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	POWER FUSE,SMU-20,25KV,150E		BA	DP551I	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 25
SEQ# 1240 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 226403

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	POWER FUSE,SMU-20,25KV,100E		BA	DP551G	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,65T		BA	DP501I	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
R	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 26
SEQ# 1250 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 225403

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	3	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	C/O,27KV,300A,POLYMER,W/CVR		BA	EM701C	
I	1	WD POLE GROUND,ROD,#4CU,CA		BA	DG201BLA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 27
SEQ# 1260 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 224404

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,100E		BA	DP551G	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 28
SEQ# 1270 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 224403

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	4	JMPR WIRE #2 7STR CU COVERE		BA	EC951H	
I	2	HTAP CONNECTOR,#2|#4-#2|#6		BA	DE301A	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 29
SEQ# 1280 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 224501

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,25E		BA	DP551A	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 30
SEQ# 1290 DESCRIPTION: YAMA AND OAK AT FAIRCHILD ST
MAP# 06-2-45-007.0_____ POINT: 223548 Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	POWER FUSE,SMU-20,25KV,65E		BA	DP551E	
I	1	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 31
SEQ# 1300 DESCRIPTION: PARK PLACE AND OAK
MAP# 06-2-45-007.0_____ POINT: 222544

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	4	JMPR WIRE #2 7STR CU COVERE		BA	EC951H	
I	2	HTAP CONNECTOR,#2|#4-#2|#6		BA	DE301A	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 32
SEQ# 1310 DESCRIPTION: CEDAR AND DISCOVERY AT FAIRCHILD
MAP# 06-2-45-007.0_____ POINT: 223544 Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,40E		BA	DP551C	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 33
SEQ# 1320 DESCRIPTION: CEDAR AND DISCOVERY NEAR FAIRCHILD
MAP# 06-2-45-007.0_____ POINT: 223541 Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	4	JMPR WIRE #2 7STR CU COVERE		BA	EC951H	
I	2	HTAP CONNECTOR,#2|#4-#2|#6		BA	DE301A	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 34
SEQ# 1330 DESCRIPTION: YAMA AND NORTH ST. AT FAIRCHILD
MAP# 06-2-45-007.0_____ POINT: 222443 Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	POWER FUSE,SMU-20,25KV,100E		BA	DP551G	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 35
SEQ# 1340 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 222401

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	POWER FUSE,SMU-20,25KV,150E		BA	DP551I	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,140T		BA	DP501K	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 36
SEQ# 1350 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 222303

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	C/O,27KV,300A,POLYMER,W/CVR		BA	EM701C	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	WD POLE GROUND,ROD,#4CU,CA		BA	DG201BLA	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 37
SEQ# 1360 DESCRIPTION: FAIRCHILD AND MINER
MAP# 06-2-45-007.0_____ POINT: 222342

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	POWER FUSE,SMU-20,25KV,65E		BA	DP551E	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,140T		BA	DP501K	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 38
SEQ# 1365 DESCRIPTION: DEWITT WY AND MINER ST
MAP# 06-2-45-007.0_____ POINT: 220444

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
R	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	3	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 39
SEQ# 1370 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 222300

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
R	1	UNIV FUSE LINK,15/25KV,15T		BA	DP501F	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 40
SEQ# 1380 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 222207

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	UNIV FUSE LINK,15/25KV,15T		BA	DP501F	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 41
SEQ# 2010 DESCRIPTION: 504 W. LENNOX ST.
MAP# 06-2-45-007.0_____ POINT: 226541

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 42
SEQ# 2020 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 226604

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU Y	EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	3	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	C/O,27KV,300A,POLYMER,W/CVR		BA	EM701C	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
I	1	WD POLE GROUND,ROD,#4CU,CA		BA	DG201BLA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 43
SEQ# 2030 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 225603

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 44
SEQ# 2040 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 224602

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	3	BLADE, C/O, 27KV,UNIV,125KVBIL		BA	EM955B	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	3	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	C/O,27KV,300A,POLYMER,W/CVR		BA	EM701C	
I	1	WD POLE GROUND,ROD,#4CU,CA		BA	DG201BLA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 45
SEQ# 2050 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 224706

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 46
SEQ# 2060 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 223705

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 47
SEQ# 2070 DESCRIPTION: 812 LENNOX ST.
MAP# 06-2-45-007.0_____ POINT: 223741

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 48
SEQ# 2080 DESCRIPTION: 830 LENNOX ST.
MAP# 06-2-45-007.0_____ POINT: 223740

Foreign Ownership? (Y)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,125E		BA	DP551H	
R	1	UNIV FUSE LINK,15/25KV,100T		BA	DP501J	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 49
SEQ# 2090 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 222760

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,65E		BA	DP551E	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 50
SEQ# 2100 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 220662

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 51
SEQ# 2110 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 220660

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	WD PL GROUND,ROD,PRI UG/DLT,CA		BA	DG201BIA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SIGN, "HIGH VOLTAGE", (CALIF)		BA	DY801X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 52
SEQ# 2120 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 219660

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 53
SEQ# 2130 DESCRIPTION: 1027 NORTH ST.
MAP# 06-2-45-007.0_____ POINT: 219540

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,65E		BA	DP551E	
R	1	UNIV FUSE LINK,15/25KV,65T		BA	DP501I	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 54
SEQ# 2140 DESCRIPTION: 1038 W MINER ST-YREKA CA
MAP# 06-2-45-007.0_____ POINT: 218442

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,25E		BA	DP551A	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 55
SEQ# 2150 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 217562

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	UNIV FUSE LINK,15/25KV,40T		BA	DP501H	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 56
SEQ# 2160 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 216561

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
R	1	UNIV FUSE LINK,15/25KV,15T		BA	DP501F	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 57
SEQ# 2170 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 217606

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	3	POWER FUSE,SMU-20,25KV,100E		BA	DP551G	
R	24	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
R	3	UNIV FUSE LINK,15/25KV,65T		BA	DP501I	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	24	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	3	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
R	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	3	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	3	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	3	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	3	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	3	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	6	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	6	STRAP, NYLON, BLACK			ET811X	
I	1	EQUIPMENT-MOUNTING ARM ASSY		BA	EE631A	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 58
SEQ# 2180 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 217701

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	1	UNIV FUSE LINK,15/25KV,15T		BA	DP501F	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 59
SEQ# 2190 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 216702

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,65E		BA	DP551E	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 60
SEQ# 2200 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 216700

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 61
SEQ# 2210 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 215600

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 62
SEQ# 2220 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 217607

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,80E		BA	DP551F	
R	1	UNIV FUSE LINK,15/25KV,65T		BA	DP501I	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	1	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 63
SEQ# 2230 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 218707

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,15E		BA	DP551L	
R	1	UNIV FUSE LINK,15/25KV,10T		BA	DP501E	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 64
SEQ# 2240 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 218802

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 65
SEQ# 2250 DESCRIPTION: YREKA, CA
MAP# 06-2-45-007.0_____ POINT: 217802

Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
I	1	POWER FUSE,SMU-20,25KV,20E		BA	DP551M	
R	1	UNIV FUSE LINK,15/25KV,25T		BA	DP501G	
R	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
I	1	1PH CUTOUT AND ARRESTOR ASSY		CU	Y EM241DCIEY	
	1	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	1	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	1	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	2	STRAP, NYLON, BLACK			ET811X	
R	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
I	1	ARRESTER,SURGE,NON-EXPUL,10KV		BA	DQ912C	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

RCMS

FACILITY POINT DETAIL DATA SHEET

DATE 07/19/23
TIME 10:26:33

NAME
ADDRESS
TITLE 5G163 LENNOX PT1 FUSE COORDINATION
COORDINATOR: ALFONSO DOMINGUEZ

WO# 07032082
VER 1
CC# 11571

PAGE 66
SEQ# 2260 DESCRIPTION:
MAP# POINT: Foreign Ownership? (N)

I/R	QTY	DESCRIPTION	INDIC CHG	TYPE	CU/BA/SI	EX
I	1	POWER FUSE,SMU-20,25KV,15E		BA	DP551L	
I	1	POWER FUSE,SMU-20,25KV,30E		BA	DP551B	
R	2	UNIV FUSE LINK,15/25KV,200T		BA	DP501L	
R	2	1PH CUTOUT AND ARRESTOR ASSY		CU	EM241DCIEY	
	2	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	2	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	2	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	4	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	16	JMPR WIRE #4 7STR CU COVERED			EC951J	
	2	SMD20 P/F,17KV,200E,W/COVER			EM701J	
	2	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	4	STRAP, NYLON, BLACK			ET811X	
I	2	1PH CUTOUT AND ARRESTOR ASSY		CU	EM241DCIEY	
	2	BLTD STIRRUP CONN,#4|4/0AL-1/0			DE366A	
	2	HOT-LINE CLAMP,#8-2/0 MAIN/TAP			DE491X	
	2	GROUND,1-ARRESTER,POLE MT,CA			DG301BFAXB	
	2	ARRESTER,SURGE,OH,NON-EXP,10KV			DQ902C	
	4	MACH BOLT ASSY,CRVD,5/8"X14"			DY171D	
	16	JMPR WIRE #4 7STR CU COVERED			EC951J	
	2	SMD20 P/F,17KV,200E,W/COVER			EM701J	
	2	EQUIP-MNTNG FBERGLSS BRCKT,1PH			EM912X	
	4	STRAP, NYLON, BLACK			ET811X	
R	8	JMPR WIRE #4 7STR CU COVERED		BA	EC951J	
I	1	WD POLE GROUND,ROD,1/0-2/0,CA		BA	DG201BFA	
I	8	JMPR WIRE,1/0 BARE SD CU,7 STR		BA	EC951D	
I	1	SMD20 P/F,27KV,200E,W/COVER		BA	EM701K	
--	------	----------	------		----------	
--	------	----------	------		----------	
--	------	----------	------		----------	

The information you provide on this form is what the Joint Use department uses to both communicate and INVOICE the licensees listed on this form. Without the information, licensees cannot be accurately notified of their outstanding work or INVOICED for their portion of cost. Questions? Call or e-mail at 503-813-7022 or JointUseHelp@PacifiCorp.com

( ) Check Off what work was performed in the field for each pole listed below
( ) Write notes or provide a sketch for any redlines
( ) Check Off what we need the licensee/foreign utility to do for each pole listed below
( ) Sign and date the form

E-MAIL TO JOINT USE WHEN COMPLETED
E-MAIL: JointUseHelp@Pacificorp.com

Request# 007032082 Status O WO# 07032082 Req Type IEW CC# 11571 CC Name Yreka Customer Collections
Req by ALFONSO DOMINGUEZ Printed Date 07/19/2023 Printed By ALFONSO DOMINGUEZ

WO Title 5G163 LENNOX PT1 FUSE COORDINATION
WO Desc REPLACE EXPULSIVE FUSES WITH NON-EXPULSIVE FUSES.
REMOVE 10 EXPULSIVE 3PH FUSES
REMOVE 00 EXPULSIVE 2PH FUSES
P&N THE PURPOSE OF THIS PROJECT IS TO REPLACE THE EXISTING EXPULSIVE FUSES WITH NON-EXPULSIVE FUSES AS PART OF A FIRE MITIGATION PROGRAM.

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
0005	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	230042	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

1010	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	230042	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1020	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	230141	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
1030	06245007.0	_____	CAL-ORE COMM (CA)	NO	( ) Set new pole
	231303	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		0.00	NORTHLAND CABLE (CA)	NO	( ) Topped pole
		_____	Other _____	___	( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
1040	06245007.0	0.00	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	231302	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
1050	06245007.0	0.00	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	232412	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1060	06245007.0	_____	CAL-ORE COMM (CA)	NO	( ) Set new pole
	231402	0.00	NORTHLAND CABLE (CA)	NO	( ) Replaced pole _____' away
		0.00	AT&T (PAC BELL)(CA)	NO	( ) Topped pole
		_____	Other _____	___	( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1070	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	231542	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1080	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	229545	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1090	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	229503	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1100	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	229301	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1120	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	230741	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1130	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	230740	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1140	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	228546	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1150	06245007.0 228545	_____ _____	AT&T (PAC BELL)(CA)(PPL ON) Other _____	NO ___	( ) Set new pole ( ) Replaced pole _____' away ( ) Topped pole ( ) Removed pole butt ( ) Removed power attachment only ( ) Temp X-ferred joint use ( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1160	06245007.0 228542	_____ _____	AT&T (PAC BELL)(CA)(PPL ON) Other _____	NO ___	( ) Set new pole ( ) Replaced pole _____' away ( ) Topped pole ( ) Removed pole butt ( ) Removed power attachment only ( ) Temp X-ferred joint use ( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1170	06245007.0 227546	_____ _____	AT&T (PAC BELL)(CA)(PPL ON) Other _____	NO ___	( ) Set new pole ( ) Replaced pole _____' away ( ) Topped pole ( ) Removed pole butt ( ) Removed power attachment only ( ) Temp X-ferred joint use ( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1180	06245007.0 228640	_____ _____	AT&T (PAC BELL)(CA)(PPL ON) Other _____	NO ___	( ) Set new pole ( ) Replaced pole _____' away ( ) Topped pole ( ) Removed pole butt ( ) Removed power attachment only ( ) Temp X-ferred joint use ( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1190	06245007.0 227542	_____ _____	AT&T (PAC BELL)(CA)(PPL ON) Other _____	NO ___	( ) Set new pole ( ) Replaced pole _____' away ( ) Topped pole ( ) Removed pole butt ( ) Removed power attachment only ( ) Temp X-ferred joint use ( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1200	06245007.0 226543	_____ _____	AT&T (PAC BELL)(CA)(PPL ON) Other _____	NO ___	( ) Set new pole ( ) Replaced pole _____' away ( ) Topped pole ( ) Removed pole butt ( ) Removed power attachment only ( ) Temp X-ferred joint use ( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1210	06245007.0 226445	_____ _____	AT&T (PAC BELL)(CA)(PPL ON) Other _____	NO ___	( ) Set new pole ( ) Replaced pole _____' away ( ) Topped pole ( ) Removed pole butt ( ) Removed power attachment only ( ) Temp X-ferred joint use ( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1220	06245007.0 226443	_____ _____	AT&T (PAC BELL)(CA)(PPL ON) Other _____	NO ___	( ) Set new pole ( ) Replaced pole _____' away ( ) Topped pole ( ) Removed pole butt ( ) Removed power attachment only ( ) Temp X-ferred joint use ( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1230	06245007.0	19.66	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	226404	0.00	HUNTER (CA)	YES	( ) Replaced pole _____' away
		22.25	NORTHLAND CABLE (CA)	NO	( ) Topped pole
		_____	Other _____	___	( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
1240	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	226403	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		0.00	HUNTER (CA)	YES	( ) Topped pole
		_____	Other _____	___	( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
1250	06245007.0	21.33	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	225403	23.25	NORTHLAND CABLE (CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
1260	06245007.0	21.91	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	224404	24.00	NORTHLAND CABLE (CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1270	06245007.0	0.00	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	224403	0.00	NORTHLAND CABLE (CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1280	06245007.0	0.00	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	224501	0.00	NORTHLAND CABLE (CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1290	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	223548	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1300	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	222544	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1310	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	223544	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1320	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	223541	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1330	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	222443	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

1340	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	222401	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
1350	06245007.0	0.00	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	222303	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
1360	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	222342	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
1380	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	222207	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
2010	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	226541	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
2020	06245007.0	0.00	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	226604	0.00	NORTHLAND CABLE (CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2030	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	225603	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2040	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	224602	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2050	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	224706	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
2060	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	223705	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
2070	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	223741	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
2080	06245007.0	_____	AT&T (PAC BELL)(CA)(PPL ON)	NO	( ) Set new pole
	223740	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					
2090	06245007.0	0.00	NORTHLAND CABLE (CA)(T)	NO	( ) Set new pole
	222760	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole
Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required					
**********					

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
2100	06245007.0	0.00	NORTHLAND CABLE (CA)(T)	NO	( ) Set new pole
	220662	0.00	AT&T (PAC BELL)(CA)(T)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2110	06245007.0	0.00	NORTHLAND CABLE (CA)(T)	NO	( ) Set new pole
	220660	0.00	AT&T (PAC BELL)(CA)(T)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2120	06245007.0	0.00	NORTHLAND CABLE (CA)(T)	NO	( ) Set new pole
	219660	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2150	06245007.0	0.00	AT&T (PAC BELL)(CA)(T)	NO	( ) Set new pole
	217562	0.00	NORTHLAND CABLE (CA)(T)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
2170	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	217606	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2180	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	217701	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2190	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	216702	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2200	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	216700	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Seq #	Mapstring/ Point	Attach Height	Licensees on this pole	Is PacifiCorp allowed to transfer this Licensee's Attachments?	CREW WORK COMPLETED
2210	06245007.0	0.00	AT&T (PAC BELL)(CA)	NO	( ) Set new pole
	215600	0.00	NORTHLAND CABLE (CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2230	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	218707	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2240	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	218802	0.00	AT&T (PAC BELL)(CA)	NO	( ) Replaced pole _____' away
		_____	Other _____	___	( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

2250	06245007.0	0.00	NORTHLAND CABLE (CA)	NO	( ) Set new pole
	217802	_____	Other _____	___	( ) Replaced pole _____' away
					( ) Topped pole
					( ) Removed pole butt
					( ) Removed power attachment only
					( ) Temp X-ferred joint use
					( ) Nothing done to this pole

Joint Use To Do: ( ) Make new attachment ( ) Transfer ( ) Remove attachment ( ) Remove pole butt ( ) Nothing required

****

Completed By (print name) _____ EMP # _____ Date ___/___/_____

General Notes: _____