

February 20, 2025

VIA ELECTRONIC FILING

Docket # 2024 NOV

Patrick Doherty
Program Manager
Compliance Assurance Division
Office of Energy Infrastructure Safety
715 P Street, 20th Floor
Sacramento, CA 95814

RE: PacifiCorp's Response to Notice of Violation – CAD_PC_CAC17_20240910_1320

Dear Patrick Doherty:

PacifiCorp provides the following response to the finding(s) identified in the “Notice of Violation CAD_PC_CAC17_20240910_1320” (Notice of Violation or NOV) issued by the Office of Energy Infrastructure Safety (Energy Safety) on January 21, 2025. On September 10, 2024, Energy Safety conducted an inspection of PacifiCorp's WMP initiatives in the vicinity of the city of Yreka, California.

Energy Safety found the following violations:

Violation 1. Energy Safety observed that in implementing 2024 WMP initiative 8.1.2.12 - Expulsion Fuse Replacement, PC failed to provide accurate data in reporting that expulsion fuses were replaced on Pole ID 06245007.0226445, Grid Hardening ID 7032082, at coordinates 41.734689, -122.638854.

PacifiCorp Response:

In response to the notice of violation, the Company conducted a field inspection on February 10, 2025, and found that the transformer fuse location is outside of the High Fire-Threat District (HFTD) and therefore is not in scope of initiative 8.1.2.12 - Expulsion Fuse Replacement and the line fuses at this location were replaced as designed. On February 17, 2025, PacifiCorp replaced the transformer fuse in question with a non-expulsion fuse to be consistent with the line fuse replacements that previously occurred. Please see below for image taken on February 17, 2025.

PacifiCorp has updated the contractor's scope of work to include evaluation of and replacement of overhead transformer fuses outside the HFTD/HFRA where the overhead transformer fuse is co-located on a pole where the line protective fuse is being replaced under initiative 8.1.2.12.

There are no additional corrective actions planned.



PacifiCorp appreciates the opportunity to provide this response to Energy Safety's CAD_PC_CAC17_20240910_1320. Please refer any questions to Pooja Kishore, Regulatory Affairs Manager at 503-813-7314 or via email at pooja.kishore@pacificorp.com and californiadockets@pacificorp.com.

Sincerely,

A handwritten signature in black ink, appearing to read "Josh Jones", written on a light-colored background.

Josh Jones
Vice President, Asset Management and Wildfire Delivery
PacifiCorp
1407 West North Temple, Suite 275
Salt Lake City, UT 84116