

March 27, 2025

VIA ELECTRONIC FILING

Docket # 2024 NOV

Sheryl Bilbrey
Program Manager
Environmental Science Division
Office of Energy Infrastructure Safety
715 P Street, 20th Floor
Sacramento, CA 95814

RE: PacifiCorp's Response to Notice of Violation – PC_CAC23_20250116_1055

Dear Sheryl Bilbrey:

PacifiCorp provides the following response to the finding(s) identified in the “Notice of Violation PC_CAC23_20250116_1055” (Notice of Violation or NOV) issued by the Office of Energy Infrastructure Safety (Energy Safety) on February 25, 2025. On January 16, 2025, Energy Safety conducted an inspection of PacifiCorp's WMP initiatives in the vicinity of the city of McCloud.

Energy Safety found the following violation:

Violation 1. Energy Safety observed that in implementing 2024 WMP initiative 8.2.3.2 – Clearance (VM-03), PacifiCorp failed to achieve completeness of required clearance near pole ID 132403, at coordinates 41.22475828, -122.14927276 in a High Fire Threat District (HFTD) Tier 2 area. Energy Safety considers this violation to be in the “Minor” risk category.

PacifiCorp Response:

In response to the notice of violation, the company conducted a field inspection on February 28, 2025, and found that trees were pruned on July 11, 2024. The tree was re-pruned to specifications on March 3, 2025 and no additional corrective action is planned. Please see below images of the tree before and after pruning.




1- Before Pruning Near Pole ID 132403, at Coordinates 41.22475828, -122.14927276



2 - After Pruning Near Pole ID 132403, at Coordinates 41.22475828, -122.14927276

PacifiCorp appreciates the opportunity to provide this response to Energy Safety's PC_CAC23_20250116_1055. Please refer any questions to Pooja Kishore, Regulatory Affairs Manager at 503-813-7314 or via email at pooja.kishore@pacificorp.com and californiadockets@pacificorp.com.

Sincerely,



Allen Berreth
Vice President of Transmission & Distribution Operations
PacifiCorp
825 NE Multnomah Street, Suite 2000
Portland, OR 97232