PACIFIC GAS AND ELECTRIC COMPANY Wildfire Mitigations Plans Discovery 2026-2028 Data Response

| PG&E Data Request No.: | OEIS_001-Q012 |
|------------------------|---|
| PG&E File Name: | WMP-Discovery2026-2028_DR_OEIS_001-Q012 |
| Request Date: | April 8, 2025 |
| Requester DR No.: | OEIS-P-WMP_2025-PGE-001 |
| Requesting Party: | Office of Energy Infrastructure Safety |
| Requester: | Nathan Poon |
| Date Sent: | April 11, 2025 |

SUBJECT: REGARDING PG&E-25U-08. REINSPECTION OF TREES IN TREE REMOVAL INVENTORY

QUESTION 012

On page 582 of its WMP, PG&E provides a response to PG&E-25U-08 indicating "In late 2024, PG&E began planning a pilot to re-evaluate trees listed for work within Shasta County."

- a. Provide pilot study procedure(s).
- b. Provide pilot schedule.
- c. Provide any study results.

Answer 012

- a. There is no formalized procedure specific to this pilot. PG&E followed TD-7102P-01, Distribution Inspection Procedure and attachment 6 (Tree Removal Inventory program) process for a Level 2 inspection by a Tree Risk Assessment Qualified (TRAQ) -certified arborist. This process was followed for all Tree Assessment tool (TAT) Abate vegetation points with a record of "Yes" in the system of record within Shasta County.
- b. The field execution of the Pilot began in Quarter 4 of 2024 for Level 2 Inspections performed by a TRAQ-certified arborist and the subsequent Board-Certified Master Arborist review.
 - All Level 2 field inspections by TRAQ-certified arborists were completed in Q1 2025.
 - Any remaining Board-Certified Master Arborist reviews are expected to be completed in Q2 2025.

Please note: Subsequent to the field collection of data, PG&E plans to analyze the results of the pilot and evaluate recommended next steps by Q4 2025.

| C. | The study is pending completion and subsequent documentation. Documentation will be analyzed by Q4 2025 for recommendations. The recommendations resulting from the findings of the pilot are also dependent on continued feedback from internal or external stakeholders. | |
|----|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |