

From: [Giang Vo](#)
To: [Underground Enforcement](#)
Subject: Re: Response to Notice of Probable Violation – Case No. N250371836
Date: Friday, September 26, 2025 4:13:58 PM
Attachments: [N250371836 Modern Muse NOPV.pdf](#)

You don't often get email from gvo@mmcons.net. [Learn why this is important](#)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Underground Safety Board,

I forgot to check the response option. I checked the Contest in Writing Option. Please see the updated file above.

Thank you so much,

Giang Vo

Modern Muse Construction

From: Giang Vo <gvo@mmcons.net>
Sent: Friday, September 26, 2025 2:30 PM
To: enforcement.dig@energysafety.ca.gov <enforcement.dig@energysafety.ca.gov>
Subject: Response to Notice of Probable Violation – Case No. N250371836

Dear Underground Safety Board,

We are writing in response to the Notice of Probable Violation (Case No. N250371836) regarding the incident that occurred on December 20, 2024, at 8902 Adah Street, Garden Grove, CA.

We respectfully request consideration of the following circumstances:

1. At the time of this incident, our newly appointed project manager, who had limited field experience, was overseeing the jobsite. Unfortunately, due to inexperience,

he did not notify the Regional Notification Center prior to excavation. This was an oversight and not an intentional act of non-compliance.

2. When the damage to the 1.5” plastic natural gas line occurred, the project manager immediately took steps to secure the site by taping the damaged line to minimize the leak. He then promptly contacted the SoCal Gas service line to request immediate assistance. SoCal Gas personnel arrived at the site and repaired the damage.
3. The project manager did not understand at that time that he was also required to call 911 emergency services in addition to notifying SoCal Gas. His actions were made in good faith, but out of a lack of training and knowledge.

Since this incident, Modern Muse Construction has taken corrective actions:

- We have provided additional training for our project managers and field staff on proper excavation protocols, including the legal requirement to notify 811 before digging and to call 911 in case of any gas release.
- We have updated our internal safety procedures to ensure all future work complies with Government Code sections 4216.2(b) and 4216.4(c)(1).

We sincerely apologize for this incident and respectfully ask that the Board consider these mitigating factors—the inexperience of a new project manager, his immediate action to control the situation, and the prompt engagement of SoCal Gas.

Thank you for your attention and consideration.

Sincerely,

Giang Vo

Modern Muse Construction



**OFFICE OF ENERGY INFRASTRUCTURE SAFETY
UNDERGROUND SAFETY BOARD**

715 P Street, 15th Floor | Sacramento, CA 95814
916.902.6000 | www.energysafety.ca.gov

MEMBERS

Bill Johns, Chair
Travis Clausen, Vice Chair
Marshall Johnson
Amparo Muñoz
Shant Simonian
Dave Sorem

EXECUTIVE OFFICER

Brittany Branaman (Acting)

By U.S. mail to the addresses below and electronic mail

September 17, 2025

NOTICE OF PROBABLE VIOLATION

Modern Muse Construction
12606 Hoover Street
Garden Grove, California 92841

modernmuse@mmcons.net

Case No.: N250371836

Location of Violation: 8902 Adah Street, Garden Grove, California 92841

Date of Violation: December 20, 2024

Dear Modern Muse Construction:

You are receiving this Notice of Probable Violation (Notice) as a result of an investigation conducted pursuant to Government Code section 4216 *et seq.* The California Underground Safety Board (Board) investigator has concluded an investigation of an incident on December 20, 2024, near 8902 Adah Street, Garden Grove, California 92841, and found the following violations of Government Code sections 4216.2(b) and 4216. 4(c)(1):

Government Code § 4216.2(b): Excavating without first notifying the Regional Notification Center.

Government Code § 4216. 4(c)(1): Excavator failure to call 911 emergency services upon discovering or causing damage to subsurface installation resulting in the escape of flammable, toxic, or corrosive gas or liquid.

On December 20, 2024, Modern Muse Construction was working a jobsite without first contacting the regional notification center and, with a shovel, damaged a 1.5” plastic natural gas line. Upon the escape of natural gas from the subsurface installation, Modern Muse Construction did not call 911 emergency services to report it.

The evidence establishing these facts is attached to the enclosed report of investigations.

Hearing and Referral to Enforcement Agency

During the Board's public meeting on November 17, 2025, at 1:00 p.m., the Board will determine whether the violations occurred and whether the penalties proposed in this Notice are appropriate. You may contest the violations and proposed penalties noted in the below section at this meeting. The location of the meeting will be in Sacramento, California.

California Natural Resources Agency Building
Auditorium – First Floor
715 P Street
Sacramento, California 95814

Should the Board determine that a probable violation exists, the Board will refer your case with either the proposed penalties below or new recommended penalties to the appropriate state or local agency for enforcement pursuant to Government Code section 4216.6(c) (Enforcement Agency). The Board's recommendation to the Enforcement Agency will include its finding of probable violation and recommended penalties. The Board's recommendation does not constitute a final determination of your case. The Enforcement Agency has discretion to accept, amend, or reject the Board's recommendation, in whole or in part, through its own investigations pursuant to Government Code section 4216.6(c).

The Enforcement Agency for this case is:
Contractors State License Board
9821 Business Park Drive
Sacramento, California 95827

Proposed Penalty

Any penalties provided in this Notice, including corrective actions, are only proposals by Board investigator(s) and do not require any corrective action or payment at this time. Your Enforcement Agency will provide the final determination to and instructions for any penalty.

Pursuant to Government Code section 4216.6, violation of Government Code section 4216 *et seq.* by an operator or excavator may be subject to a maximum penalty of \$10,000 for negligent violation, or \$50,000 for knowing and willful violation. Knowing and willful violation of Article 2 that results in damage to a gas or hazardous liquid pipeline subsurface installation and that results in the escape of any flammable, toxic, or corrosive gas or liquid may be subject to a maximum penalty of \$100,000.

The Board Staff are recommending the below corrective action and penalties:

Mandatory completion of the Board's education course. Please see <https://energysafety.ca.gov/what-we-do/underground-safety-board/education-course/> for more information.

A financial penalty, the amount to be determined by the Board.

A corrective action to be determined by the Board.

The proposed penalties are merited, on December 20, 2024, Modern Muse Construction was working a jobsite without first contacting the regional notification center and, with a shovel, damaged a 1.5" plastic natural gas line. Upon the escape of natural gas from the subsurface installation, Modern Muse Construction did not call 911 emergency services to report it.

Response to this Notice

Enclosed as part of this Notice is a document titled *RESPONSE TO A NOTICE OF PROBABLE VIOLATION*. Please carefully review this document and note the response options. All materials you submit in response to this enforcement action are subject to public disclosure. You have 30 business days from September 17, 2025 to submit your written response to the Board. Your response to this Notice must be received by the Board no later than October 30, 2025.

If you do not respond within 30 business days, this constitutes a waiver of your right to contest the Board's determination on whether there is Probable Violation in this case and to refer the case to the Enforcement Agency with the Board's recommendation.

Sincerely,

/s/ Anona Bonner

Anona Bonner
Chief of Investigations | Underground Safety Board

Proposed hearing date: November 17, 2025



RESPONSE TO A NOTICE OF PROBABLE VIOLATION

Case Number: N250371836

Name: Modern Muse Construction

The provisions of California Code of Regulations, Title 19, Division 4, Chapter 3, governs the Notice of Probable Violation (Notice) proceeding before the California Underground Safety Board (Board). Specifically, 19 CCR section 4252 provides your response options upon the receipt of a Notice.

Be advised that all material submitted by you in response to a Notice are subject to public disclosure.

Please select from one of the response options listed below. You have 30 business days to submit your written response to the Underground Safety Board. Failure to submit a written response will be considered by the Board as a “No Contest” response. Please attach this form with your selection to your response. If you choose “Contest in Writing” or “Contest in Writing and Request Informal Hearing,” please also include your written explanation and documents that may be referenced in your written explanation or informal hearing. For all options, Board investigators may present the basis for your probable violation on the date of the public meeting as provided in your Notice, and the Board will review your case and vote to determine whether a probable violation exists and whether the corrective action and/or penalty proposed by the Board staff is appropriate at the meeting.

Response Options

___ No Contest

You do not contest the violations or the penalty. If you choose to not contest the violations or the penalty, you will waive your right to request the Board to reconsider its decision or recommendation issued.

✓ Contest in Writing

You wish to contest either the violation, the penalty, or both by providing the Board with written explanations and other records supporting the explanation. You will submit the written explanations and records, if any, with your written response within 30 business days of receiving this Notice. Your response must not exceed 10 pages (excluding exhibits) in length and must be on 8.5” x 11” white paper, double-spaced, and in a font size no smaller than 11-point. You must submit the original and 12 physical copies of the written explanation and records to the address below or submit one (1) copy electronically to enforcement.dig@energysafety.ca.gov. You may request an extension to the page limit by submitting a request to the Board staff within 5 days of receiving this Notice. The Board staff will notify you of its determination with respect to the page

limit extension request within 10 days of you submitting the request. The Board will review and vote on your case on the date of the public meeting provided in the Notice.

___ Contest in Writing and Request Informal Hearing

You wish to contest either the violation, the penalty, or both with oral argument at an informal hearing during a public Board meeting. You will submit with your written response, written explanations, information, or other materials you wish to reference in your oral hearing. Your response must not exceed 10 pages (excluding exhibits) in length and must be on 8.5" x 11" white paper, double-spaced, and in a font size no smaller than 11-point. You must submit the original and 12 physical copies of the written explanation and records to the address below or submit one (1) copy electronically to enforcement.dig@energysafety.ca.gov.

Your hearing would be during the public meeting noted in the Notice, on November 17, 2025, at 1:00 p.m., and the location of the meeting will be in Sacramento, California.

California Natural Resources Agency Building
Auditorium – First Floor
715 P Street
Sacramento, California 95814

Please note that your oral hearing may not start exactly at the time provided as there may be multiple hearings during one Board meeting. You may request to reschedule your hearing no later than 15 business days from your hearing date. Your request to reschedule a hearing may be granted no more than once and only for good cause.

You may participate in person or through a virtual meeting platform. You will have 15 minutes to present your reasons for contesting the allegation or reasons that may support a modification or elimination of the penalty or corrective action. During your hearing, conducted pursuant to Section 4253 of Title 19 of the California Code of Regulations, board investigators may present the basis for your Notice of Probable Violation. You will be granted up to 15 minutes to respond to the Notice and up to 5 minutes to respond to any Board staff rebuttal. You may arrange, at your expense, for a stenographer or court reporter to transcribe the informal hearing. You must provide a copy of any transcription to the Board.

The Board will issue a decision at,

- The informal hearing;
- Thereafter within 45 business days of the informal hearing; or
- At a subsequent Board public meeting where a quorum of the Board is present.

The Board will adopt the issued written decision at the hearing or a subsequent public meeting. The Board's decision is effective upon the adoption of the written decision.

___ Reservation of Rights to Contest Violation with the Enforcement Agency

You contest the violation, the penalty, or both, but do not wish to present your comments to the Board. You request that the Board refer the case to the appropriate state or local agency that would conduct the enforcement of the probable violation pursuant to Government Code section 4216.6(c) (Enforcement Agency), and you will reserve the right to contest the violation, the penalty, or both before the Enforcement Agency. The Board will review and vote on your case to determine whether a probable violation exists and whether the corrective action and/or penalty proposed by the Board staff is appropriate at the public meeting noted in your Notice. Should the Board determine a probable violation exists, the Board will refer your case to the Enforcement Agency.

Board Contact Information:

Please direct all formal correspondence, including your written response to the Notice, to the Board either via email at enforcement.dig@energysafety.ca.gov or via mail to the following address:

Office of Energy Infrastructure Safety
Underground Safety Board
715 P St., 15th Floor
Sacramento, CA 95814

Please provide your written response within 30 business days of receiving this Notice. If a response is provided via mail, the mailed response must be received by the Board within 30 business day.

Penalties

Any penalties, including corrective actions, are only proposals by Board staff, and do not require any current corrective action or payment at this time. Your Enforcement Agency will provide the final determination to and instructions for any penalty. Please do not include any proof of compliance with proposed corrective actions or payment of a proposed penalty with your written response.

ADA Compliance

The California Underground Safety Board complies with the Americans with Disabilities Act ("ADA") by ensuring that the facilities are accessible to persons with disabilities, and providing this Notice and information given to the members of the California Underground Safety Board in appropriate alternate formats when requested. If you need further assistance, including disability-related modifications or accommodations, you may contact the Underground Safety Board no later than seven (7) calendar days before a scheduled hearing at (916) 902-6000. California Relay Service is available by dialing 711.



**CALIFORNIA UNDERGROUND SAFETY BOARD
INVESTIGATION DIVISION**

INVESTIGATION REPORT

Date: August 29, 2025

Case No.: N250371836

Violations:

Modern Muse Construction

Government Code § 4216.2(b): Excavating without first notifying the Regional Notification Center.

Government Code § 4216.4(c)(1): Excavator failure to call 911 emergency services upon discovering or causing damage to subsurface installation resulting in the escape of flammable, toxic, or corrosive gas or liquid.

Executive Summary:

On December 20, 2024, Modern Muse Construction was working a jobsite without first contacting the regional notification center and, with a shovel, damaged a 1.5" plastic natural gas line, while cutting roots. Upon the escape of natural gas from the subsurface installation, Modern Muse Construction did not call 911 emergency services to report it. No one was injured and no equipment, other than the 1.5" plastic natural gas line, was damaged.

Reporting Party Information:

Southern California Gas Company
555 West 5th Street
Los Angeles, California 90013

Date of Incident:

December 20, 2024

Location of the Incident:

8902 Adah Street
Garden Grove, California 92841

Operator:

Southern California Gas Company
555 West 5th Street
Los Angeles, California 90013

Excavator:

Modern Muse Construction
12606 Hoover Street
Garden Grove, California 92841

Facility Type Damaged:

1.5" plastic natural gas IPS

Investigation:**Notification of the Incident**

On February 6, 2025, at 8:18 p.m., Southern California Gas Company submitted a notification of an incident to the California Underground Safety Board. The notification stated, "he damage on our ½ IPS looks like it was cut into when they were cutting a root out. Then they completely cut our plastic service so they can fold it back to control the leak. Their trench is for a sewer line from the back house being built." (Exh. 1.)

The case was assigned to Investigator Gabrielle Zeps (Investigator).

Identity of the Excavator

Government Code section 4216(h) defines an excavator to be "any person, firm, contractor or subcontractor, owner, operator, utility, association, corporation, partnership, business trust, public agency, or other entity that, with their own employees or equipment performs any excavation."

Modern Muse Construction was performing shovel trenching in the dirt (Exh. 2.) at 8902 Adah Street, Garden Grove, California, 92841 on December 20, 2024.

Modern Muse Construction was licensed, as of March 19, 2025, by the California Contractors State License Board, license number 1077027 with a B-General Building classification. (Exh. 3.)

Modern Muse Construction Did Not Contact the Regional Notification Center Before Excavating

Government Code section 4216.2(b) states that an excavator planning to excavate shall notify the appropriate regional notification center of the excavator's intent to excavate at least two working days, and not more than 14 calendar days, before beginning that excavation.

Modern Muse Construction did not notify the Regional Notification Center prior to starting work at the jobsite. The reason that Modern Muse Construction CEO Giang Vo gave for not contacting the Regional Notification Center before excavation was that his newish project manager forgot. (Exh. 2.)

On March 11, 2025, Investigator emailed Amber Dahl, Safety Awareness Director at DigAlert, requesting ticket information for 8902 Adah Street, Garden Grove, California, 92841 between November 20, 2024, and January 20, 2025. (Exh. 4.)

Amber Dahl, DigAlert's Safety Awareness Director, responded on March 11, 2025, confirming that a ticket did not exist for 8902 Adah Street, Garden Grove, California 92841 on December 20, 2024. (Exh. 5.)

Modern Muse Construction Did Not Call 911 Emergency Services Upon the Gas Release

Government Code section 4216.4(c)(1) states an excavator shall call 911 emergency services upon discovering or causing damage to a gas or hazardous liquid pipeline subsurface installation in which the damage results in the escape of any flammable, toxic, or corrosive gas or liquid.

Modern Muse Construction damaged a plastic gas line while using a shovel to trench in the dirt, but it did not call 911 after the damage occurred. The reason that Modern Muse Construction CEO Giang Vo gave for not contacting 911 was that the hole was small and that no one else was around. (Exh. 2.)

Findings:

1. Modern Muse Construction failed to contact the Regional Notification Center before beginning work on December 20, 2024, at 8902 Adah Street, Garden Grove, California 92841, due to the project manager forgetting to make contact first.
2. On December 20, 2024, Modern Muse Construction failed to call 911 emergency services to report the escaping gas from the subsurface installation after it was hit and damaged by a shovel.

Investigator	Supervisor
Gabrielle Zeps	Anona Bonner
Signature	Signature
/s/ Gabrielle Zeps	/s/ Anona Bonner

Exhibit List:

Exhibit No.	Description	Date	Received From
1.	Incident Report submitted to the California Underground Safety Board	Received on 2/6/2025	Southern California Gas Company
2.	Telephone Interview With Modern Muse Construction CEO Giang Vo by Investigator Gabrielle Zeps	Telephone Interview Conducted on 3/19/2025 by Gabrielle Zeps	
3.	Contractor's License Detail for License No. 1077027 obtained from the Contractors State License Board website	Downloaded on 3/19/2025	California Contractors State License Board website at https://www.cslb.ca.gov/online services/checklicense/ checklicense.aspx
4.	Investigator's email to DigAlert requesting ticket information on the underlying job to this incident	Emailed on 3/11/2025	
5.	Email from DigAlert stating there was no valid ticket for the underlying job to this incident	Received on 3/11/2025	Amber Dahl Safety Awareness Director DigAlert

Exhibit 1

No-Ticket Damage Reporting Form

Submitted: February 6, 2025 8:18 PM

Reporter Information

Provide the names, titles, phone numbers, and email addresses of all individuals who are involved in reporting this damage or contributing to the answers to these questions

Full Name

Jennifer Duprey

Title

Damage Prevention Analyst

Phone Number

949-280-6576

E-mail address

Jlduprey@socalgas.com

Company

Provide the name, address, phone number, email address, and, if applicable, the Regional Notification Center (member code for your company).

Company Name

So Cal Gas

Address

555 W. 5th St., Los Angeles , 90013

Phone Number

877-238-0092

Email Address

SCGDamagePrevention@socalgas.com

Regional Notification Center member code

Other Contacts

Is the photographer same as the primary reporter named above?

No

Please provide the name, title, phone number, and email address contact for everyone in your company that took the photos or developed other records included with your answers to these questions.

Full Name

Josh Garcia

Title

Team Lead

Phone Number

714-858-4205

E-mail address

Jgarcia9@socalgas.com

Incident Information

What was the date and approximate time of the incident?

December 20, 2024 4:49 PM

What is the address where your facility was damaged on 12/20/2024?

Damage Street Address

8902 Adah St

Damage County

Orange

Damage City

Garden Grove

Damage Cross Street 1

Magnolia

Damage Cross Street 2

Other Damage location description

Does So Cal Gas own, operate or maintain the facility damaged on 12/20/2024?

Yes

What type of excavation did you observe on 12/20/2024 at that address?

Sewer

Describe the excavation activity you identified.

he damage on our ½ IPS looks like it was cut into when they were cutting a root out. Then they completely cut our plastic service so they can fold it back to control the leak. Their trench is for a sewer line from the back house being built.

What excavation companies did you observe on 12/20/2024?

Company Name

MODERN MUSE CONSTRUCTION

Company Address

12606 Hoover St, Garden Grove , 92841

Phone Number

714-200-4650

Email Address

modernmuse@mmcons.net

Did this company damage the facility?

Yes

Provide the name, title, phone number, and email address for at least one contact for each excavation company working at or near incident address on date of incident. If you have more than one contact, please provide all of them. Email addresses are required for submission of this form.

Personnel Name

HUNG vu

Title

contractor

Phone Number

714-200-4650

Email Address

modernmuse@mmcons.net

Notification Details

Was So Cal Gas notified of the proposed excavation by the Regional Notification Center before 12/20/2024?

No

What date and time did you learn of the damage to the facility?

December 20, 2024 4:53 PM

How did So Cal Gas learn of the damage to the facility?

HUNG VU, contractor

Facility Damaged

What kind of facility was damaged on 12/20/2024?

Natural Gas

Natural Gas

What type of material was the damaged facility?

Plastic

Facility diameter (inches)?

1.5

Incident Details

What kinds of excavation equipment did you observe at the location of the damaged facility?

Saw cutting

Do you know what equipment damaged the facility?

Yes

What equipment damaged the facility?

Saw cutting

What information are you relying on regarding damage to the facility?

Interview with excavator

Did So Cal Gas contact the Regional Notification Center before repairing the damaged facility?

Yes

What is the number of the 811-ticket the Regional Notification Center created due to your contact with the Regional Notification Center?

unknown

Provide any other relevant information about the damage on 12/20/2024.

If they had called USA they would have known there was a service line below the roots they were cutting

Damages

Were there any injuries to any personnel or bystanders due to the damage to your facility on 12/20/2024?

No

Was any property damaged other than the damaged facility?

No

Was there a fire caused by this damage on 12/20/2024?

No

Was there an evacuation of any nearby homes or businesses caused by this damage on 12/20/2024?

No

Provide an estimate of the number of your customers whose service was interrupted by this damage on 12/20/2024.

1

Conclusions

What date and time were repairs completed to the damaged facility?

February 20, 2025 6:52 PM

Please explain why you think the facility was damaged on 12/20/2024?

I think if they had a USA ticket they would have been able to know where the service was while cutting the roots.

Is there any other information which you feel is important to share about this incident?

Found 1/2 IPS service cut through and bent back and tied with wire

Not counting your answers to these questions, did So Cal Gas create an investigatory or incident report pertaining to the damage on 12/20/2024?

Yes

Please attach investigatory or incident report here.

USB Damage Report FormGG1.docx, 0.03MB

Have your answers to these questions and or the documents you are sending today been reviewed, changed or amended by anyone?

No

Files

Please attach all Facility Repair Orders.

Please attach all Photos.



Date and time photographed

December 20, 2024 8:45 PM

Photographer Name

Josh Garcia



Date and time photographed

December 20, 2024 8:45 PM

Photographer Name

Josh Garcia



Date and time photographed

December 20, 2024 8:45 PM

Photographer Name

Josh Garcia



Date and time photographed

December 20, 2024 8:45 PM

Photographer Name

Josh Garcia

Additional Records

Reference Number

N250371836

Exhibit 2



**CALIFORNIA UNDERGROUND SAFETY BOARD
INVESTIGATION DIVISION
REPORT OF TELEPHONE CALL**

REPORT DATE: March 19, 2025

CASE NO: N250371836

DATE AND TIME OF INTERVIEW: March 19, 2025, 1:31 pm

LOCATION OF INTERVIEW: Telephone

INTERVIEWER: Gabrielle Zeps

NAME, TITLE, AND COMPANY OF INTERVIEWEE(S):

Giang Vo, CEO of Modern Muse Construction

INTERVIEW:

- 12606 Hoover Street, Garden Grove, CA 92841: physical and mailing address
- modernmuse@mmcons.net
- CSLB#: 1077027
- He was not present on the jobsite on 12/20/2024.
- His project manager Hung Vu (still with him) and dirt digger Jairo Barrios (episodic reoccurring hire) were at the jobsite that morning.
- His company was the prime contractor on the job and no other company was at the jobsite.
- Modern Muse had obtained tickets before 12/20/2024. That morning his project manager forgot to call.
- The project manager had not been with him long at that point and he just forgot.
- Jairo Barrios was digging in the dirt with a shovel that belonged to Modern Muse when he damaged the plastic gas line.
- The project manager called SoCalGas immediately and reported the damage.
- The project manager then called CEO Vo and told him what had happened.
- CEO Vo told him to wait there for SoCalGas to come and fix it.
- It was not a big hole, and they came and fixed it quickly.
- No one else was near; no injuries, fatalities, property damage, fire or evacuations.
- He is not aware of anyone calling 911 as no one was around.
- No one call DigAlert after the damage as the job was already done.
- After the damage, he discussed with the project manager that you must always call DigAlert first. It is very important. We were very lucky no one was there. We need to be very sure that we always call first.
- He does not have information about contacting 811 posted but he mentions it every Friday at his safety meetings and at the meeting he has before each job.

Exhibit 3



CONTRACTORS STATE LICENSE BOARD

▼ Contractor's License Detail for License # 1077027

DISCLAIMER: A license status check provides information taken from the CSLB license database. Before relying on this information, you should be aware of the following limitations.

- ▶ CSLB complaint disclosure is restricted by law ([B&P 7124.6](#)) If this entity is subject to public complaint disclosure click on link that will appear below for more information. Click [here](#) for a definition of disclosable actions.
- ▶ Only construction related civil judgments reported to CSLB are disclosed ([B&P 7071.17](#)).
- ▶ Arbitrations are not listed unless the contractor fails to comply with the terms.
- ▶ Due to workload, there may be relevant information that has not yet been entered into the board's license database.

Data current as of 3/19/2025 3:28:29 PM

Business Information

MODERN MUSE CONSTRUCTION INC
12606 HOOVER STREET
GARDEN GROVE, CA 92841
Business Phone Number:(714) 797-7041

Entity	Corporation
Issue Date	06/16/2021
Reissue Date	10/29/2021
Expire Date	10/31/2025

License Status

This license is current and active.

All information below should be reviewed.

Classifications

B - GENERAL BUILDING

Bonding Information

Contractor's Bond

This license filed a Contractor's Bond with [HUDSON INSURANCE COMPANY](#).

Bond Number: TCS24804

Bond Amount: \$25,000

Effective Date: 05/13/2024

[Contractor's Bond History](#)

Bond of Qualifying Individual

The qualifying individual GIANG SON VO certified that he/she owns 10 percent or more of the voting stock/membership interest of this company; therefore, the Bond of Qualifying Individual is not required.

Effective Date: 10/29/2021

Workers' Compensation

This license has workers compensation insurance with the [NATIONAL CASUALTY COMPANY](#)

Policy Number: WCC336481A

Effective Date: 06/18/2024

Expire Date: 06/18/2025

[Workers' Compensation History](#)

Miscellaneous Information

- ▶ 10/29/2021 - LICENSE REISSUED TO ANOTHER ENTITY

[Back to Top](#)

[Privacy Policy](#)

[Accessibility Certification](#)

Copyright © 2025 State of California

[Conditions of Use](#)

[Accessibility](#)

Exhibit 4

From: Zeps, Gabrielle@EnergySafety
To: [Amber Dahl](#)
Subject: Ticket Search Request
Date: Tuesday, March 11, 2025 10:20:00 AM

Good morning, Amber. I am asking for a ticket search please. The address is 8902 Adah Street, Garden Grove, California 92841, between November 20, 2024, and January 20, 2025. The company I am investigating is Modern Muse Construction. Thank you for your assistance.

Gabrielle Zeps, Internal Controls Specialist

California Underground Safety Board

Mobile: 279-789-1817

Gabrielle.Zeps@energysafety.ca.gov

715 P Street, 20th Floor
Sacramento, CA 95814

Exhibit 5



Underground Service Alert

of Southern California™

March 11, 2025

Gabrielle Zeps
Underground Safety Board
715 P St, 20th Floor
Sacramento, CA 95814

File Number: Unknown

Dear Gabrielle,

After searching our records from 11/20/24 through 1/20/25, we were unable to find any DigAlert tickets for the location at 8902 Adah St in Garden Grove. I hope this information will be helpful.

If we can be of further assistance, please call us at 951-808-8100.

Sincerely,

Amber Dahl
Safety Awareness Director