

November 03, 2025

Patrick Doherty, Compliance Program Manager
Compliance Assurance Division
Office of Energy Infrastructure Safety
California Natural Resources Agency
715 P Street 20th Floor
Sacramento, CA 95814

BY ENERGY SAFETY E-FILING

SUBJECT: Southern California Edison Company's Response to Notice of Non-Performance NON_CAD_SCE_SIS_20250814_0654

Dear Mr. Doherty:

Southern California Edison Company (SCE) appreciates the opportunity to provide this response to the finding identified in the Notice of Non-Performance – Performance NON_CAD_SCE_SIS_20250814_0654 which SCE received on October 2, 2025 (Notice), based on the Office of Energy Infrastructure Safety's (Energy Safety) field inspections conducted in SCE's service area on August 14, 2025. SCE appreciates Energy Safety's efforts to identify, communicate and work together to resolve potential wildfire risks. The enclosed response describes corrective actions taken or planned by SCE to remedy the finding identified in the Notice and to prevent recurrence.

If you have any questions, or require additional information, please contact Liz Leano at 626-302-3662 or Elizabeth.Leano@sce.com.

Sincerely,

//s//

Shinjini C Menon
Senior Vice President of System Planning & Engineering
Southern California Edison

SCE Response

Finding: Failure to complete bird guard repair

Notice	Deficiency #	Structures
NON_CAD_SCE_SIS_20250814_0654	1	4943605E

Summary of Findings:

Energy Safety's Notice states that in implementing 2025 WMP initiative 8.1.3.1 - Distribution High Fire Risk-Informed (HFRI) Inspections and Remediations (IN-1.1), SCE failed to complete the remediation of bird guards on Pole ID 4943605E, Grid Hardening ID 413373230-4943605E at coordinates 33.787633, -117.371744.

Energy Safety states that it "considers this non-performance to be in the Minor risk category."¹

Response:

SCE confirms that the bird guard on structure ID 4943605E was remediated on March 31, 2025. During a subsequent inspection in response to this Notice, SCE's Field Operations team identified that the previously installed bird guard had become dislodged likely due to environmental exposure or other external factors. On October 29, 2025, SCE personnel installed a bird guard on structure 4943605E once again.

¹ Notice, p. 1.

Please find the photo evidence below of the most recently completed bird guard remediation.

